

Safed Musli Farming: New entries in Medicinal Plant Database by Pankaj Oudhia. 199.

List of Documents

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus crinitus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus esculentus* (L.) MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus ficulneus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus manihot* (L.) MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus moschatus* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abies densa* W. Griff. ex Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abies pindrow* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abies spectabilis* (D.DON) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abies webbiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abrus fruticulosus* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abrus pulchellus* WALL. EX THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon asiaticum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon avicennae* GAETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon glaucum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon*

graveolens (ROXB. EX HORNEM.) WIGHT & ARN. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon hirtum* (LAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon indicum* (L.) SWEET guineense (SCHUMACH.) BORSSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon indicum* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon pannosum* (G. FORST.) SCHLTDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon persicum* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon theophrasti* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia arabica* SENSU BAKER vediana COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia arabica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia caesia* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia catechu* (L.F.) WILLD. *sundra* (DC.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia chundra* (ROXB. EX ROTTLER) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia concinna* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia dealbata* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia decurrens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia eburnea* (L.F.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia farnesiana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia indica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia intsia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia jacquemontii* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia leucophloea* (ROXB.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia*

melonoxydon R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia modesta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia nilotica* (L.) WILLD. EX DEL. indica (BENTH.) BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pennata* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia planifrons* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia polyacantha* WILLD. *polyacantha* BRENNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia polyantha* SPRENG EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pseudo-eburnea* DRUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pycnantha* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia rugata* (LAM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia senegal* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia sinuata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia speciosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia suma* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia torta* (ROXB.) CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha alnifolia* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha betulina* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha ciliata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha fruticosa* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha hispida* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha paniculata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha*

racemosa WALL. EX BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acampe carinata* (GRIFF) PANIGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acampe papillosa* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acampe praemorsa* (ROXB.) BLATT. & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acampe wightiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthopanax trifoliatum* (LINN.) VOSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer caesium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer cappadocicum* GLEDITSCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer laevigatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer mono* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer oblongum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer pentapomicum* STEWART.EX BRAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer pictum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achillea millefolium* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achillea santolina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achras zapota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes aquatica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes aspera* L. rubrofusca HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes bidentata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes*

porphyristachya WALL. EX MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum atrox* (BRUHL) MUK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum balfourii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum bisma* (HAM.) RAPAICS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum chasmanthum* STAPF EX HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum deinorrhizum* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum elwesii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum falconeri* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum ferox* WALL. EX SERINGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum heterophyllum* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum kashmiricum* STAPF EX COVENTRY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum laciniatum* (BRUEHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum laeve* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum lethale* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum luridum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum moschatum* (BRUEHL) STAPF NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum napellus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum palmatum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum rotundifolium* KAR. & KIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum soonoricum* STAPF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum spicatum* (BRUHL) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconitum violaceum* JACQ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconogonum rumicifolium* (ROYLE EX BAB.)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aconogonum*

tortuosum (D.DON)HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acorus gramineus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrocarpus fraxinifolius* WIGHT & ARNOLAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrocephalus hispidus* (L.) NICOLS. & SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrocephalus indicus* (BURM.F.) KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acronychia laurifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acronychia pedunculata* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acroptilon repens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrostichum aureum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrotrema arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actaea racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actaea spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actiniopteris australis* (L.F.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actiniopteris dichotoma* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actiniopteris radiata* (SW.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne angustifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne dichotoma* FLORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne hookeri* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne obovata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenanthura pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenema hyssopifolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia*

heterophylla (BLUME) KOORD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia hondala* (GAERTN.) W.J.DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia nicobarica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia palmata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia penangiana* (DON) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia wightiana* (WALL. EX WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenosma capitatum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenosma indianum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenosma indicum* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenostemma lavenia* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adhatoda beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adhatoda vasica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adhatoda zeylanica* MEDIK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum aethiopicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum capillus-veneris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum caudatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum cuneipinnulum* NAIR & GHOSH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum flabellulatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum incisum* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum lunulatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum melanacaulon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum pedatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum peruvianum* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum*

philippense L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum tinetum* MOORE F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum trapiziforme* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adiantum venustum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adina cordifolia* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adinobotrys atropurpureus* DUNN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adonis aestivalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adonis chrysocyathus* HOOK.F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adonis majus* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adonis scrobiculata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adonis vernalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aegiceras corniculatum* (L.) BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aegle marmelos* (L.) CORREA EX. SCHULTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides crispum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides fieldingii* WILLMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides multiflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides odorata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides rosea* LINDL. & PAXT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides williamsii* WARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva javanica* (BURM.F.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva lanata* (L.) JUSS. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva monsonia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva*

pseudotomentosa BLATT. & HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva sanguinolenta* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva tomentosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva wightii* HOOK .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynanthus hookerii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynanthus maculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aesculus assamica* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aesculus hippocastanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aesculus indica* COLEBR. EX CAMBESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aframomum melegueta* (ROSC.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganosma calycina* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganosma caryophyllata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganosma cymosa* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganosma dichotoma* (ROTH) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganosma marginata* G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganosma wallichii* G.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agapanthus africanus* (L.)HOFFMANN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agathis robusta* F.M.BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agati grandiflora* (L.) DEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave angustifolia* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave cantala*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave sisalana* PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave vera-cruz* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave vivipara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ageratina adenophora* (SPR.) KING & ROB., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ageratum houstonianum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia diepenhorstii* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia domestica* (CORREA EMEND. JACK) PELLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia elaeagoidea* (JUSS.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia lawii* (WIGHT.) SALDANHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia minutiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia odorata* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia odoratissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia roxburghiana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agni-jwalamonia eupatoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agni-jwalamonia pilosa* LEDEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agropyron repens* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostemma githago* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis linearis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostistachys meeboldii* PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus altissima* SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus*

glandulosa DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus malabarica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus triphysa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ainsliaea angustifolia* HOOK.F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ainsliaea aptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ainsliaea pteropoda* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aisandra butyracea* (ROXB.) BAEHNI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ajuga bracteosa* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ajuga macrocarpa* WALL EX. BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ajuga macrosperma* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ajuga parviflora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium begonifolium* MARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium decapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium hexapetalum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium kurzii* CRAIB NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium lamareckii* THWAITES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium salvifolium* (L.F.) WANG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia amara* (ROXB.) BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia chinensis* (OSBECK) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia julibrissin* DURASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia lebbeck* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia lucida* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia lucidior* (STEND.) NIELSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia*

marginata MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia myriophylla* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia odoratissima* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia procera* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia stipulata* BOIVIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alcornocea javensis* MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alcornocea rugosa* (LOUR) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alchornea tiliaceifolia* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alectra parasitica* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alectra parasitica* A.RICH. *chitrakutensis* RAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aleurites moluccana* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alhagi camelorum* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alhagi maurorum* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alhagi pseudalhagi* (BIEB.) DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alisma plantago* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alisma plantago-aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alkanna tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *AllamKalam cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alliaria officinalis* ANDRZEJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alliaria petiolata* (BIEB.)CAVARA & GRANDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium ampeloprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium*

ascalonicum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium carolinianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium chinense* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium consanguineum* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium hookeri* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium humile* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium leptophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium macleani* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium rubellum* M.BIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium schoenoprasum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium stracheyi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium tuberosum* ROTTL. EX SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium victorialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium wallichii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allmania nodiflora* (L.) R.BR. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allophylus cobbe* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allophylus rheedii* (WIGHT.) RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allophylus serratus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alloteropsis cimicina* (L.) STAPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alnus nepalensis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alnus nitida*

ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia cucullata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia denudata* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia fornicata* (ROXB.) SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia indica* (LOUR.) SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia macrorrhiza* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia montana* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia odora* (ROXB.) C.KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe abyssinica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe barbadensis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe ferox* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe indica* (SCHOTT) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe littoralis* KOEN. EX. BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe perryi* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe spicata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe succotrina* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe vera* L. *chinensis* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe vera* L. *littoralis* KOEING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe vera* (typica) (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloysia triphylla* (L'HER.) BRITT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alphonsea veratricosa* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia allhugas*

ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia calcarata* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia chinensis* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia conchigera* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia galanga* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia khulanjan* M. SHERIFF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia malaccensis* (BURM.F.) ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia nigra* (GAERTN.) BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia nutans* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia officinarum* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia speciosa* K.SCHWM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia zerumbet* BURTT & R.M. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alseodaphne semicarpifolia* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia constricta* F MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia kurzii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia macrophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia scholaris* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia spectabilis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia venenata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera ficoidea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera philoxeroides* (MAR.) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera pungens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera sessilis* (L.) R.BR.EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera*

triandra LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Althaea ludwigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Althaea officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Althaea rosea* (L.) CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Altingia excelsa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus longifolius* WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus monilifer* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alyxia reinwartii* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alyxia stellata* ROEM. & SCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus atropurpureus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus blitum* L. oleracea DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus campestris* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus dubius* E.H.L.KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus fasciatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus gangeticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus gangeticus* LINN. tristis PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus gracilis* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus graecizans* AUCT. HISP. EX CUT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus hybridus* L. hybridus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus*

hybridus L. paniculatus THELL. cruentus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus hypochondriacus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus lividus* L. polygonoides (MIQ.) THELL. EX PROBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus lividus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus mangostanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus polygamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus tenuifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus tristis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaryllis belladonna* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amberboa divaricata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amberboa hookeri* (HASSK.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amberboa ramosa* (ROXB.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amblyanthus glandulosus* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ambroma augusta* (L.) L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amentotaxus assamica* D.K.Ferguson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amischophacelus axillaris* ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amischotolype hookeri* (HASSK.) HARA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammannia*

auriculata WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammannia baccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammannia senegalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammannia vesicatoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammi majus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum aromaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum costatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum dealbatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum fenzlii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum granum-paradisi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum kepulaga* SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum melegueta* ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum racemosum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum subulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum xanthioides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum zingiber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amoora cucullata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amoora rohituka* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorpha fruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus bulbifer* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus campanulatus* BLUME EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus commutatus* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus dubius* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus*

paeoniifolius (DENNST.) NICOLSON campanulatus (DECNE.) SIVADASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus paeoniifolius* (DENNST.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus prainii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus sylvaticus* (ROXB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus araneosa* (DALZ. & CRIBBS.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus arnottiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus barbata* (WALL.) PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus indica* (L.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus latifolia* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus tomentosa* (ROTH.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amphicome emodi* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amphilophis odorata* CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amphineuron extensus* (BL.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amyris gileadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anacolosia densiflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anacyclus pyrethrum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anamirta cocculus* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ananas comosus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ananas sativus* SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis adnata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis*

cinnamomea C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis contorta* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis cuneifolia* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis neelgerriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis nubigena* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis sarmentosa* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis semepervivoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis triplinervis* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anastatica hierochuntica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anchusa strigosa* LABILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ancistrocladus heyneanus* WALL. EX GRAHAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ancistrocladus tectorius* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andira araroba* AGUIAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrachne cadishaw* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrachne cordifolia* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis atropurpurea* (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis echiioides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis lineata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis macrobotrys* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.) WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis*

paniculata (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (BURM.F.)WALLICH EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis serpyllifolia* (ROTTL. EX VAHL) WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon citratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon contortus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon halepensis* BROTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon jwarancusa* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon laniger* DUTHIE NON DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon martini* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon muricatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon nardus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon odoratus* DNA LISBOA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum phlomidis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum serratum* (L.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum thomsonae* Balf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum wailiichii* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Duranta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina arborea*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina philippensis* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holmskioldia sanguinea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana camara* L. var. *aculeata* (L.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana camara* L. var. *splendens* (Medic.) Mold. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana indica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana veronicifolia* Hayek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lippia citriodora* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lippia javanica* (Burm.f.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petrea volubilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyla nodiflora* (L.) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna balakrishnanii* Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna coriacea* Clarke var. *coriacea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna coriacea* Clarke var. *villosa* (C. B. Clarke) Rajendran & Daniel and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna corymbosa* (Burm.f.) Rottl. & Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna glaberrima* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna latifolia* Rozb. var. *latifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna latifolia* Roxb. var. *henryi* D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna latifolia* Rozb. var. *mollissima* (Roth) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna latifolia* Roxb. var. *viburnoides* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna*

mundanthuraiensis Rajendran & P.Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna paucinervis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna wightiana* Schauers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Priva cordifolia* (L.f.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta mutabilis* (Jacq.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta urticaefolia* (Salisb.) Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tectona grandis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbena bipinnatifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbena bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbena x hybrida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbena rigida* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex altissima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex leucoxydon* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex negundo* L. var. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex negundo* L. var. *purpurascens* Sivar. & Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex peduncularis* Wall. ex Schauers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Congea tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenodesme paniculata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symphorema*

involucratum Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia alba* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia marina* (Forssk.) Vierh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrocephalus hispidus* (L.) Nicolson & Sadasivan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrocephalus palniensis* Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus argenteus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus carnosus* (L.f.) Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *dysophylloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus dysophylloides* Benth. var. *purpureus* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus eriocephalus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus henryi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus paniculatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus robustus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus scaber* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus sericeus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus suffruticosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisomeles heyneana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisomeles indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisomeles malabarica* (L.) R. Br. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basilicum polystachyon* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Becium filamentosum* (Forssk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clinopodium*

umbrosum (M. Bieb.) K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colebrookea oppositifolia* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia ciliata* (Thunb.) Hyland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Endostemon viscosus* (Roth) M. Ashby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eusteralis cruciata* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eusteralis deccanensis* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eusteralis quadrifolia* (Benth.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geniosporum elongatum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geniosporum menthoides* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geniosporum menthoides* (L.) Merr. var. *longiracemosum* (Ramam. & Sebastine) Press & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma eriocarpon* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *heyneanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma heyneanum* Wall. ex Benth. var. *rottleri* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma keralensis* Vivek., Gopalan & Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma strobilinum* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyptis suaveolens* (L.) Poit. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isodon coetsa* (D. Don) Kudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isodon nigrescens* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isodon nilgherricus* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isodon walkeri* (Arn.) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isodon wightii* (Benth.) H. Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavendula angustifolia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavandula lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonotis*

leonurus R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonotis nepetiifolia* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus sibiricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas anKalamraoana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas angularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas aspera* (Willd.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas biflora* (Vahl) R.Br. var. *biflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas cephalotes* (Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas chinensis* (Retz.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas ciliata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas diffusa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *eriostoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *lanata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas eriostoma* Hook.f. var. *latifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas flaccida* R.Br. var. *scaberula* (Hook.f.) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas helianthemifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas hirta* (Heyne ex Roth) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas indica* (L.) R.Br. ex Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas lamifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas lanata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas lanceaefolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas marrubioides* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas martinicensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas montana*

Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas nutans* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas prostrata* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas rosmarinifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas stelligera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas stricta* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas suffruticosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas ternifolia* Desf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas urticaefolia* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas vestita* Benth. var. *vestita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas vestita* Benth. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas vestita* Benth. var. *oblongifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas vestita* Benth. var. *sericostoma* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas zeylanica* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha x piperita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meriandra bengalensis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromeria biflora* (Buch.-Ham.ex D.Don.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromeria capitellata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta hindostana* (Roth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum*

americanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. var. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. var. *pilosum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. var. *purpurascens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. var. *thyrsiflorum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Origanum hortensis* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon aristatus* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon comosus* Wight ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon pallidus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *rubicundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon rubicundus* (D.Don) Benth. var. *hohenackeri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon thymiflorus* (Roth) Sleensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus amboinicus* (Lour.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus barbatus* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus bishopianus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus caninus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus coleoides* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus deccanicus* Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus malabaricus* (Benth.) Willemse and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus mollis* (Ait.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus*

rivularis Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus rotundifolius* (Poir.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus scutellarioides* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus stocksii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus subincisus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus urticifolius* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus vettiveroides* (Jacob) Singh & Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon atropurpureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon auricularius* (L.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon benghalensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon cablin* (Blanco) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon gardneri* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon hedgei* V.S. Kumar & B. Sharma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon heyneanus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon myosuroides* (Roth) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon nilagiricus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon paludosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon paniculatus* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon purpurascens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon rotundatus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon rugosus* (Hook.f.) El Gazzar & L. Watson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon*

speciosus Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunella vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia coccinea* Buc'hoz ex Etlinger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia farinacea* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia grahamii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia involucrata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia leucantha* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia microphylla* Kunth var. *neurepia* (Fernald) Epling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia patens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia rutilans* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia splendens* Sell. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia uliginosa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia verbenacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Satureja umbrosa* (Bieb.) Scheele and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria colebrookiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria rivularis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria violacea* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria wightiana* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetradenia riparia* (Hochst.) Codd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium fruticans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium*

plectranthoides Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium tomentosum* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago afra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago erosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago exigua* Juss.ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago ovata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commicarpus chinensis* (L.) Heimerl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia crispa* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wild Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia helenae* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bougainvillea glabra* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bougainvillea spectabilis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mirabilis longiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia grandis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes aspera* L. var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes aspera* L. var. *porphyristachya* (Wall. ex Moq.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes aspera* L. var. *rubro-fusca* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achyranthes*

bidentata Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva lanata* (L.) Juss. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva persica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva sanguinolenta* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerva wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allmania nodiflora* (L.) R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera paronychioides* A.St. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera philoxeroides* (C. Martiu) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera pungens* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera sessilis* (L.) R.Br. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera tenella* Colla. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alternanthera tenella* Colla. var. *bettzickiana* (Regel) Veldkamp and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus blitum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus caudatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus graecizans* subsp. *thelProstateianus* (Nevski) Gusev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus hybridus* L. subsp. *cruentus* (L.) Thell. var. *paniculatus* (L.) Thell. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus spinosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaranthus viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia polygonoides* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia pulchella* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathula*

prostrata (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digera muricata* (L.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphrena serrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indobanalia thyrsoflora* (Moq.) Henry & Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iresine herbstii* Hook.f. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothosaerva brachiata* (L.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psilotrichum elliotii* Baker & Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psilotrichum nudum* (Heyne ex Wall.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pupalia lappacea* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichuriella monsoniae* (L.f.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthrocnemum glaucum* (Del.) Ung.-Sternb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthrocnemum indicum* (Willd.) Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atriplex repens* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atriplex stockesii* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium ambrosioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium carinatum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium giganteum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium pumilo* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haloxylon recurvum* (Moq.) Bunge and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kochia indica*

Wight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salicornia brachiata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suaeda maritima* (L.) Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suaeda monoica* Forssk. ex Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suaeda vermiculata* Forssk. ex J.F.Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ercilla spicata* Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petiveria alliacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phytolacca dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phytolacca octandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rivina humilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antigonon leptopus* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccoloba uvifera* (L.) L. Syst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emex spinosus* (L.) Campdera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagopyrum esculentum* Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Muehlenbeckia gracillima* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Muehlenbeckia platyclada* (F.v. Muell. ex Hook.) Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria attenuata* (R.Br.) Sojak subsp. *pulchra* (Blume) K.L.Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *gracilis* (Danser) H.Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria barbata* (L.) Hara var. *stagnina* (Buch.-Ham. ex Meisn.) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria capitata* (Buch.-Ham. ex D.Don) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria chinensis* (L.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria dichotoma* (Blume) S.K.Dixit B.Datt & G.P.Roy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach var. *hydropiper* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria hydropiper* (L.) Spach subsp. *flaccida* (Meisn.) Munshi & Javeid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria lapathifolia* (L.) Gray var. *lanigera* (R.Br.) Chantar. & Tubtimtong and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria nepalensis* (Meisn.) H.Gross and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persicaria peduncularis* (Meissner) Nemato and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum dichotomum* Blume var. *angustissima* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum dichotomum* Blume var. *nilagirica* (Hook.f.) Chandrasekaran and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum dichotomum* Blume var. *robusta* (Hook.f.) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum glabrum* Willd. var. *glabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum glabrum* Willd. var. *scabrinervis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum minus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum molle* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum plebeium* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum*

sphaerocephalum Wall.ex Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex nepalensis* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalzellia zeylanica* (Gard.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Farmeria indica* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indotristicha ramosissima* (Wight) Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indotristicha tirunelveliana* Sharma, Karthik. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podostemon barberi* Willis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podostemon subulatus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polypleurum dichotomum* (Gard.) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polypleurum stylosum* (Wight) Hall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Willisia selaginoides* (Bedd.) Warm. ex Willis and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeylanidium lichenoides* (Kurz) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeylanidium olivaceum* (Gard.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia bracteolata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia cymbifera* Mart. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia ringens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia*

tagala Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thottea barberi* (Gamble) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thottea siliquosa* (Lam.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepianthes umbellata* (L.) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia blKalam* (Jacq.) Kunth var. *floribunda* (Miq.) Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia heyneana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia pellucida* (L.) H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia candolleana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia tetraphylla* (Forst.f.) Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia pseudo-rhombi* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia wightiana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper argyrophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper galeatum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper glaberrhache* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper hapnium* Buch.-Ham. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper hymenophyllum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper mullesua* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper obtusistigmum* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper ootacamunbense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper*

opacilimum C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper ovatostemon* C.DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper pykarahense* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper schmidtii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper trichostachyon* (Miq.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper trioicum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper wightii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcandra chloranthoides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knema attenuata* (Wall. ex Hook.f.& Thoms.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica dactyloides* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica fatua* Houtt. var. *magnifica* (Bedd.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica fragrans* Houtt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *campanulata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne campanulata* Hook.f. var. *obtusata* Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne lanata* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne maderaspatana* Bedd. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne malabarica* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne salicina* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actinodaphne tadulingamii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *semecarpifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alseodaphne*

semecarpifolia Nees var. angustifolia Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alseodaphne semecarpifolia* Nees var. *parvifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apollonias arnottii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beilschmiedia bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beilschmiedia gammieana* King ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beilschmiedia wightii* (Nees) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassytha capillaris* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum bejolghota* (Buch. - Ham.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum camphora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum filipedicellatum* Kosterm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum keralaense* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum macrocarpum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum malabattrum* (Burm.f.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum multiflorum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum nitidum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum perrottetii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum riparium* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum sulphuratum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum verum* Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum walaiwarens* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya*

anamalayana Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya neilgherrensis* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya stocksii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurus nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea coriacea* (Heyne ex Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea deccanensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea floribunda* (Blume) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea glabrata* (Wall. ex Nees) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea glutinosa* (Lour.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea hookeriana* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea laevigata* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea monopetala* (Roxb.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea oleoides* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea quinqueflora* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *stocksii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea stocksii* (Meisner) Hook.f. var. *glabrescens* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea*

travancorica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea venulosa* (Meisner) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea wightiana* (Nees) Hook.f. var. *tomentosa* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea cassia* (L.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea foliosa* (Nees) Gamble var. *caesia* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea scrobiculata* (Meisner) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persea americana* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persea macrantha* (Nees) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoebe lanceolata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoebe paniculata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoebe wightii* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gyrocarpus asiaticus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Banksia marginata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grevillea banksii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grevillea bipinnatifida* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grevillea hilliana* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grevillea punicea* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grevillea robusta* A. Cunn. ex R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hakea laurina* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hakea salicifolia* (Vent.) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hakea sericea* Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicia nilagirica*

Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicia robusta* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucadendron argenteum* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macadamia ternifolia* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petrophile pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenocarpus salignus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnidia glauca* (Fresen.) Gilg var. *sisparensis* (Gard.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gyrinops walla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ovidia humboldtia* Meisner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wikstroemia indica* (L.) C. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus conferta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus indica* Servettaz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus kologa* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *falcata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe falcata* (L.f.) Etting. var. *pubescens* (Hook.f.) Chandrasekaran and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe memecylifolia* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe neelgherrensis* (Wight & Arn.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe sarcophylla* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe trigona* (Wight & Arn.) Danser ex Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicanthus elastica* (Desr.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helixanthera hookeriana* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helixanthera intermedia* (Wight) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helixanthera*

lepidophylla (Walp.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helixanthera obtusata* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helixanthera wallichiana* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrosolen capitellatus* (Wight & Arn.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrosolen parasiticus* (L.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scurrula cordifolia* (Wall.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus courtallensis* (Gamble) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus cuneatus* (Heyne ex Roth) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus heyneanus* (Schultes) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus recurvus* (Wall. ex DC.) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus sclerophyllus* (Thw.) Danser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus tomentosus* (Heyne ex Roth) Tieghem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Korthalsella japonica* (Thunb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum angulatum* Heyne ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *articulatum* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *dichotomum* Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum articulatum* Burm.f. var. *thelocarpum* (Danser) R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum capitellatum* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum heyneanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum monoicum* Roxb.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum orientale* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum ramosissimum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum*

trilobatum Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *quadripartita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osyris quadripartita* Salzm. ex Decne. var. *puberula* (Hook.f.) Kumari

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleropyrum pentandrum* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thesium wightianum* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. *indica* (Arn.) Hansen var. *minor* (Eichl.) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora*

fungosa J.R. & G. Forst. subsp. indica (Arn.) Hansen var. agastyamalayana Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora fungosa* J.R. & G. Forst. subsp. indica (Arn.) Hansen var. tirunelveliensis Viswanathan Prem Kumar & Ramesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha alnifolia* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha brachystachya* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha ciliata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha fruticosa* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha hispida* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha lanceolata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha malabarica* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha racemosa* Heyne ex Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acalypha amentacea* Roxb. subsp. *wilkesiana* (Muell.Arg.) Fosberg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Actephila excelsa* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostistachys borneensis* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostistachys indica* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aleurites*

moluccana (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma acidum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma alexiteria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma buniis* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma ghaesembilla* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma menasu* (Tul.) Miq. ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma walkeri* (Tul.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aporosa acuminata* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aporosa fusiformis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aporosa lindleyana* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baccaurea courtallensis* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baliospermum montanum* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bischofia javanica* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blachia calycina* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blachia reflexa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blachia umbellata* (Willd.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Breynia retusa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Breynia vitis-idaea* (Burm.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia cinerascens* Gehrm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia crenulata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia retusa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia scandens* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrozophora prostrata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrozophora*

rottleri (Geiseler) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claoxylon anomalum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *angustatum* Susila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claoxylon wightii* Hook.f. var. *hirsutum* (Hook.f.) Sushila et Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleidion spiciflorum* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleistanthus collinus* (Roxb.) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleistanthus patulus* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleistanthus travancorensis* Jablonszky and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Codiaeum variegatum* (L.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelodepas calycinum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton bonplandianum* Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton caudatus* Geiseler var. *caudatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton caudatus* Geiseler var. *obovoideus* Balakr. & Chakrab. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton hirtus* L'Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton klotzchianus* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton laccifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton malabaricus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton oblongifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton zeylanicus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalechampia indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalechampia scandens* L. var. *velutina* (Wight) Mull. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimorphocalyx beddomei* (Benth.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimorphocalyx*

glabellus Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimorphocalyx lawianus* (Muell.-Arg.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes elata* (Bedd.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes longifolia* (Blume) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes malabarica* (Bedd.) Airy Shaw

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes porteri* (Gamble) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes roxburghii* (Wall.) Hurusawa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes sepiaria* (Wight & Arn.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes venusta* (Wight) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes wightii* (Hook.f.) Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epiprinus mallotiformis* (Muell.-Arg.) Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia agowensis* Hochst. ex Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia balakrishnanii* Binojk. & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia barnhartii* Croizat and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia*

corrigioloides Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia cotinifolia* L. subsp. *cotinoides* (Miq.) Christenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia cristata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia cyathophora* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia dracunculoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia heterophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *heyneana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia heyneana* Spreng. subsp. *nilagirica* (Miq.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia indica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia laciniata* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia longistyla* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia milii* Des and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia nivulia* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia pulcherrima* Willd.ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia pycnostegia* Boiss. var. *zornii* (Boiss.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia rosea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia rothiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia santapaui* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia serpens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia*

tirucalli L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia trigona* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia tortilis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia vajravelui* Binojk. & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria cochinchinensis* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria crenulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria robusta* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fahrenheitia zeylanica* (Thw.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flueggea leucopyrus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flueggea virosa* (Willd) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Givotia rottleriformis* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion arboreum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion balakrishnanii* G.J. Jothi, V.S. Manickam, V. Sundaresan & M. Josphine Mary and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion candolleianum* (Wight & Arn.) Chakrab. & Gangop and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion ellipticum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion fagifolium* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion malabaricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion pauciflorum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion tomentosum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion velutinum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion*

zeylanicum (Gaertn.) Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hevea brasiliensis* (Willd. ex Juss.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homonoia retusa* (Graham ex Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homonoia riparia* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha glandulifera* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha heynei* Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha integerrima* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha maheshwarii* Subram. & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha tanjorensis* Ellis & Saroja and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha villosa* Wight var. *villosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha villosa* Wight var. *ramnadensis* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga flexuosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga peltata* (Roxb.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus atrovirens* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus aureopunctatus* (Dalz.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus distans* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus philippensis* (Lam.) Muell.-Arg. var. *philippensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus*

philippensis (Lam.) Muell.-Arg. var. tomentosus Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus repandus* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus resinusus* (Blanco) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus rhamnifolius* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus stenanthus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus subramanyamii* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus tetracoccus* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manihot esculenta* Crantz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manihot glaziovii* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Margaritaria indica* (Dalz.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meineckia longipes* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meineckia parvifolia* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micrococca beddomei* (Hook.f.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micrococca mercurialis* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micrococca wightii* (Hook.f.) prain var. *hirsutum* (Hook.f.) Prain and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mischodon zeylanicus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paracroton integrifolius* (Airy Shaw) Balakr. & Chakrab and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus acidus* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus amarus* Schum. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus baillonianus* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus beddomei* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus*

chandrabosei Govaerts & Radcl. - Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus debilis* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus fimbriatus* (Wight) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus gageana* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus gardnerianus* (Wight) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus indofischeri* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus kozhikodianus* Sivar. & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus lawii* Graham ex Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus leschenaultii* Muell. Arg., and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus longiflorus* Heyne ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *macraei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus macraei* Muell.-Arg. var. *hispidus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus macrocalyx* Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus megacarpa* (Gamble) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus myrtifolius* Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus pinnatus* (Wight) Webster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus polyphyllus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus reticulatus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus rotundifolius* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus singampattiana* (Sebastine & Henry) Kumari & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus*

speciosus Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus virgatus* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudoglochidion anamalayanum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapium insigne* (Royle) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapium sebiferum* (Michaux) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauropus androgynus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauropus bacciformis* (L.) Airy Shaw and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauropus quadrangularis* (Willd.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sebastiania chamaelea* (L.) Muell.-Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suregada lanceolata* (Willd.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synadenium grantii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia bicolor* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia involucrata* L. var. *involucrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia involucrata* L. var. *angustifolia* Hook.f. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia muelleriana* Pax & Hoffm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia plukenetii* R. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trewia polycarpa* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonostemon nemoralis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernicia montana* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphniphyllum neilgherrense* (Wight) K. Rosenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buxus*

sempervirens L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcococca brevifolia* (Muell.-Arg.) Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcococca saligna* (D. Don.) Muell. Arg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boehmeria glomerulifera* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boehmeria macrophylla* Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boehmeria nivea* (L.) Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaedorea cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Debregeasia ceylanica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Debregeasia longifolia* (Burm.f.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Debregeasia wallichiana* (Wedd.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrocnide sinuata* (Blume) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Droguetia iners* (Forssk.) Schweinf. subsp. *urticoides* (Wight) friis & Wilmot- Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema acuminatum* (Poir.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema cuneatum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema lineolatum* Wight var. *lineolatum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema lineolatum* Wight var. *falcigera* Thw. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema lineolatum* Wight var. *linearis* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema lineolatum* Wight var. *setosum* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema sessile* Forst. var. *sessile* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema sessile* Forst. var. *cuspidata* (Wight) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema sessile* Forst. var. *pubescens* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema surculosum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia*

diversifolia (Link) Friis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laportea bulbifera* (Sieb. & Zucc.) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laportea interrupta* (L.) Chew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lecanthus peduncularis* (Wall. ex Royle) Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oreocnide frutescens* (Thunb.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *integrifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oreocnide integrifolia* (Gaudich.) Miq. var. *sylvatica* (Hassk.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parietaria micrantha* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pellionia heyneana* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea angulata* (Blume) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea kingii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea melastomoides* (Poir.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea microphylla* (L.) Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea wightii* Wedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *bennettiana* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *acuta* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *gardneri* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *macrophylla* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *mysorensis* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *ovalifolia* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *quadrialata* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* Wight var. *tomentosa* (Wight) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia*

cymosa Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia hirta* (Blume) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia pentandra* (Roxb.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *caudata* (Benn.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *lawsoniana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *nilghirensis* (Wight) Hook.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *scabra* (Wight) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia wightii* Benn. var. *wallichiana* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia zeylanica* (L.) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Procris crenata* Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica hyperborea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphananthe cuspidata* (Blume) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis philippensis* Blanco var. *wightii* (Planch.) Soep. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis tetrandra* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis timorensis* Spanoghe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holoptelea integrifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trema orientalis* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antiaris toxicaria* (Pers.) Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus incisus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus*

gomezianus Wall. ex Trec. subsp. zeylanicus Jarrett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus heterophyllus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus hirsutus* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Broussonetia papyrifera* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cudrania cochinchinensis* (Lour.) Kudo & Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dorstenia indica* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus albipila* (Miq.) King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus amplissima* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus amplocarpa* Govindarajulu & Masilamoney and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus arnottiana* (Miq.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus auriculata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus beddomei* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus benghalensis* L. var. *benghalensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus benghalensis* L. var. *krishnae* C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus callosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus dalhousiae* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus drupacea* Thunb. var. *pubescens* (Roth) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus elastica* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus exasperata* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus glaberrima* Blume var. *bracteata* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus guttata*

(Wight) Kurz ex King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus heterophylla* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus hispida* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus hookeriana* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus laevis* Blume var. *macrocarpa* (Miq.) Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus microcarpa* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus mollis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus nervosa* Heyne ex Roth var. *nervosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus nervosa* Roth var. minor King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus palmata* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus pumila* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus talbotii* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tinctoria* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tsjahela* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus virens* Ait. var. *virens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus virens* Ait. var. *lambertiana* (Miq.) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus virens* Ait. var. *wightiana* (Miq.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus australis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plecosperrum spinosum* Trec. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Streblus asper*

Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Streblus taxoides* (Heyne ex Roth) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platanus orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina glauca* Sieber. ex A.Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina equisetifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina junghuhniana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina stricta* Dryand. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina suberosa* Otto & Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina torulosa* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alnus nepalensis* D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Betula alnoides* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanea crenata* Sieb. & Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanea sativa* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanopsis indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanopsis roxburghiana* S.N. Biswas and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagus sylvatica* L. var. *sylvatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagus sylvatica* L. var. *cuprea* Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus baloot* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus coccifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus leucotrichophora* A. Camus ex Bahadur and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus robur* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus serrata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix babylonica*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix tetrasperma* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blyxa aubertii* Rich. var. *echinosperma* (Clarke) Cook & Luond and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blyxa octandra* (Roxb.) Planch ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enhalus acoroides* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila beccarii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila decipiens* Ostenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ovalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila ovalis* (R. Br.) Hook.f. subsp. *ramamurthiana* Ravikumar & Ganesan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila ovata* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila stipulacea* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrilla verticillata* (L. f.) Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nechamandra alternifolia* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ottelia alismoides* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalassia hemprichii* (Ehrenb.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria natans* (Lour.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Burmannia candelabrum* Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Burmannia coelestis* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Burmannia wallichii* (Miers) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acampe praemorsa* (Roxb.) Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthephippium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aenhenrya rotundifolia* (Blatter) Sathish & Rasmussen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides*

crispaLindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides maculosum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aerides ringens* (Lindl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anoectochilus elatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anoectochilus rotundifolius* (Blatter) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphyllorchis montana* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundina graminifolia* (D. Don) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachycorythis iantha* (Wight) Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachycorythis splendida* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum acutiflorum* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum albidum* (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum aureum* (Hook. f.) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum elegantulum* (Rolfe) J. J. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum fischeri* Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum fuscopurpureum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum kaitiense* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum sterile* (Lam) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum tremulum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum xylophyllum* Par. & Reichb. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe sylvatica* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe triplicata* (Willem.) Ames and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe vestita* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheirostylis flabellata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheirostylis*

parvifolia Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chiloschista fasciata* (F. Muell.) Seidenf. & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysoglossum hallbergii* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysoglossum maculatum* (Thw.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne breviscapa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *glandulosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *bournei* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne glandulosa* Lindl. var. *sathyanarayanae* Das & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne mossiae* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne nervosa* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne odoratissima* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne ovalis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne prolifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne uniflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corymborkis veratrifolia* (Reinw.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cottonia peduncularis* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crepidium purpureum* (Lindl.) Szlach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium aloifolium* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium bicolor* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium ensifolium* (L.) Sw. var. *haematodes* (Lindley) D. Du Put & P. Cribb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium anamalayanum* Chandrabose, Chandrasekaran & N. C. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium aqueum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium barbatulum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium*

diodon Reichb.f. subsp. kodayarensis Gopalan & A.N. Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium haemoglossum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium herbaceum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium heterocarpum* Wall. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium heyneanum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium macrostachyum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium microbulbon* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium nanum* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium nutantiflorum* Hawkes & Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium wightii* A. Hawkers & A. H. Heller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium panduratum* Lindl. subsp. *villosum* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymoplexis pallens* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplocentrum congestum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplocentrum recurvum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Disperis neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epidendrum radicans* Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epipactis veratrifolia* Boiss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epipogium roseum* (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria albiflora* Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria dalzellii* (Hook. ex Dalz) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria microchilos* (Dalz.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria mysorensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria nana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria pauciflora*

Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria polystachya* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria pseudoclavicaulis* Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia cullenii* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia epidendrea* (Koen.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia graminea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia pulchra* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia pratensis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia spectabilis* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flickingeria nodosa* (Dalz.) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gastrochilus acaulis* (Lindl.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gastrochilus calceolaris* (Buch.- Ham. ex J. E. Smith) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geodorum densiflorum* (Lam.) Schlte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goodyera fumata* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goodyera procera* (Ker-Gawl) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria acuminata* (Thw.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria barnesii* Summerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria cephalotes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria crassifolia* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria crinifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria decipens* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria denticulata* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria*

digitata Lindl. var. digitata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria digitata* Lindl. var. *foliosa* (A. Rich) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria digitata* Lindl. var. *travancorica* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria elwesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria furcifera* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria grandifloriformis* Blatter & McCann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria heyneana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria hollandiana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria longicorniculata* Granham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria longicornu* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria macrostachya* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria marginata* Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria multicaudata* Sedgw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria pallideviridis* Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria perrottetiana* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria plantaginea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria polyodon* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria rariflora* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria richardiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria roxburghii* Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria virens* (Lindl.) Abeyw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria*

viridiflora (Rottl. Ex Sw.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hetaeria ovalifolia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kingidium deliciosum* (Reichb.f.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis atropurpurea* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis beddomei* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis biloba* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis caespitosa* (Thouars) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis duthiei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis elliptica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis nervosa* (Sw.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis platyphylla* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis prazeri* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis resupinata* Ridley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis viridiflora* (Blume) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis walkeriae* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis wightiana* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luisia birchea* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luisia zeylanica* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malleola gracilis* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia aragoana* Gaudich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia carinata* (Roxb.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia plicata* (Andr.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia prainiana* (Ling & Prantl) Seidenfaden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia*

anamalayana Joseph and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia balakrishnanii* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia brunoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia ensiformis* (J. E. Smith) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia iridifolia* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia platycaulon* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia proudlockii* King & Pantl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia santapaui* Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia sebastiania* Shetty & Vivek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia seidenfadeniana* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia tenuis* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *arnottiana* (Wight) R. Ansari N. C. Nair & V. J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia wightiana* Lindl. var. *nilgiriensis* R. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oberonia zeylanica* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachystoma senile* (Lindl.) Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paphiopedilum druryi* (Bedd.) Pfitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papilionanthe cylindrica* (Lindl.) Seidenf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pecteilis gigantea* (J. E. Smith) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus aristatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus brachyphyllus* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus densus* (Lindl.) Sant. & Kapadia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus*

goodyeriodes (D. Don) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus lawii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus plantagineus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus secundus* (Lindl.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus spiralis* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus stocksii* (Hook. f.) Kraenzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pholidota pallida* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podochilus falcatus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polystachya concreta* (Jacq.) Garay & Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porpax jerdoniana* (Wight) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porpax reticulata* Lindl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Proteroceras leopardianum* (Par. Reichb.f.) Seidenf. & Smitin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchostylis retusa* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhytionanthos nodosus* (Rolfe) Garay Hamer & Siegerist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Robiquetia josephiana* Manilal & Satish Kumar and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Satyrium nepalense* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenorchis jerdoniana* (Wight) Garay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seidenfadeniella filiformis* (Richb.f.) E.A.Christ & Ormerod and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seidenfia densiflora* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seidenfia intermedia* (A. Rich.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seidenfia rheedii* (Sw.) Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seidenfia versicolor* (Lindley) Marg. & Szlach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sirhookera*

lanceolata (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sirhookera latifolia* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithsonia maculata* (Dalz.) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spathoglottis plicata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *sinensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiranthes sinensis* (Pers.) Ames var. *wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taeniophyllum alwisii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tainia bicornis* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thelasis pygmaea* (Griff.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thrixspermum muscaeiflorum* A. S. Rao & Joseph var. *nilagiricum* Joseph & Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trias stocksii* Benth ex Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichoglottis tenera* (Lindl.) Schltr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tropidia angulosa* (Lindl.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tropidia curculigoides* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *VKalam spathulata* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *VKalam tessellata* (Roxb.) Hook ex. G. Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *VKalam testaceae* (Lindl.) Reichb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *VKalam wightii* Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vanilla planifolia* Andrews and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vanilla walkeriae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vanilla wightiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeuxine affinis* (Lindl.) Benth.ex. Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeuxine gracilis* (Breda) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeuxine*

longilabris (Lindl.) Benth ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia abundiflora* Burt & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia calcarata* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia galanga* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia malaccensis* (Burm.f.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia nigra* (Gaertn.) B. L. Brutt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alpinia zerumbet* (Pers.) B. L. Burt & R. M.Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum cannicarpum* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum hypoleucum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum masticatorium* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum muricatum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amomum pterocarpum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma amada* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma aromatica* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma neilgherrensis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma pseudomontana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma zedoaria* (Christm.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *cardamomum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria cardamomum* (L.) Maton var. *major* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba ophioglossa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium*

coronarium Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium flavescens* Carey ex Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium spicatum* Hamilton ex Smith var. *acuminatum* (Roscoe) Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium venustum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber montanum* (K. D. Koenig) Link ex Dietr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber nimmonii* (J. Graham) Dalzell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber officinale* Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber roseum* (Roxb.) Roscoe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber wightianum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber zerumbet* (L.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Costus pictus* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Costus speciosus* (Koen.) J. E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phrynium pubinerve* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schumannianthus virgatus* (Roxb.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ensete superbum* (Roxb.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ensete ventricosum* (Welw.) Cheesman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliconia psittacorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa acuminata* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa balbisiana* Colla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa parasidiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ravenala madagascarensis* Sonner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strelitzia reginae*

Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ananas comosus* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anigozanthos flavidus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *leschenaultianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Disporum leschenaultianum* D. Don var. *angustifolium* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium trigrinum* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium wallichianum* Schultes & Schultes f. var. *neilgherrense* (Wight) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *intermedius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *gracilipes* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon intermedius* D. Don var. *pauciflorus* Hook. f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peliosanthes tetra* Andr. subsp. *humilis* (Andr.) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristea ecklonii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Babiana stricta* (Aiton) Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Babiana villosa* Ker Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crocasmia x crocosmiiflora* (E. Morren) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crocasmia pottsii* (Baker) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dierama pulcherrima* (Hook. F.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleutherine palmifolia* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Freesia refracta* Klatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gladiolus natalensis* (Eckl.) Reinw. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gladiolus primulinus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris japonica*

Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris unguicularis* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moraea iridioides* L. Mant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Watsonia borbonica* (Pourr.) Goldblatt subsp. *ardernei* (Sander) Goldblatt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Watsonia rosea* Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amaryllis belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum viviparum* (Lam.) R. Ansari & V.J. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum moorei* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucharis x grandiflora* Planch. & Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eurycles sylvestris* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haemanthus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haemanthus matalensis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippeastrum x johnsonii* (Hort.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippeastrum reginae* Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippeastrum vittatum* (L'Her.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenocallis littoralis* (Jacq.) Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucojum aestivum* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucojum pulchellum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Narcissus pseudo-narcissus* L. subsp. *moschatus* (L.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerine flexuosa* (Jacq.) Herb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerine undulata*

Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pancratium triflorum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaedranassa dubia* (Kunth) J. F. Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sprekelia formosissima* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenomesson coccineum* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zephyranthes carinata* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zephyranthes grandiflora* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zephyranthes tubispatha* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave angustifolia* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave sisalana* Perrine ex Engelm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agave vera-cruz* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordyline australis* (Forst. F.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Furcraea foetida* (L.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dianella ensifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phormium tenax* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena fruticosa* (L.) A. Chev. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena terniflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria roxburghiana* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria trifasciata* Hort. ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria thyridiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria*

varians N.E.Br and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria zeylanica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstroemeria aurea* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bomarea caldasiana* Herbert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bomarea oligantha* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curculigo orchioides* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypoxis aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Molineria trichocarpa* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tacca leontopetaloides* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea belophylla* Voigt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea esculenta* (Lour.) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea hamiltonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea hispida* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea kalkapershadii* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *oppositifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea oppositifolia* L. var. *dukhumensis* Prain & Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea spicata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea tomentosa* Koen ex Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea wallichii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea wightii* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichopus*

zeylanicus Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stemona tuberosa* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipcadi montanum* (Dalz.) Baker var. *madrasicum* (Barnes & Fischer) Deb & Dasgupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucomis autumnalis* (Miller) Chitt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucomis punctata* L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ornithogalum arabicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ornithogalum conicum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scilla hyacinthina* (Roth) Mecbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea indica* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea polyantha* Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asphodelus tenuifolius* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloe vera* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kniphofia uvaria* (L.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus asiaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus fyonii* Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus gonoclados* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus laevis* Steud. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus setaceus* (Kunth) Jessop and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus racemosus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum acaule* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum arundinaceum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum*

attenuatum (Wight) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum heynei* Rottl. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum laxum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum malabaricum* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum nimmonii* (Graham) Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum tuberosum* (Roxb.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gloriosa rothschildiana* O'Brien and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iphigenia indica* (L.) A. Gray ex Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iphigenia magnifica* Ansari & R. S. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemerocallis aurantiaca* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agapanthus praecox* Willd. var. *orientalis* (F. Leight.) F. Leight. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agapanthus praecox* Willd. var. *albus* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium cepa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium porrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax perfoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax wightii* A. DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eichhornia crassipes* (Mart.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monochoria hastata* (L.) Solms-Laub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monochoria*

vaginalis (Burm. F.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris capensis* Thunb. var. *schoenoides* (Mart) Nilsson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris pauciflora* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aclisia secundiflora* (Blume) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema montana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema ovalifolia* (Wight) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Belosynapsis kewensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Belosynapsis vivipara* (Dalz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina attenuata* Koen var. Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina clavata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina diffusa* Burm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina ensifolia* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina erecta* L. var. *erecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina erecta* L. var. *glochidea* (Koen.ex Clarke) Bhargavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina forskalaei* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina hirsuta* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina imberbis* Ehrenb. ex Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina indehiscens* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina longifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina paleata* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina paludosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina subulata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina*

tricolor Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina wightii* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis adscendens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *arachnoidea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis arachnoidea* Clarke var. *thwaitesii* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis arcotensis* R. Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis axillaris* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis burmanniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis concanensis* Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis cristata* (L.) D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis cucullata* (Roth) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis fasciculata* (Heyne ex Roth) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis obtusa* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis papilionacea* (L.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis pilosa* Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis tuberosa* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis villosa* (Spreng.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dictyospermum scaberrimum* (Blumes) Morton ex Hara et al. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Floscopa scandens* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia dimorpha* (Dalz.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia edulis* (Stokes) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia esculenta* (Wall ex Clarke) Raizada ex R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mudannia*

gigantea (Vahl.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia glauca* (Thw. ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia japonica* (Thunb.) Faden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia juncoides* (Wight) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia lanceolata* (Wight) Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia lanuginosa* (Wall ex Clarke) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia loriformis* (Hassk.) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia nudiflora* (L.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia pauciflora* Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia semiteres* (Dalz.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia simplex* (Vahl.) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia spirata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia vaginata* (L.) Brueckner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia zeylanica* (Clarke) Brueckner var. *longiscapa* (Clarke) R. Rao & Kammathy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhoeo discolor* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setcreasea purpurea* Boom and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zebrina pendula* Schnitzl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus bufonius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus effusus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus inflexus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus leschenaultii* J. Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luzula indica* Kirschner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Areca catechu* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenga wightii* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bentinckia condapanna* Berry ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus brandisii* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus gamblei* Beccari ex Becari & Hook. var. *gamblei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus gamblei* Beccari ex Beccari & Hook. var. *sphaerocarpa* Beccari ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus huegelianus* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus pseudo-tenuis* Beccari ex Beccari & Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus rheedii* Griff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus travancoricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corypha macropoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Livistona chinensis* (Jacq.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Livistona rotundifolia* (Lam.) Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix canariensis* Hort ex Chabaud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix loureirii* Kunth var. *loureirii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix loureirii* Kunth var. *humilis* (Becc.) S.C. Barrow and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix pusilla* Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix rupicola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix*

sylvestris (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinanga dicksonii* (Roxb.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhapis excelsa* (Thunb.) A. Henry ex Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roystonea regia* (Kunth) O. F. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sabal mauritiformis* (Karsten) Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachycarpus fortunei* (Hook.) Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Washingtonia robusta* Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus amaryllifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus canaranus* Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus odoratissimus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus tectorius* Parkinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus thwaitesii* Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acorus calamus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alocasia indica* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus paeoniifolius* (Dennst.) Nicolson var. *campanulatus* (Blume ex Decne) Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amorphophallus sylvaticus* (Roxb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphyllum beddomei* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphyllum wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthurium spathiphyllum* N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema auriculatum* Barnes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema leschenaultii* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema*

murrayi (Graham) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema tortuosum* (Wall.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema translucens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema tuberculatum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema tylophorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema wightii* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caladium bicolor* (Ait.) Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colocasia esculenta* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocoryne ciliata* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocoryne consobrina* Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocoryne retrospiralis* (Roxb.) Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocoryne spiralis* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epipremnum pinnatum* cv aureum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenandra meeboldii* (Engler) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenandra toxicaria* Dalz. var. *barnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monstera deliciosa* Liebm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plesmonium margaritiferum* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos armatus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos thomsonianus* Schott. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Remusatia vivipara* (Lodd.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhaphidophora pertusa* (Roxb.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theriophonum*

fischeri Sivadasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theriophonum minutum* (Willd.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theriophonum sivaganganum* (Ramam. & Sebastine) Bogner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthosoma sagittifolium* (L.) Schott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zantedeschia aethiopica* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemna gibba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemna perpusilla* Torrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spirodela polyrhiza* (L.) Schleiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wolffia globosa* (Roxb.) Hartog & Vander Plas and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyalisma janthina* Champ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caldesia parnassiifolia* (L.) Parl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophyton obtusifolium* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sagittaria guayanensis* H.B.K. subsp *lappula* (D Don) Bogin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sagittaria sagittifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Najas graminea* Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Najas indica* (Willd.) Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Najas malesiana* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Najas marina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Najas minor* All. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruppia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aponogeton appendiculatus* Bruggen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aponogeton echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aponogeton natans* (L.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aponogeton*

undulatus Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymodocea rotundata* Ehrenb. & Hempr. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymodocea serrulata* (R. Br.) Asch. & Magnus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halodule pinifolia* (Miki) Hartog and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halodule uninervis* (Forssk.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halodule wrightii* Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potamogeton crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potamogeton nodosus* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potamogeton pectinatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potamogeton perfoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syringodium isoetifolium* (Asch.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon brownianum* Martius ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon cinereum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon conica* (Fyson) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon elenorae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon ensiforme* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon leucomelas* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon longicuspis* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon nairii* Chandrabose & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon nepalense* Prescott ex Bongard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon odoratum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon panagudianum* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon pectinatum* Ruhl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon*

quinquangulare L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon ramnadense* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon richardianum* (Fyson) Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon ritchieanum* Ruchl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon robusto-brownianum* Ruhland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon robustum* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon talbotii* Ansari & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon thwaitesii* Koern. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon truncatum* Buch. - Ham. ex Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon xeranthemum* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ascopholis gamblei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbostylis barbata* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbostylis densa* (Wall.) Hand.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *puberula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbostylis puberula* (Poir.) Kunth ex C. B. Clarke var. *gracilis* C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex baccans* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex breviculmis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex brunnea* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex christii* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex eluta* Nelmes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex foliosa* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex filicina* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex glauca* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex hebecarpa*

C. Meyer var. ligulata (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex lateralis* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex lenta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex leucantha* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex lindleyana* Nees var. *lindleyana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex lindleyana* Nees var. *mercensis* (Hochst. ex Steud.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex longicruris* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex longipes* D. Don var. *longipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex longipes* D. Don var. *dissitiflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex maculata* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex myosurus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex nubigena* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex phacota* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex pseudoaperta* Boeckeler ex Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex raphidocarpa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex rara* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex speciosa* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex vicinalis* Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex walkeri* Arn. ex Boott and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex wallichiana* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus alopecuroides* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus alternifolius* L. subsp. *flabelliformis* (Rottboell) Kukenth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus*

arenarius Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus bulbosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus castaneus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus cephalotes* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus conglomeratus* Rottb. subsp. *pachyrrhizus* (Nees ex Boeck.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus compressus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus corymbosus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus curvibracteatus* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus cuspidatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus difformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *diffusus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus diffusus* Vahl. var. *macrostachyus* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus digitatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus distans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus distans* L. var. *pseudonutans* Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus elatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus exaltatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus halpan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus imbricatus* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus*

latovaginata Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus lurida* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus michelianus* (L.) Link. subsp. *pygmaeus* (Rottb.) Asch. & Graebn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus nutans* Vahl var. *nutans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus natans* Vahl var. *eleusinoides* (Kunth) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pangorei* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pilosus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus platyphyllus* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus platystylis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus plumbeonucea* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus polyanthelus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus procerus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pygmaeus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus rotundus* L. subsp. *rotundus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus rotundus* L. subsp. *tuberosus* (Rottb.) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus rubicundus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus rubriglomosus* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus sesquiflorus* (Torr.) Mattf. & Kuek. var. *cylindricus* (Nees) Kuek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus sphacelatus* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus stoloniferous* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus strictulmis* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus sulcinus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus tenuiculmis* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus*

tenuispica Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis acutangula* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis atropurpurea* (Retz.) Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis congesta* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis dulcis* (Burm.f.) Henschel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis geniculata* (L.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis retroflexa* (Poir.) Urban subsp. *chaetaria* (Roem. & Schult.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis spiralis* (Rottb.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis tetraquetra* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis aestivalis* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis aggregata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis amplocarpa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis aphylla* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis argentea* (Rottb.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis bisumbellata* (Forssk.) Bubani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis cinnamometorum* (Vahl) Kunth and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis complanata* (Retz.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis consanguinea* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis contorta* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis crystallina* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis cymosa* R. Br. subsp. *spathacea* (Roth) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *dichotoma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis dichotoma* (L.) Vahl subsp. *podocarpa* (Nees & Meyen) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis*

dichotoma (L.) Vahl subsp. glauca (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis dipsacea* (Rottb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis eragrostis* (Nees & Meyen ex Nees) Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis falcata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis ferruginea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis kingii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis latiglumifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis latinucifera* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis longistigmata* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis miliacea* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis monospicula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis monticola* Hochst. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis narayanii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis nutans* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis ovata* (Burm. F.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis paupercula* Boeckeler and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis pentaptera* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis pierotii* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis polytrichoides* (Retz.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis pustulosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis quinquangularis* (Vahl) Kunth var. *crassa* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis rectifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis rigidiuscula* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis*

rugosa Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis salbundia* (Nees) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis scabrisquama* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis schoenoides* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis semidisticha* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis sieberiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis squarrosa* Vahl var. *esquarrosa* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis strigosa* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis tenera* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis tetragona* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis tortifolia* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis triflora* (L.) Schum. ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis tristachya* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis uliginosa* Hochst. ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis woodrowii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuirena ciliaris* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuirena pubescens* (Lam.) Kunth var. *pergametacea* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuirena trilobites* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuirena umbellata* Rottb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuirena uncinata* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuirena wallichiana* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypolytrum nemorum* (Vahl) Spreng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kylinga brevifolius* Rottboell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kylinga bulbosa*

P. Beavu. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kylinga hyalina* (Vahl) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kylingia nemoralis* (J. R. & G. Forst.) Dandy ex Hutchinson & Dalziel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kylingia malanosperma* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lipocarpha chinensis* (Osbeck.) Kern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lipocarpha raynleana* Govindarajalu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lipocarpha sphacelata* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus clarkei* (Cooke) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus compactus* (Retz.) Bolding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus cyperinus* (Retz.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus dubius* (Rottboell) Kukenth ex C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus paniceus* (Rottboell.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus squarrosus* (L.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus sumaterensis* (Retz.) A. Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus flavescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus flavidus* (Retz.) T. Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus polystachyos* (Rottboell) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus pumilus* (L.) Nees ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus puncticulatus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus sanguinolentus* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus stramineus* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnus unioides* (R. Br.) Urb. var. *angulatus* (Nees) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchospora corymbosa* (L.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchospora*

gracillima Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchospora rubra* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchospora rugosa* (Vahl.) Gale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Riklilia squarrosa* (L.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus articulatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus grossus* (L. f.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus juncooides* (Roxb) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus littoralis* (Schrader.) Palla subsp. *subulatus* (Vahl) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus mucronatus* (L.) Palla and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus senegalensis* (Steud.) Palla ex Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schoenoplectus supinus* (L.) Palla subsp. *lateriflorus* (Gmel.) Koyama and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus fluitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus subcapitatus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria caricnia* (R. Br.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria corymbosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *lithosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *linearis* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria lithosperma* (L.) Sw. var. *multispiculata* Govindarajulu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria levis* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria mikawana* Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria parvula* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria terrestris* (L.) Fassett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrachne*

henrardiana (Bor) Phillips and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrachne racemosa* (Heyne ex Roth) Ohwi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrachne sundararajii* Umamahesw. et al and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeluropus lagopoides* (L.) Trin ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis micrantha* Stue. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis peninsularis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis pilosula* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis schmidii* (Hook. f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis stolonifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostis zenkeri* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alloteropsis cimicina* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon hallii* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon lividus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon longipes* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon polytychus* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon pumilus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthoxanthum borii* Jain & Pal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apocopis courtallumensis* (Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apocopis vaginata* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida adscensionis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida funiculata* Trin & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida hystrix*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida mutabilis* Trin. & Rupr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida setacea* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon castratus* (Griff.) Narayanaswami ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon depressus* Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon lanceolatus* (Roxb.) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon micans* (Nees) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon prionodes* (Steud.) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon quartinianus* (A. Rich) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinaria walkeriana* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinaria wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella ciliata* (Roxb.) Nees ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella hookeri* Munro ex Keng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella leptochloa* (Nees ex Steud.) Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella mesophylla* Nees ex Steud and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella nepalensis* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella nervosa* (Roxb.) Nees ex Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella pumila* (Hochst. ex A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *purpurea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella purpurea* Hochst. ex Steud. var. *laxa* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella setosa* Trin. var. *setosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella setosa* Trin. var. *nilagiriana* Subbarao & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella vaginata* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundo*

conspicua Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avena byzantina* K. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avena sterilis* L. var. *ludoviciana* (Durieu) Gill & Magne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Axonopus compressus* (Sw.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa bambos* Voss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa bladhii* (Retz.) S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa foulkesii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa insculpta* (Hochst. ex A. Rich.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa kuntzeana* (Hack.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa pertusa* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa pseudoischaemum* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria distachya* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria eruciformis* (J. E. Smith) Griseb. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria kurzii* (Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria miliiformis* (J. S. Presl) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria muna* Basappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria mutica* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria nilagirica* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria ramosa* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria remota* (Retz.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria*

reptans (L.) Gard. & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria Semiundulata* (Hochst. ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria Semiverticillata* (Rottl.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria setigera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachypodium distachyon* (L.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachypodium sylvaticum* (Huds.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Briza maxima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Briza media* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Briza minor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bromus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bromus catharticus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bromus diandrus* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bromus ramosus* Huds. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capillipedium filiculme* (Hook. f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capillipedium huegelii* (Hack.) Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capillipedium parviflorum* (R. Br.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus biflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus glaucus* Mudaliar & Sundararaj and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus pennisetiformis* Hochst. & Steud. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus setigerus* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centotheca lappacea* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionachne koenigii* (Spreng.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionachne*

Semiteres (Benth. ex Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris barbata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris bournei* Rang. & Tadol. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris dolichostachya* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris gayana* Kunth ex Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris pycnorrhiza* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris roxburghiana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris virgata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris wightiana* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon aciculatus* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon asper* (Heyne ex Hook. f.) Blatter & Mc Can and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon copei* Mohanan et Ravi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon fulvus* (Spreng) Choiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon hackelii* (Hook.f.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon orientalis* (Desv.) A. Camus and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon zeylanicus* (Nees ex Steud.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *perpusilla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelachne perpusilla* (Arn. ex Steud.) Thw. var. *nilagirica* Ved Prakash & Jain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelachne simpliciuscula* (Wight & Arn. ex Steud) Munro ex Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelachyopsis lagopoides* (Burm.f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coix aquatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coix gigantea* Koen. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coix lacryma-*

jobi L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cortaderia selloana* (Schultes) Asch. & Graebn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon caesius* (Nees ex Hook. & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon citratus* (DC.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon coloratus* (Hook. f.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud.) Wats var. *flexuosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon flexuosus* (Nees ex Steud) Wats var. *coimbatorensis* Gupta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon gidarba* (Ham. ex Steud.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon jwarancusa* (Jones) Schultes subsp. *olivieri* (Boiss.) Soenarko and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon martinii* (Roxb.) Wats. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *nardus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon nardus* (L.) Rendle var. *confertiflorus* (Steud.) Stapf ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon polyneuros* (Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon travancorensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynodon arcuatus* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynodon barberi* Rang & Tad. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynodon dactylon* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynodon plectostachyus* (Schum ex Engler) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum deccanense* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum longipes* (Wight & Arn. ex Hook. f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum muricatum* (Retz.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum oxyphyllum* (Steud.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum patens* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum*

sparsicomum (Nees ex Steud.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtococcum trigonum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dactyloctenium aegyptium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrocalamus strictus* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmostachya bipinnata* (L.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium annulatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium aristatum* (Poir) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium caricosum* (L.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium foveolatum* (Del.) Roberty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium oliganthum* (Hochst.ex Steud.) Cope and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium pallidum* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichaetaria wightii* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria abludens* (Roem. & Schultes) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria bicornis* (Lam.) Roem. & Schultes ex Loud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria ciliaris* (Retz.) Koeler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria duthieana* Henr. ex Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria griffithii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria longiflora* (Retz.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria microbachne* (Presl) Henr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria radicata* (Presl) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria setigera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria stricta* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria ternata*

(A. Rich) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria tomentosa* (Koen ex Willd.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria violascens* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitaria wallichiana* (Wight & Arn. ex Steud.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria acutipes* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria avenacea* (Retz.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria balakrishnania* K.Ravik., P.V. Sreek. & V. Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria fuscescens* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria kollimalayana* Mohanan & Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria lehmanii* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria orissae* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *ornithopoda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimeria ornithopoda* Trin. var. *khasiana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dinebra retroflexa* (Vahl) Panzer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplachne malabarica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa colona* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa crus-galli* (L.) P. Beauv var. *crus-galli* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa crus-galli* (L.) P. Beauv var. *brevisetata* (Doll) Neill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa frumentacea* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa oryzoides* (Ard.) Fritsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa picta* (J. Koen) Michael and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa stagnina* (Retz.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehrharta abyssinica* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleusine*

coracana (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleusine indica* (L.) Gaertn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elytrophorus spicatus* (Willd.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enneapogon schimperanus* (Hochst. Ex A. Rich) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enteropogon coimbatorensis* K K. N. Nair Jain & Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enteropogon monostachyos* (Vahl) Schum ex Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostiella bifaria* (Vahl) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostiella brachyphylla* (Stapf.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis aspera* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis atrovirens* (Desf.) Trin. ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis cilianensis* (Al.) Vign. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis ciliaris* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis ciliata* (Roxb.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis coarctata* Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis curvula* (Schrader) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis dayanKalamnii* P. Ravichandran S.Krishnan N.P. Samson and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis gangetica* (Roxb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis japonica* (Thunb.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis kiwuensis* Jedwabn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis macilenta* (A. Rich) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis maderaspatana* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis minor* Host and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis nigra*

Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis nutans* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis pilosa* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis riparia* (Willd.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis rottleri* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis schweinfurthii* Chioe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis superba* Peyr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis tef* (Zucc.) Trotter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv ex Roem. & Schultes var. *tenella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis tenella* (L.) P. Beauv. ex Roem. & Schultes var. *insularis* Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis tenuifolia* (A. Rich) Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis tremula* (Lam.) Hochst ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis unioides* (Retz.) Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis viscosa* (Retz.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremochloa muricata* (Retz.) Hack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremopogon foveolatus* (Del.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriochloa procera* (Retz.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriochrysis rangacharii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euchlaena mexicana* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulalia phaeothrix* (Hack.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulalia trispicata* (Schultes) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulalia wightii* (Hook. f.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulaliopsis binata* (Retz.) C.E. Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Festuca ovina* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Festuca undata* Stapf var. *aristata* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia arundinacea* Hook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia courtallensis* (Arn. & Nees) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia elata* (Arn. Ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia exaristata* Gould and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia fergusonii* Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia schmidii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garnotia tenella* (Arn. ex Miq.) Janowski and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glyceria spicata* Guss and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halopyrum mucronatum* (L.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helictotrichon polyneuron* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helictotrichon schmidii* (Hook. f.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helictotrichon virescens* (Nees ex Steud.) Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemarthria compressa* (L.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heteropogon contortus* (L.) P Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heteropogon fischerianus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heteropogon polystachyos* (Roxb.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holcolemma canaliculatum* (Nees ex Steud.) Stapf & Hunnard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygroryza aristata* (Retz.) Nees ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenachne acutigluma* (Steud.) Gilliland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ichnanthus vicinus* (Bailey) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Imperata*

cylindrica (L.)Raeusch. var. *major* (Nees) Hubbard ex Hubbard & Vaughan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne angladei* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne bourneorum* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne deccanensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne dispar* Trin. var. *dispar* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne dispar* Trin. var. *villosa* C.E.C. Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne elegans* Dalz ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne globosa* (Thunb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne kunthiana* (Wight & Arn. ex Steud.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne miliacea* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne oreades* (Domin) Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne pulchella* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne walkeri* (Arn. ex Steud.) Wight & Arn. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum commutatum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum flumineum* Bor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum indicum* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum koenigii* (Hook. f.) Stapf ex Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum nilagiricum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum pilosum* (Klein ex Willd.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum rangacharianum* Ficher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum rugosum* Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum tadulingamii* Nair & Sreekumar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum timorense* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum*

zeylanicolum Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iseilema antheophoroides* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iseilema jainiana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iseilema laxum* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iseilema prostratum* (L.) Andersson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jansenella griffithiana* (C. Muell.) Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leersia hexandra* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochloa chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochloa neesii* (Thw.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochloa obtusiflora* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochloa panicea* (Retz.) Ohw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochloa uniflora* Hochst ex A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lolium perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lolium temulentum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lophatherum gracile* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lopholepis ornithocephala* (Hook.) Steud. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lophopogon tridentatus* (Roxb.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manisuris myuros* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanocenchris jacquemontii* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanocenchris monoica* (Rottl.) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melica scaberrima* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microchloa indica* (L.f.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microchloa kunthii* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microchloa*

kunthii Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstegium ciliatum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstegium nudum* (Trin.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miscanthus nepalensis* (Trin.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mnesithea granularis* (L.) de Koning & Sosef and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mnesithea laevis* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myriostachya wightiana* (Nees ex Steud.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oclandra beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra scriptoria* (Dennst.) Fischer var. *sivagiriana* (Gamble) Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra setigera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra travancorica* Benth ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiuros bombaiensis* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiuros exaltatus* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oplismenus burmannii* (Retz.) P. Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oplismenus compositus* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oplismenus undulatifolius* (Ard.) P. Beauv ex Roem. & Schultes and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oropetium thomaeum* (L.f.) Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza barthii* A. Chevali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza meyeriana* (Zoll. & Mor.) Baill. var. *granulata* (Nees & Arn. ex Wall) Duist. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza minuta* J. S. Presl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza officinalis* Wall ex Watt subsp. *malampuzhaensis* (Krishnaswami & and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Chandrasekaran) Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza rufipogon* Griff. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ottochloa nodosa* (Kunth) Dandy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytenanthera monadelphae* (Thw.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytenanthera Ritcheyi* (Munro) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum antidotale* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum brevifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum fischeri* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum*

maximum Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum notatum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum paludosum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum psilopodium* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum sparsicomum* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum sumatrense* Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum trypheron* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalidium flavidum* (Retz.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalidium geminatum* (Forssk.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalidium punctatum* (Burm.f.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum canarae* (Steud.) Veldk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum conjugatum* Berg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum dilatatum* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum longifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum vaginatum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum americanum* (L.) Leeke. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum clandestinum* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum hohenackeri* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum pedicellatum* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum*

polystachyon (L.) Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum purpureum* Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum villosum* R. Br. ex Fresen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perotis indica* (L.) Kuntze var. *keelakaraiensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phalaris aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phalaris arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phalaris minor* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phragmites karka* (Retz.) Trin ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poa annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poa gamblei* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poa trivialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogonatherum crinitum* (Thunb.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogonatherum paniceum* (Lam.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polypogon fugax* Nees ex Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pommereulla cornucopiae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudanthistiria heteroclita* (Roxb.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudanthistiria umbellata* (Hack.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudechinolaena polystachya* (H.B.K.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudobrachiaria deflexa* (Schum.) Launert and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudoraphis spinescens* (R. Br.) Veickery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudosorghum fasciculare* (Roxb.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchelytrum repens* (Willd.) Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rottboellia*

cochinchinensis (Lour.) Clayton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum arundinaceum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum narenga* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sacciolepis curvata* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sacciolepis indica* (L.) Chase and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sacciolepis interrupta* (Willd.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sacciolepis myosuroides* (R. Br.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizachyrium brevifolium* (Sw.) Nees ex Buese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sehima nervosum* (Rottl.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sehima sulcatum* (Hack.) A. Camus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria homonyma* (Steud.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria intermedia* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria italica* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria palmifolia* (Koen.) Stapf. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria plicata* (Lam.) Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria poiretiana* (Schultes) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria pumila* (Poir.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria sphacelata* (Schum.) Stapf & Hubbard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria verticillata* (L.) P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sinarundinaria wightiana* (Nees) C.S.Chao & Renvoize and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum arundinaceum* (Desv.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum bicolor*

(L.) Moench. Meth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum cernuum* Host var. *orbiculatum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum cernuum* Host var. *truchmenorum* (C.Koch) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum conspicuum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum coriaceum* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum dimidiatum* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *irungu* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum dochna* (Forssk.) Snowden var. *obovatum* (Hack.) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *coimbatoricum* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum durra* (Forssk.) Stapf var. *mediocre* (Burkill ex Benson & Subbarao) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum guineense* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum halepense* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum laxiflorum* F.M. Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum nitidum* (Vahl.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum roxburghii* Stapf var. *hians* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *subglabrescens* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *compactum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *irungiforme* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *oviforme* Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum subglabrescens* (Steud.) Schweinf. & Asch. var. *rubidum* (Burkill) Snowden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum versicolor* Anderss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spinifex littoreus* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spodiopogon rhizophorus* (Steud.) Pilger and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus capillaris* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus coromandelianus* (Retz.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus hajrae* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *diander* (Retz.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus indicus* (L.) R. Br. var. *fertilis* (Steudd.) Jovet & Guedes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus maderaspatanus* Bor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus piliferus* (Trin.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus spicatus* (Vahl.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus tenuissimus* (Schrank) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus tremulus* (Willd.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus virginicus* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sporobolus wallichii* Munro ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teinostachyum wightii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda cymbaria* Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda*

quadrivalvis (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda tremula* (Nees ex Steud.) Hack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda triandra* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thysanolaena maxima* (Roxb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachys muricata* (L.) Pers ex Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragus roxburghii* Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripogon bromoides* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripogon jacquemontii* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripogon lisboae* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripogon pungens* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripogon wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripsacum laxum* Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum dicoccum* Schubler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urochloa panicoides* P. Beauv and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vetiveria lawsonii* (Hook. f.) Blatter & Mc Cann and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vetiveria zizanioides* (L.) Nash and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vulpia bromoides* (L.) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vulpia megalura* (Nutt.) Rydb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vulpia myuros* (L.) Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zenkeria elegans* Trin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zenkeria sebastinei* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zenkeria stapfii*

Henrard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zoysia matrella* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zoysia pungens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon schoenanthus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon sorghum* BROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andropogon squarrosus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Androsace rotundifolia* HARDW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema conspicuum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema lineolatum* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema nudiflorum* BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema scapiflorum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneilema tuberosum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemarrhena asphodeloides* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone falconeri* THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone narcissiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone obtusiloba* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone rivularis* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone rupicola* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone tetrasepala* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone vitifolia* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aneseia martinicensis* (JACQ.) CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anethum foeniculum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anethum sowa*

KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angelica archangelica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angelica archangelica* L. *himalayana* (C.B.CLARKE)BADHWAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angelica glauca* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angelica polymorpha* MAXIM. *SINENSIS OLIV.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angelonia salicariaefolia* HUMB. & BONPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angiopteris evecta* (FORST.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aniseia martinicensis* (JACQ.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus carnosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisochilus eriocephalus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisomeles indica* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisomeles malabarica* R.BR. EX SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisomeles ovata* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anisonema multiflorum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona cherimola* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anoectochilus regalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anoectochilus roxburghii* BL. REGALIS (BL.) PRADHAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anoectochilus setaceus* (BLUME) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anogeissus*

acuminata WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anogeissus latifolia* WALL. EX. GUILL. & PERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anogeissus pendula* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anotis foetida* (DALZ.) BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anplectrum assamicum* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthemis cotula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthemis gayana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthemis nobilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthemis odontostephana* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthemis pyrethrum* GOUAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthocephalus cadamba* MIQ.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthocephalus chinensis* (LAM.) A.RICH. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthocephalus indicus* A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthoxanthum odoratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthriscus cerefolium* (L.) HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthriscus sylvestris* HOFFM and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anthyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antiaris innoxia* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antiaris saccidora* DALZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antiaris toxicaria* (PERS.) LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anticharis glandulosa* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma acidum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma buniis* (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma*

diandrum ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma ghaesembilla* GAERTN. FRUCT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma menasu* (TULASNE) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antidesma zeylanicum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antirrhinum cymbalaria* GUELLENST EX LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antirrhinum orantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apama siliquosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apama tomentosa* (BL.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphanamixis polystachya* (WALL.) PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphananthe cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apium leptophyllum* F.MUELL. EX.BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aplotaxis auriculata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apluda mutica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apluda varia* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apocynum foetidum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apollonias arnottii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aponogeton monostachyon* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aponogeton natans* (L.) ENGL. & KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aporosa dioica* (ROXB.) MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aporosa lindleyana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aporosa octandra* (BUCH.- HAM. EX D. DON) VICK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aquilaria*

agallocha ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aquilaria malaccensis* LAM., NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aquilaria ovata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aquilegia fragrans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arabidopsis thaliana* (L.) HEYNH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arabidopsis wallichii* (HOOK.F.&T.) N. BUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arabis chinensis* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arabis recta* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arabis tribetica* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arachne cordifolia* (DECNE) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aralia armata* SEEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aralia cachemirica* DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aralia pseudoginseng* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aralia quinquefolia* DECNE. & PLANCH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aralia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arbutus unedo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arceuthobium minutissimum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archangelica himalaica* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archangelica officinalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archidendron clypearia* (JACK) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archidendron monadelphum* (ROXB.) NIELSEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arctium lappa* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arctostaphylos uva ursi* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia colorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia odontophylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia oxyphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia solanacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Areca catechu* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Areca concinna* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Areca nagensis* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Areca triandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenaria serpyllifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenca obtusifolia* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenca pinnata* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenca saccharifera* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenca wightii* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argemone alba* LESTIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyrea aggregata* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyrea argentea* ARN. EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyrea cuneata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyrea daltonii* CLARKE IN HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyrea fulgens* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyrea*

imbricata (ROTH) SANT. & PATEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia involucreata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia kleiniana* (ROEM.&SCHULT.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia malabarica* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia nervosa* (BURM.F.) BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia pomacea* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia sericea* Dalz. & Gib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia setosa* (ROXB.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia speciosa* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aricennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arikuryroba schizophylla* BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema alba* N. E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema curvatum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema decipiens* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema flavum* (FORSK.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema jacquemontii* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema leschenaultii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema murrayi* (GRAHAM) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema speciosum* (WALL.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema tortuosum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema triphyllum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arisaema wallichianum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida*

adscensionis L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida depressa* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida humilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristida setacea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia bracteata* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia bracteolata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia labiosa* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia reticulata* NUTTAL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia rotunda* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia roxburghiana* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia saccata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia serpentaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia tagala* CHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aristolochia rusticana* GAERTN. MEY. & SCHERB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arnebia benthamii* (WALL. EX G.DON) JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arnebia euchroma* (ROYLE) JOHN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arnebia guttata* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arnica montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artabotrys hexapetalus* (L.F.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artabotrys odoratissimus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artabotrys suaveolens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artanema*

longifolia (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artanema longifolium* (L.) VATAKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artanema sesamoides* (VAHL) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia abrotanum* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia absinthium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia austriaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia biennis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia brevifolia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia capillaris* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia cina* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia dracunculus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia gmelinii* WEBER EX. STECHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia indica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia japonica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia macrocephala* JACQ. EX BESS. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia maderaspatana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia moorcroftiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia nilagirica* (CLARKE) PAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia pallens* WALL. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia parviflora* BUCH. HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia persica* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia*

roxburghiana BESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia sacrorum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia scoparia* WALDST.& KIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia sieversiana* EHRH. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia vestita* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia vulgaris* AUCT.NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthraxon nudus* (STEUD.) HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthrocnemum indicum* MOQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arthrophyllum blumeianum* ZOLL. & MOR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus chaplasha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus communis* J. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus gomezianus* WALL. EX TREC. *zeylanicus* JANET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus heterophyllus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus hirsutus* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus integra* (THUNB.) MERRILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus integrifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artocarpus lakoocha* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arum campanulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arum colocasia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arum macrorhizon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arum numphaeifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aruncus dioicus* (WALTER) FERNALD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundina graminifolia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundinella*

nepalensis TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundo donax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arundo karka* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asagraea officinalis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asarum europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias asthmatica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias gigantea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias lactifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias proliferata* ROTTLER EX W. AINSLIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias volubilis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias vomitoria* KOEN. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asechynanthus gracilis* PARISH EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aspalathus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aspalathus linearis* (BURM.F.) R. DAHLGR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus adscendens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus curillus* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus filicinus* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus gonocladus* BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus laevis* STEND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus punjabensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus racemosus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus*

rottleri BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asparagus sarmentosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asperugo procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asphodelus fistulosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asphodelus tenuifolius* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aspidium polymorphum* (WALL.); BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium adiantoides* (L.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium adiantum-nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium alternans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium ceterach* L. *ceterach* Khullar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium dalhousiae* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium falcatum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium furcatum* THUMB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium laciniatum* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium nidus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium parasiticum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium polyodon* G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium rutamuraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium septentrionale* HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium trichomanes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asplenium viride* HUDSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster amellus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster asteroides* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster falconeri*

HUTCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster indamellus* GRIERSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster tibeticus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster trinervius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asteracantha longifolia* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asteriastigma macrocarpa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astilbe rivularis* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astraeus hygrometricus* (PERS.) MORG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus aegacanthoides* PARKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus candolleanus* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus ciliolatus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus graveolens* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus hamosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus heratensis* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus himalayanus* KLOTZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus jacquemontii* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus multiceps* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus munori* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus nivalis* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus polyacanthus* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus psilocentrus* FISCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus rhizanthus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus sarcocola* DYMOCK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus*

strobiliferus ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus tribuloides* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Astragalus verus* OSKIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia coromandeliana* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia dalzelliana* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia gangetica* (L.) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia violacea* DALZ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atalantia monophylla* CORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atalantia racemosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Athyrium filix-femina* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Athyrium hohenackerianum* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Athyrium puncticaule* (BL.) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Athyrium schimperi* (FEE) MOUG. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atriplex hortensis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atropa acuminata* ROYLE EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atropa belladonna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia barbata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia candollei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia goensis* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia lineata* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia mollis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia platycarpa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia scarabeoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atylosia*

volubilis GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Auricularia sambucina* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avena fatua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avena sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Averrhoa acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia alba* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia marina* (FORSK.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Avicennia tomentosa* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Azanza lampas* (CAV.) ALEF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Azima tetracantha* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baccaurea ramiflora* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanites aegyptiaca* (L.) DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanites roxburghii* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanocarpus utilis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora dioica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora fungosa* J.R. & G. FORST. indica (ARN.) Hans. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora involucrata* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanophora polyandra* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baliospermum axillare* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baliospermum calycinum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baliospermum*

montanum (WILLD.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baliospermum sinuatum* MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baliospermum solanifolium* (J.BURM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balsamodendron agallocha* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balsamodendron kataf* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balsamodendron mukul* HOOK. EX STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balsamodendron myrrha* N.& E. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balsamodendron stocksiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa arundinacea* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa balcooa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa bambos* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa oSkiniana* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa tulda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bambusa vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barbarea vulgaris* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria acanthoides* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria acuminata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria courtallica* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria cuspidata* HEYNE EX. NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria*

dichotoma ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria involucrata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria longiflora* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria longifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria lupulina* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria montana* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria mysorensis* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria noctiflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria prattensis* SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria strigosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia acutangula* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia asiatica* (L.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia racemosa* (L.) K.SPENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia speciosa* FORST. CHAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basella alba* L. rubra (L.) STEWART and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basella alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basella cordifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basella rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Basilicum polystachyon* (L.) MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bassia butyracea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bassia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bassia longifolia* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bassia*

malabarica BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia candida* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia diphylla* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia macrostachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia malabarica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia phoenicea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia phoenicea* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia racemosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia retusa* HAM. EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia roxburghiana* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia rufescens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia tenuiflora* WATT EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia vahlii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia wallichii* MACBRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia cathcartii* J.D. HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia hatacoa* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia inflata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia josephii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia laciniata*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia luxurians* SCHEIDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia palmata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia picta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia rex* PUTZEYS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia rubro-venia* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia thomsonii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *NripatimcKalam chinensis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Benincasa cerifera* SAVI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Benincasa hispida* (THUNB.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Benkara malabarica* (LAM.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bentinckia condapanna* BERRY EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis asiatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis chitria* EDWARDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis insignis* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis jaeschkeana* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis kashmiriana* AHRENDT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis kumaoensis* SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis lamberti* PARKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis lycium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis*

nepalensis SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis pachyacantha* JAFRI *zabeliana* JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis petiolaris* WALL. EX G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis pseudumbellata* PARKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis tinctoria* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis ulicina* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis umbellata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis wallichiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berchemia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergenia ciliata* (HOW.)STERN. fa ligulata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergenia ciliata* (HOW.) STERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergenia ligulata* SENSU BAILEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergenia purpurascens* (HOOK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergenia stracheyi* (HOOK.F.& THOMS.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergera koenigii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergia capensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergia odorata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergia suffruticosa* (DEL.) FENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beta benghalensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beta maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beta vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Betula alnoides* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Betula bhojpattria*

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Betula utilis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens biternata* (LOUR.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens cernua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens tripartita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biebersteinia odora* STEPH. EX FISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bignonia chelonoides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bignonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bigonia longifolia* (WILLD.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum apodisciac* TUREZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum candolleanum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum nervifolium* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum petersianum* KLOTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum reinwardtii* (ZUCC.) KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bischofia javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bistorta amplexicaulis* GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blastania garcini* COG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blechnum orientale* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blechnum spicant* (L.) WITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis boerhaviifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis edulis*

PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis linariaefolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis maderaspatensis* (L.) ROTH. *maderaspatensis* NAPPER *maderaspatensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis persica* (BURM.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharispernum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharistemma serratum* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blighia sapida* KOEN. & SIMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea aurita* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea balsamifera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea densiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea erientha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea fistulosa* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea hieracifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea lacera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea laciniata* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea lanceolaria* (ROXB.) DRUCE. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea membranacea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea mollis* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea myriocephala* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea obliqua* DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea pubigeru* (L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea riparia* (BLUME) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea*

sessiliflora DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea wightiana* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumeopsis falcata* (D.DON) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumeopsis flava* (DC.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blyxa octandra* (ROXB.) PLANCH.EX.THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bocagea dalzellii* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boehmeria macrophylla* HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boehmeria nivea* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boehmeria repens* NEES & MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boenninghauseni albiflora* (HK.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boenninghausenia albiflora* (HOOK. F.) REICHB. EX MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia chinensis* (L.) ASCH. & SCHW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia diffusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia repKalam* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boerhavia verticillata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boesenbergia rotunda* (L.) MANSF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bolbitis subcrenata* (HOOK. & GREV.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boletus crocatus* BATSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax cibaricum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax insigne* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax*

malabaricum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax pentandrum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bongardia chrysogonum* (L.) SPACH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bongardia rauwolfii* C.A.MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bonnaya oppositifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bonnaya reptans* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borago officinalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borassus flabellifer* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borassus flabelliformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borreria articularis* (L.F.) WILLIAMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borreria hispida* (L.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Borreria pusilla* (WALL) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bosea amherstiana* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia carteri* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia frereana* BIRDW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia ovalifoliolata* BAL & HENRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia serrata* ROXB. glabra (ROXB.) BENNETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia serrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia thurifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bothriochloa odorata* (LISBOA) A. CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Botrychium lunaria* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Botrychium ternatum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Botrychium*

virginianum SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boucerosia aucheriana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bougainvillea spectabilis* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria eruciformis* (J.E.SMITH) GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria ramosa* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachiaria reptans* (L.) C.A. GARDNER & C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachyactis roylei* WEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bragantia tomentosa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bragantia wallichii* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brasenia schreberi* J.F. GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassaiopsis glomerulata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica alba* (L.) RABENH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica campestris* L. *dichotoma* (ROXB.) WATT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica campestris* L. *glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica campestris* L. *rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica campestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica cernua* (THUNB.) FORBES & HEMSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica integrifolia* (WEST) SCHULZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica juncea* (L.) CZERN. *integrifolia* (WEST) SINSKAJA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica juncea* (L.) CZERN. SSP. *JUNCEA* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica napus* L. *dichotoma* (ROXB.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica napus* L. *glauca* (ROXB.) SCHULZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica nigra*

(L.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica nigra* (L.) KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. capitata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. gongylodes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica rapa* L. campestris (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica tournefortii* GOUAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brexa arvensis* (L.) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bremekampia verticillata* (ROXB.) SREEMADHAVAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Breynia patens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Breynia retusa* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Breynia rhamnoides* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Breynia vitis-idaea* (BURM.F.) FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia retusa* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia scandens* (ROXB.) WILLD, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia squamosa* (LAM.) GEHRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia stipularis* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bridelia tomentosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bromelia ananas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bromus unioloides* H.B.N.NOV. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Broussonetia papyrifera* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brucea javanica*

(L.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brucea mollis* WALL. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bruguiera cylindrica* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) SOVIGY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brunfelsia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brunfelsia calycina* BENTH. MACRANTHA RAFFILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bruxanellia indica* DENNST. EX KOSTEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonia epigoea* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonia grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonia laciniosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonia rostrata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonia scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonia umbellata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryonopsis laciniosa* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryophyllum calycinum* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryophyllum pinnatum* (LAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryum bicolor* DICKSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchanania axillaris* (DESR.) RAMAMOORTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchanania angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchanania latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja asiatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja davidii* FRANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja*

macrostachys BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja neemda* HAM. EX ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buettneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum congestum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum neilgherrense* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbophyllum sterile* (LAM.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bulbostylis barbata* (ROTTB.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bunium persicum* (BOISS.) FEDT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum falcatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum jucundum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum lanceolatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum longicaule* WALL. EX DC. himalayense (KI.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum setaceum* FENZL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum thompsoni* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bursera serrata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea buteiformis* (VOIGT) GRIERSON & LONG and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea frondosa* ROXB. ET KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea monosperma* (LAM.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butia yatay* (MART.) BECC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buxus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buxus wallichiana* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bytinaria*

Kalammanensis KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Byttneria herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Byttneria pilosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cacalia kleinia* HERB. MADR. EX. C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cacalia pentaloba* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cacalia sonchifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caccinia crassifolia* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cachrys pabularia* (LINDL.) HERRNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cactus ficus-indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cadaba farinosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cadaba fruticosa* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cadaba indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cadaba trifoliata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia bonduc* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia bonducella* (L.) FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia coriaria* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia crista* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia cuculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia decapetala* (ROTH) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia digyna* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia jayabo* NAZA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia mimosoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia nuga* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia*

paniculata DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesulia axillaris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus bicolor* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus cajan* (L.) MILLSP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus indicus* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calacanthus grandiflorus* (DALZ.) RADLK.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caladium bicolor* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caladium sagittaeifolium* SUBER. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamintha clinopodium* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamintha umbrosa* FISH. & MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus draco* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus erectus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus extensus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus huegelianus* MART, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus latifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus rheedei* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus rotang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus tenuis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus thwaitesii* BECC. *canaranus* Becc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus*

travancoricus BEDD. EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calamus viminalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe masuca* (D.DON) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe sylvatica* (THOU.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe triplicata* (WILLEM.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calanthe veratrifolia* (WILLD.) KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calendula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa cana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa lanata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa longifolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa macrophylla* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa psilocalyx* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa rubella* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa tomentosa* (L.) MURRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calligonum polygonoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon lanceolatus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callitris inophyllum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calonyction bona-nox* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calonyction muricatum* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum calaba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum*

elatum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calosanthus indica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calotropis gigantea* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calotropis procera* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caltha alba* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caltha palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calvatia cyathiformis* (BOSC.) MORGAN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calycopteris floribunda* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calyptanthes caryophyllifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calyptanthes jambolana* MOON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Camellia kissi* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Camellia sinensis* (L.) O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Camellia thea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula colorata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Camphora officinarum* NEES. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campsis grandiflora* (THUNB.)SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campsis radicans* (LINN.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cananga odorata* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium odoratum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium bengalense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium commune* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium*

euphyllum KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium resiniferum* BRUCE EX KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium strictum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium vulgare* LEENH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia ensiformis* SENSU BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia gladiata* (JACQ.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia lineata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia rosea* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia virosa* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canella alba* Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canella winterana* (L.) GAERTNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canna coccinea* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canna indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canna orientalis* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cannabis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cannabis sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora andrographioides* GRIFF. EX C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora decussata* SCHULTES & SCHULTES.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora diffusa* (VAHL) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora perfoliata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cansjera rheedi* J.F. GMELIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium angustifolium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium coromandelicum* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium*

dicoccum (GAERTN.) TEIJSM. & BINN. dicoccum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium parviflorum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium umbellatum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caoxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis aphylla* ROTH. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis assamica* HK. F. & TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis bisperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis corundas* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis decidua* (FORSK.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis diffusa* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis divaricata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis horrida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis micrantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis moonii* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis olacifolia* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis pedunculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis*

zeylanica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsella bursa-pastoris* MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsella thomsoni* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum annum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum festigiatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum grossum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum minimum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caragana crassicaulis* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caragana cuneata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caragana pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carallia brachiata* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carallia integerrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma adscendens* (ROXB.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma attenuata* WT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma edulis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma tuberculata* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma umbellata* HAW. SYN. PL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carapa granatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carapa gromatum* (KOENIG) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carapa moluccensis* LAM. EXCYCL. METH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carapa obovata* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine impatiens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine*

loxostemonoides O.E. SCHULZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine scutata* THUNB. *flexuosa* (WITH.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardanthera uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardaria draba* (L.) DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardiocrinum giganteum* (WALL.) MAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardiospermum canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carduus edelbergii* RECH.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carduus gigas* UCRIA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carduus nutans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex atrata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex cernua* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex nivalis* BOOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex notha* KUNTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carex nubigena* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Careya arborea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Careya herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carica cKalammarcensis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carica papaya* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa carKalams* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa congesta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa opaca* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa*

paucinervia A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa spinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carmona microphylla* (LAM.) G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carmona retusa* (VAHL) MASAMUNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carpesium abrotanoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carpesium cernuum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carpopogon pruriens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carthamus lanatus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carthamus oxyacantha* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carum bulbocastanum* Auct. Non Koch:C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carum carvi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carum copticum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carum roxburghianum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carum strictocarpum* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caryophyllus aromaticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caryopteris odorata* ROBIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caryota mitis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caryota urens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *CascaNripati thevetia* (L.) LIPPOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia elliptica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia esculentta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia*

graveolens DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia grewiaefolia* VENT. *deglabrata* KOORD. & VAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia ovata* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia vareca* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia zeylanica* (GAERTN.) RHW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia absus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia acutifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia angustifolia* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia arborea* MACFAD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia auriculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia didymobotrya* FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia elongata* LEMAIRE - LIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia glauca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia italica* (MILL.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia javanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia laevigata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia lanceolata* COLLAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia marginata*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia mimosoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia montana* HEYNE EX. ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia obovata* COLLOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia obtusifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia pumila* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia senna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia siamea* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia sophera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia surattensis* BRUN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia tora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia uniflora* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassine glauca* (ROTTB.) O.KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassiope fastigiata* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassytha filiformis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanea sativa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanopsis indica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanopsis tribuloides* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanospermum australe* A. CUNN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casuarina equisetifolia* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catha edulis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catharanthus*

pusillus (MURR.) G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catharanthus roseus* (L.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catimbium malaccense* (BURM.F.) HOLTTUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catimbium speciosum* (WENDL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catunaregam rugulosa* (THW.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catunaregam uliginosa* (RETZ.) SIVARAJAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catunaregam spinosa* (THUNB.) TIRVENGADUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caulophyllum thalictroides* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia auriculata* (ROXB.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia carnos*a (WALL.) GAGNEP. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia mollissima* (WALL.) GAGNEP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia pedata* (LAM.) JUSS. EX GAGNEP. glabra GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia pedata* JUSS. EX GAGNEPAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia trifolia* (L.) DOMIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cedrela serrata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cedrela toona* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cedrus deodara* (ROXB.) LOUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cedrus libani* BARREL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cedrus libani* BARREL *deodara* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceiba pentandra* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celastrus paniculatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia argentea* L. *cristata* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia argentea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia cristata*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celosia cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celsia coromandeliana* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis australis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis cinnamomea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis philippensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis tetrandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis timorensis* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celtis wightii* PLANCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus barbatus* SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus biflorus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cenchrus ciliaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea behen* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea calcitrapa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea iberica* TREV. EX SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea picris* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea solstitialis* ASSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea centaurioides* (ROXB.) ROLLA RAO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea roxburghii* (G.DON) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centella asiatica* (L.) URBAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centipeda minima* (L.) A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centipeda*

orbicularis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centranthera grandiflora* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centranthera indica* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centratherrum anthelminticum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centrosema pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centrostachys aquatica* (R.BR.) WALL. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cepa alba* RENAULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cepa flava* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephaelis ipecacuanha* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephalandra indica* NAUDIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephalanthera ensifolia* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephalanthera longifolia* (L.) FRITZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephalostachyum capitatum* MUNRO NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephalostachyum pergracile* MUNRO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cephalotaxus griffithii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium cerastoides* (L.) BRITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium fontanum* BAUMG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium glomeratum* THUILL.FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium indicum* THUILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium thomsoni* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium vulgatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerasus hexagonus* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratocephalus falcatus* (L.) PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratonis siliqua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratophyllum demersum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratopteris siliquosa* COPELAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratopteris thalictroides* (L.) BRONGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerbera manghas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerbera odollam* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cereus grandiflorus* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriops candolleana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriops roxburghiana* ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriops tagal* C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriscoides turgida* (ROXB.) TIRUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia bulbosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia candelabrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia juncea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum diurnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum nocturnum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum parqui* L'HERIT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceterach officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chaerophyllum acuminatum* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chaerophyllum villosum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaemelum nobile* (L.) ALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaerops*

ritchiana GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Champereia griffithii* PLANCH. EX KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Champereia manillana* (BL.) MORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chasallia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chassalia chartacea* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chassalia curviflora* (WALL. EX KURZ) THW. *ophioxyloides* (WALL.) DEB & KRISHNA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chassalia ophioxyloides* (WALL.) CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chavica betle* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chavica roxburghii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheilanthes albomarginata* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheilanthes farinosa* (FORST.) KAULF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheilanthes fragrans* (L.F.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheilanthes rufa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheilanthes tenuifolia* (N.BURM.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium ambrosioides* BERT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium blitum* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium botrys* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chenopodium murale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chesneya nubigena* (D.DON)ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum segetum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cichorium*

endivia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirsium wallichii* DC. var. *wightii* (Hook.f.) Vivek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissampelopsis ansteadii* (Tad. & Jacob) C. Jeffrey & Y.L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissampelopsis corymbosa* (DC.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissampelopsis walkeri* (Arn.) C. Jeffrey & Y. L. Chen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza aegyptiaca* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza bonariensis* (L.) Cronquist and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza japonica* (Thunb.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza leucantha* (D. Don) Ludlow & Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza stricta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coreopsis grandiflora* Nutt. ex Chapm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coreopsis tinctoria* Nutt var. *atkinsoniana* (Douglas) H. M. Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cosmos caudatus* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cosmos sulphureus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotula australis* (Sieb. ex Spreng.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crassocephalum crepidioides* (Benth.) S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathocline purpurea* (Ham. ex D.Don) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dahlia coccinea* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dahlia imperialis* Rozelex E. Ortgies and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendranthema grandiflorum* (Ramat.) Kitam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrocephala chrysanthemifolia* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrocephala*

integrifolia (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicoma tomentosa* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinops echinatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia coccinea* (Sims) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia javanica* (Burm.f.) C. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia ramulosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia scabra* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia zeylanica* Clarke var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia zeylanica* Clarke var. *paludosa* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilates divaricata* (L.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilates pygmaea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron alpinus* L. var. *wightii* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron karvinskianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron multiradiatus* (DC.) C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium ianthinum* Hemsl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium repandum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Filago arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flaveria contrayerba* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flaveria trinervia*

(Spreng.) C. Mohr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaillardia pulchella* Foug. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galinsoga parviflora* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galinsoga quadriradiata* Ruiz. & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gamochaeta coarctata* (Willd.) M. Kerguelen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gamochaeta pensylvanica* (Willd.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gamochaeta purpurea* (L.) Cavrera and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gazania linearis* (Thunb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gerbera jamesonii* Bolus ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossocardia bosvallea* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossogyne bidens* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium hypoleucum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *luteo-album* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium luteo-album* L. subsp. *affine* (D. Don.) Koster and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium polycaulon* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniocaulon indicum* (Klein ex Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grangea maderaspatana* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guizotia abyssinica* (L.f.) Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura aurantiaca* (Blume) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura bicolor* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura lycopersicifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura nitida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura pseudo-china* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura*

travancorica W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helianthus debilis* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helichrysum buddleioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helichrysum perlanigerum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helichrysum wightii* Clarke ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helipterum citrinum* Harv. & Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helipterum roseum* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypochoeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypochoeris radicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kleinia grandiflora* (Wall. ex DC.) Rani and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca hastata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagascea mollis* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laggera crispata* (Vahl) Hepper & Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea acaulis* (Roxb.) Babc. ex Kerr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea intybacea* (Jacq.) Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea procumbens* (Roxb.) Ramayya & Rajagopal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea sarmentosa* (Willd.) Sch.-Bip. ex Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucanthemum x superbum* (J.W. Ingram) D. H. Kent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Montanoa bipinnatifida* C. Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moonia heterophylla* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myriactis wightii*

DC. var. wightii and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myriactis wightii* DC. var. *bellidioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Notonia shevaroyensis* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Notonia walkeri* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olearia cassiniae* F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oligochaeta ramosa* (Roxb.) Wagenitz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osteospermum ecklonis* (DC.) Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osteospermum moniliferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentanema cernuum* (Dalzell) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentanema indicum* (L.) Ling and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum courtallense* (Wight) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum indicum* (Less.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum phyllolaenum* (DC.) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum rangacharii* (Gamble) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum scabridum* (DC.) Kirkman and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum sengaltherianum* (Narayana) Narayana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pluchea tomentosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Proustia pyrifolia* Lagasca and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *ceylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psiadia ceylanica* (Arn.) Grierson var. *beddomei* (Gamble) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pulicaria angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pulicaria*

wightiana (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rudbeckia maxima* Nutt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santolina chamaecyparissus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sclerocarpus africanus* Jacq. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio ansteadii* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio articulatus* (Haw.) Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio calcadensis* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio candicans* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio cineraria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio confusus* Elmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio edgeworthii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *hohenackeri* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio hohenackeri* Hook.f. var. *rupestris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio intermedius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio kundaicus* Fishcher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio lavandulaefolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio lessingianus* (Wight & Arn.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio ludens* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio neelgherryanus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio polycephalus* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio tenuifolius* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio wightii*

(DC.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio zeylanicus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silybum marianum* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solidago canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solidago gigantea* Aiton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solidago microglossa* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solidago nemoralis* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solidago virgaurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus asper* (L.) Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus jainii* Chandrabose, Chandrasekaran & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus wightianus* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus amaranthoides* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes calva* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes radicans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes uliginosa* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stokesia laevis* (Hill) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Struchium sparganophorum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synedrella nodiflora* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes lucida*

Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum parthenium* (L.) Sch. bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taraxacum javanicum* Soest and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taraxacum officinale* Weber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum cinerariaefolium* Sch.Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tithonia diversifolia* (Hemsl.) A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricholepis radicans* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbesina encelioides* (Cav.) Benth. & Hook.f. ex A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia albicans* Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia anomallica* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia anthelmintica* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia arborea* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia bourneana* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia cinerascens* Sch.-Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia cinerea* (L.) Less. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia comorinensis* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia conyzoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia dalzelliana* Drumm. & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia divergens* (Roxb.) Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia*

elaeagnifolia DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia fysonii* Calder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia gossypina* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia heynei* Bedd. ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia indica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia malabarica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia membranacea* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia monosis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia pectiniformis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *peninsularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia peninsularis* (Clarke) Clarke ex Hook.f. var. *kodayarensis* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia pothigaiana* Chelladurai & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia ramoswamii* Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia recurva* Bedd. ex S. Moore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia saligna* DC. var. *nilghirensis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia salvifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia setigera* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia travancorica* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vittadinia australis* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia trilobata* (L.) A. Hitchc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia urticaefolia* (Blume) DC. var. *urticaefolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia*

urticaefolia (Blume) DC. var. wightii DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthium indicum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Youngia fuscipappa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Youngia nilgiriensis* Babc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zinnia elegans* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaevola plumieri* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaevola sericea* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asyneuma fulgens* (Wall.) Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula alphonсии* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula benthamii* Wall. ex Kitam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula drabifolia* Sibth. & Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula medium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula ramulosa* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula rapunculoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campanula wightii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurentia longiflora* (L.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wahlenbergia erecta* (Roth ex Schultes) Tuyn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wahlenbergia flexuosa* (Hook.f. & Thoms.) Thulin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wahlenbergia marginata* (Thunb.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia alsinoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia angulata* Forst.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia chinensis*

Lour and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia courtallensis* K.K.N.Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia heyneana* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia leschenaultiana* (Presl) Skottsb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *nicotianifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia nicotianifolia* Roth ex Schultes var. *trichandra* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenoclea zeylanica* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *leschenaultii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *pubescens* S.M. Rajendran, S.C. Agarwal & H.N. Verma and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *rotundifolia* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium leschenaultii* Wight var. *zeylanica* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium neilgherrense* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arbutus unedo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calluna vulgaris* (L.) Hull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erica arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erica vagans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaultheria fragrantissima* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron arboreum* J.E. Smith subsp. *nilagirium* (Zenk.) Tagg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron indicum* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron mucronatum* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron simsii* Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clethra arborea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limonium*

sinuatum (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago auriculata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anagallis arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anagallis pumila* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lysimachia candida* Lindl. subsp. *obovata* (Buch.-Ham.ex Hook.f.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lysimachia leschenaultii* Duby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lysimachia procumbens* Baudo and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aegiceras corniculatus* (L.) Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antistrophe serratifolia* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia amplexicaulis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia blatterii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia littoralis* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia missionis* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia pauciflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia rhomboidea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia solanacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ardisia sonchifolia* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia adnata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia basaal* (Roem. & Schultes) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia ribes*

Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia tsjeriam-cottam* (Roem. & Schultes) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maesa indica* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrsine wightiana* Wall. ex. A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *capitellata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rapanea capitellata* (Wall.) Mez var. *sessilis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rapanea daphnoides* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rapanea thwaitesii* Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacquinia barbasco* (Loefl.) Mez and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacquinia aculeata* Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysophyllum roxburghii* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isonandra lanceolata* Wight forma *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isonandra lanceolata* Wight forma *anfractuosa* (Clarke) Jeuken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isonandra montana* (Thw.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isonandra perrottetiana* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isonandra stocksii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca indica* J. F. Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca longifolia* (Koen.) Macbr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca neriifolia* (Moon) H.J. Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manilkara hexandra* (Roxb.) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manilkara roxburghiana* (Wight) Dubard and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manilkara zapota* (L.) P. Royen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimusops elengi*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Palaquium bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Palaquium ellipticum* (Dalz.) Baillon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xantolis tomentosa* (Roxb.) Rafin. var. *elengioides* (A.DC.) Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros affinis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros assimilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros barberi* Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros bourdillonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros buxifolia* (Blume) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros candolleana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros chloroxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros ebenum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *buxifolia* (Rottb.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros ferrea* (Willd.) Bakh. var. *neilgherrensis* (Wight) Bakh. and 15 wasteland weeds based Green Spray

with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros foliolosa* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros humilis* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros insignis* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros malabarica* (Desr.) Kostel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros melanoxylon* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros montana* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros nigresens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros*

nilgirica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros oocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros paniculata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros pruriens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros sylvatica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros walkeri* (Wight) Guerke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos aithilingomii* Henry & Gopalan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos cochinchinensis* (Lour.) Moore subsp. *laurina* (Retz.) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos foliosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *macrocarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos macrocarpa* Wight ex Clarke subsp. *kanarana* (Talbot) Nootb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *macrophylla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *microphylla* (Wight) Nootb. and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos macrophylla* Wall. ex A.DC. subsp. *rosea* (Bedd.) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos monantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos nairii* Henry, Gopalan & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos obtusa* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos oligandra* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos pendula* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos pulchra* Wight subsp. *pulchra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos*

pulchra Wight subsp. *coriacea* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos wynadense* (Kuntze) Nooteb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus leprocarpa* Thw. var. *courtallensis* (Bedd.) K.K.N. Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus linocieroides* (Wight) Bennet & Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus macrophylla* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus mala-elengi* (Dennst.) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus ramiflorus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *angustifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum angustifolium* (L.) Willd. var. *sessiliflorum* (Vahl) P.S. Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum arborescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum auriculatum* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum azoricum* L. var. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum azoricum* L. var. *travancorensis* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum bignoniaceum* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum breviloebum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum calophyllum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum cordifolium* Wall. ex G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum cuspidatum* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum malabaricum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum mesnyi* Hance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum*

multiflorum (Burm.f.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum polyanthum* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum ritchiei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum rottlerianum* Wall. ex A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *sambac* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum sambac* (L.) Ait. var. *heyneanum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum scandens* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum trichotomum* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *decaisnei* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum decaisnei* Clarke var. *microphylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum gamblei* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum lucidum* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum perrottetii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum robustum* (Roxb.) Blume subsp. *walkerii* (Decne.) P.S. Green and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myxopyrum serratum* A.W. Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea dioica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea paniculata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea polygama* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schrebera swietenoides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Azima*

tetracantha Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenium obesum* Roem & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganasma cymosa* (Roxb.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aganasma dichotoma* (Roth) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *AllamKalam cathartica* L. var. *nobilis* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *AllamKalam violacea* Gardn. & Field and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia scholaris* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alstonia venenata* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anodendron paniculatum* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beaumontia grandiflora* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Beaumontia jerdoniana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa carKalam* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa congesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa grandiflora* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa hirsuta* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa inermis* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa paucinervia* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa salicina* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carissa spinarum* L. var. *spinarum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catharanthus pusillus* (Murr.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catharanthus roseus* (L.) G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerbera odollam* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chonemorpha*

fragrans (Moon) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ellertonia rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Funtumia africana* (Benth.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holarrhena pubescens* (Buch. - Ham) Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hunteria zeylanica* (Retz.) Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ichnocarpus frutescens* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kopsia fruticosa* (Ker-Gawl.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mandevilla laxa* (Ruiz & Pavon) Woodson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parsonsia alboflavescens* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumeria obtusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia hookeri* Srinivasan & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia micrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia serpentina* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia verticillata* (Lour.) Baill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strophanthus wightianus* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana divaricata* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana gamblei* Subram. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana heyneana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thevetia peruviana* K.Schum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria spiralis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vinca major* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Voacanga grandiflora* (Miq.) Rolfe and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia arborea* (Dennst.) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia indica* Ngan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *tinctoria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia tinctoria* (Roxb.) R.Br. var. *rothii* (G.Don) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asclepias curassavica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachystelma bourneae* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachystelma brevitybulatum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachystelma maculatum* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brachystelma rangacharii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calotropis gigantea* (L.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calotropis procera* (Ait.) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *adscendens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma adscendens* (Roxb.) Haw. var. *attenuata* (Wight) Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma bhupinderana* Sarkaria and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma diffusa* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma indica* (Wight & Arn.) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma nilagiriana* Kumari & Subba Rao and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma pauciflora* (Wight) N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma procumbens* Grav. & Mayuranathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma stalagmifera* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caralluma umbellata* Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia*

barnesii Bruce & Chatterjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *bulbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia bulbosa* Roxb. var. *lushii* (Graham) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia candelabrum* L. var. *candelabrum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia candelabrum* L. var. *biflora* (L.) M.Y. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia ciliata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia decaisneana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia elegans* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia ensifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia fimbriifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia hirsuta* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia intermedia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia juncea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia maculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia mannarana* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia metziana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia oculata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia omissa* Huber and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia pusilla* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia spiralis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceropegia thwaitesii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cosmostigma racemosum* (Roxb.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum alatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum*

callialatum Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum tunicatum* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphocarpus fruticosus* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphocarpus physocarpus* E. Meyer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema alterniflorum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema elegans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema hirsutum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema lactiferum* (L.) R. Br. ex. Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *montanum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema montanum* (Roxb.) Hook.f. var. *pubiflora* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema sylvestre* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema tingens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heterostemma tanjorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holastemma adakodien* Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya alexicaca* (Jacq.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya kanyakumariana* Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya ovalifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya pauciflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya wightii* Hook.f.subsp. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya wightii* Hook.f. subsp. *palniensis* K .T. Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptadenia reticulata* (Retz.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia brunoniana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia*

tenacissima (Roxb.) Moon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentatropis capensis* (L.f.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pergularia daemia* (Forrsk.) Chiov. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Raphionacme purpurea* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma acidum* (Roxb.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma brunonianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma intermedium* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma secamone* (L.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Secamone emetica* (Retz.) R.Br. ex Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stapelia gigantea* N.E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stapelia grandiflora* Masson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Telosma minor* (Andr.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Telosma pallida* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toxocarpus beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toxocarpus kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toxocarpus palghatensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora cappariifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora fasciculata* Buch.-Ham. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora macrantha* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora mollissima* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora multiflora* (Wight & Arn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora*

pauciflora Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora rotundifolia* Buch.-Ham. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora tertrapetala* (Dennst.) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora zeylanica* Decne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wattakaka volubilis* (L.f.) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bacolepis nervosa* (Wight & Arn.) Decne. ex Moq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptolepis buchananii* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptolepis grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptostegia grandiflora* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Decalepis hamiltonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *indicus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemidesmus indicus* (L.) R.Br. var. *pubescens* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Decalepis arayalpathra* Joseph & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uterlia salicifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagraea ceilanica*

Thub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardneria ovata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitrasacme indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spigelia anthelmia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos lenticellata* Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos minor* Dennst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos nux-vomica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos vanprukii* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos wallichiana* Steud. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja asiatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja davidii* Franch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja madagascariensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buddleja volubilis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora decurrens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora decussata* (Roxb.) Schultes & Schultes and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora diffusa* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora heteroclita* (L.) Gilg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora perfoliata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canscora roxburghii* Arn. ex Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enicostema axillare* (Lam.) Raynal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum anamallayanam* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum atropurpureum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum*

courtallense Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum grande* Klack. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum lawii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum petiolare* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum pumilum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum sessile* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum tetragonum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum wightianum* Arn. var. *wightianum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum wightianum* Arn. var. *uniflorum* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana pedicellata* Griseb. var. *wightii* Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana quadrifaria* Blume var. *zeylanica* (Griseb.) Kusnezov and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halenia perrottetii* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoppea dichotoma* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoppea fastigiata* (Griseb.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia angustifolia* Buch.-Ham. var. *pulchella* (Buch.-Ham. ex D. Don) Burkill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia corymbosa* (Griseb.) Wight ex Clarke var. *grisebachiana* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia densifolia* (Griseb.) Kashyapa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia minor* (Griseb.) Knobl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia trichotoma* (Wight & Arn. ex Wight) Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides*

aurantiacum (Dalz.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides hydrophylla* (Lour.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrolea zeylanica* (L.) Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wigandia canacasana* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlox drummondii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carmona retusa* (Vahl) Masamune and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia alba* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia diffusa* Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia domestica* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia evolution* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia gharaf* (Forssk.) Ehrenb. ex Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia macleodii* (Griff.) Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia monoica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia obliqua* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia wallichii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia subcordata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum zeylanicum* (Vahl ex Hornem.) Thunb. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia aspera* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia canarensis* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia laevis*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia wightiana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium bracteatum* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium curassavicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *marifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium marifolium* Retz. subsp. *wallichii* (Clarke) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium ovalifolium* Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium peruvianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium rottleri* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium strigosum* Willd. subsp. *brevifolium* (Wall.) Kazmi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium subulatum* (Hochst.ex DC.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium supinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium zeylanicum* (Burm.f.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotula aquatica* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tournefortia argentea* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tournefortia heyneana* Wall. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tournefortia reticosa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tournefortia wightii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichodesma*

indicum (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichodesma inaequale* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichodesma zeylanicum* (Burm.f.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aniseia martinicensis* (Jacq.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia argentea* Choisy var. *venusta* (Choisy) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia coonoorensis* W.W. Smith & Ramaswami and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia cuneata* (Willd.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia cymosa* (Roxb.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia daltonii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia elliptica* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia fulgens* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia hirsuta* Wight & Arn. var. *hirsuta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia imbricata* (Roth) Sant. & Patel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia involucrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia kleiniana* (Roem. & Schultes) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia*

nellygherya Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia nervosa* (Burm.f.) Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia osyrensis* (Roth) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia pilosa* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia pomacea* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia populifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia sericea* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyreia setosa* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bonamia evolvuloides* (Choisy) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bonamia Semidigyna* (Roxb.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus flavus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus rottlerianus* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta campestris* Decne. ex Engelm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta chinensis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta hyalina* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta reflexa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erycibe paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evolvulus alsinoides* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evolvulus nummularius* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hewittia sublobata* (L.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea aquatica*

Forssk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea asarifolia* (Desr.) Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea barlerioides* (Choisy) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea batatas* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea cairica* (L.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *carnea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea carnea* Jacq. subsp. *fistulosa* (Mart. ex Choisy) D.F. Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea coptica* (L.) Roth ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea deccana* Austin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea dichroa* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea diversifolia* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea eriocarpa* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea hederifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea involucreata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea marginata* (Desr.) Verdc . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea mauritiana* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea nil* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea obscura* (L.) Ker-Gawl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.Br. var. *pes-caprae* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R. Br. var. *perunkulamensis* Umamahesw. & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea pileata*

Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea purpurea* (L.) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea rumicifolia* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea sepiaria* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea sinensis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea staphylina* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea tuberculata* Ker - Gawl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea turbinata* Lag. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea wightii* (Wall.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacquemontia caerulea* Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacquemontia paniculata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacquemontia pentantha* (Jacq.) D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepistemon leiocalyx* Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia aegyptia* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia dissecta* (Jacq.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia emarginata* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia hederacea* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia quinata* (R.Br.) Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia quinquefolia* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia tridentata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia umbellata* (L.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia*

umbellata (L.) Hall.f. subsp. *Orientalis* Hall.f. Ooststr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia vitifolia* (Burm.f.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Operculina turpethum* (L.) Silva Manso and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porana paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porana racemosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rivea hypocrateriformis* (Desr.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rivea ornata* (Roxb.) Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stictocardia tiliifolia* (Desr.) Hall.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Browallia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Browallia speciosa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Browallia viscosa* Kunth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brugmansia arborea* (L.) Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brugmansia suaveolens* (Humb. & Bonpl. ex Willd.) Bercht. & Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brugmansia versicolor* Lagerh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brunfelsia undulata* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum annum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsicum frutescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum aurantiacum* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum corymbosum* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum diurnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum elegans* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum fasciculatum* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum nocturnum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cestrum parqui*

L'Herit. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyphomandra betacea* (Cav.) Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura cornigera* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura innoxia* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura metal* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura sanguinea* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura stramonium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iochroma coccinea* Scheid. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycium barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *laevis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *bigeminata* (Nees) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycianthes laevis* (Dunal) Bitter subsp. *kaitisis* (Dunal) Deb var. *gouakai* (Dunal) Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopersicon esculentum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicandra physalodes* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana alata* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana glauca* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana glutinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana plumbaginifolia* Viv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana repKalam* Willd. ex Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nierembergia gracilis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petunia axillaris*

(Lam.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petunia x hybrida* Vilm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis ixocarpa* Brot. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis lagascae* Roem. & Schult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis pruinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizanthus pinnatus* Ruiz & Pav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizanthus wisetonensis* Hort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solandra grandiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum americanum* Mill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum anguivi* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum ariculari* G. Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum barbisetum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum capsicastrum* Link & Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum capsicoides* Mart. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum clavatum* Rusby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum convolvulus* Sendtner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum elaeagnifolium* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum erianthum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum giganteum* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum grandiflorum* Ruiz & Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum hispidum* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum*

jasminoides Paxt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum kurzii* Brace ex Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum macrocarpon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum macrophyllum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum marginatum* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum mauritianum* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum melongena* L. var. *melongena* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum insanum* J.B.Fisch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum lasiocarpum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum pseudo-capsicum* L.var. *pseudo-capsicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum pseudo-capsicum* L. *difflorum* (Vell.) Bitter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum robustum* H. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum seaforthianum* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum sisymbriifolium* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum stramoniiifolium* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum torvum* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum vagum* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum viarum* Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *violaceum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum violaceum* Ortega Subsp. *multiflorum* (C. B. Clarke) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum*

virginianum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum wendlandii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum wrightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Streptosolon jamesonii* (Benth.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Withania somnifera* (L.) Dunal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenosma indianum* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angelonia biflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antirrhinum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antirrhinum orontium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Antirrhinum purpureum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artanema longifolia* (L.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bacopa floribunda* (R.Br.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bacopa hamiltoniana* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bacopa monnieri* (L.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchnera hispida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calceolaria gracilis* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celsia arcturus* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centranthera indica* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centranthera tranquebarica* (Spreng.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbalaria muralis* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dopatrium junceum* (Roxb.) Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dopatrium lobelioides* (Retz.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dopatrium*

nudicaule (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossostigma diandrum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hebe speciosa* (A.Cunn) Andersen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hebe andersonii* Cockayne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kickxia ramosissima* (Wall.) Janchen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila aromatica* (Lam.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila chinensis* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila connata* (Buch.-Ham. ex D.Don) Handb.-Mazz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila heterophylla* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila polystachya* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila repens* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila rugosa* (Roth) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindenbergia indica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia anagallis* (Burm.f.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia antipoda* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia caespitosa* (Blume) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia ciliata* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia crustacea* (L.) F.v.Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia hyssopioides* (L.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia minima* (Benth.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia nummulariifolia* (D.Don) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia oppositifolia* (Retz.) Mukerjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia*

parviflora (Roxb.) Haines and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia procumbens* (Krock.) Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia rotundifolia* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia ruellioides* (Colsm.) Pennell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia srilankana* Cramer & Philcox and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia sessiliflora* (Benth.) Wettst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia tenuifolia* (Colsm.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia viscosa* (Hornem.) Boldingh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maurandya barclaiana* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maurandya erubescens* (D. Don) Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maurandya lophospermum* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maurandya semperflorens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mazus pumilus* (Burm.f.) Steenis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mecardonia procumbens* (Mill.) Small and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micrargeria wightii* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microcarpaea minima* (Koen.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paulownia tomentosa* (Thunb.) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis perrottetti* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis zeylanica* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Penstemon azureus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Penstemon campanulatus* (Cav.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peplidium maritimum* (L.f.) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Russelia equisetiformis* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scoparia dulcis*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *delphiniifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sopubia delphiniifolia* (L.) G.Don var. *parviflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sopubia stricta* G.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sopubia trifida* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stemodia viscosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga angustifolia* (D.Don) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga asiatica* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga densiflora* (Benth.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga gesnerioides* (Willd.) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga masuria* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sutera dissecta* (Del.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia bicolor* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia cordifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia courtallensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia fournieri* Linden ex Fourn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia hirsuta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia travancorica* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia vagans* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbascum chinense* (L.) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbascum thapsus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbascum virgatum* Stokes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica*

javanica Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica polita* Fries and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica speciosa* R.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica persica* Poir.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeginetia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeginetia pedunculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christisonia bicolor* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christisonia neilgherrica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christisonia saulierei* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christisonia subacaulis* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christisonia tubulosa* (Wight) Benth. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orobanche cernua* Loeffl. var. *nepalensis* Reut. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia aurea* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia australis* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia bifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia exoleta* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia graminifolia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia hirta* Klein ex Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia minutissima* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia nayarii* Jana. & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia polygaloides* Edgew. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia reticulata* J.E.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia roseo-*

purpurea Stapf ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia scandens* Benj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia smithiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia stellaris* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia striatula* J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia uliginosa* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia wightiana* Taylor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynanthus ceylanica* Gard. var. *pinguis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynanthus perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus fischeri* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus gambleanus* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus humboldtianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus innominatus* Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *lyrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus lyrata* Wight var. *prostrata* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus meeboldii* W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus missionis* Wall. ex R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus repens* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus tomentosus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus wightii* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epithema carnosum* (G.Don) Benth. var. *hispida* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gesneria cardinalis* Lehm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jerdonia indica*

Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchoglossum notonianum* (Wall) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchoglossum obliquum* Blume var. *parviflora* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchochloa perfoliata* (Nees) Burt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arrabidaea magnifica* Sprague ex Steenis Bull and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bignonia megapotamica* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Campsis radicans* (L.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catalpa bignonioides* Walter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clytostoma callistegioides* (Cham.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clytostoma purpureum* (Lodd. ex Sweet) Rehder and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmentiera alata* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crescentia cujeta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone arcuata* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone atrovirens* (Heyne ex Roth) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone falcata* (Wall. ex DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haplophragma adenophyllum* (DC.) Dop and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacar Kalam mimosifolia* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kigelia africana* (Lam.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macfadynea unguis-cati* (L.) A. Gentry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Markhamia stipulata* Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millingtonia hortensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nyctocalos cuspidata* (Blume) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oroxylum indicum* (L.) Benth. ex Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pandorea*

jasminoides (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaedranthus buccinatorius* (DC.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllarthron bojerianum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleonotoma jasminifolia* (H.B.K.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podranea ricasoliana* (Tranf.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrostegia venusta* (Ker-Gawl.) Presl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Radermachera xylocarpa* (Roxb.) K.Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spathodea campanulata* Beauv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *colais* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum colais* (Buch.-Ham. ex Dillw.) Mabberley var. *angustifolium* (Haines) Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabebuia rosea* (Bertol.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabebuia arjentea* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabebuia pallida* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabebuia palmeri* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecoma stans* (L.) Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecomaria capensis* (Thunb.) Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cobaea scandens* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum alatum* Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum laciniatum* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum prostratum* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum radiatum* Schumach. & Thonn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Martynia annua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthus ilicifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthus mollis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis affinis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis alata* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis atropurpurea* (Dennst.) A. Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis ceylanica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis echiioides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis elongata* (Vahl) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis explicata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis lineata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis lobelioides* Wight var. *lobelioides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis lobelioides* Wight var. *composita* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis longipedunculata* (Sreemadh.) L.H. Cramer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis macrobotrys* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis neesiana* Wight var. *neesiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis neesiana* Wight var. *producta* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis neesiana* Wight var. *rotundifolia* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis ovata* (T. And. ex Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis paniculata* (Burm.f.) Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis rothii* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis serpyllifolia* (Rottl. ex Vahl) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis*

stellulata Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis stenophylla* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Andrographis viscosula* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphelandra deppeana* Schlecht. & Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia chelonoides* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia crispata* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia dalzelliana* Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia gangetica* (L.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Asystasia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria acuminata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria buxifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria courtallica* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria cristata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria cuspidata* Heyne ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria gibsonii* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria involucreata* Nees var. *elata* (Dalz.) Clarke and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria longiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria mysorensis* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria nitida* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria noctiflora* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria paniculata* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria pilosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria*

prattensis Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria prionitis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria strigosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria tomentosa* Roth var. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria tomentosa* Roth var. *glandulosa* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barleria vestita* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis maderaspatensis* (L.) Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharis repens* (Vahl) Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clinacanthus nutans* (Burm.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crossandra infundibuliformis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera cuneata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera foetida* (Forssk.) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera verticillata* (Forssk.) Christensen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diotacanthus albiflorus* (Bedd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diotacanthus grandis* (Bedd.) Benth. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipteracanthus beddomei* (C. B. Clarke) Santapau and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipteracanthus patulus* (Jacq.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipteracanthus prostratus* (Poir.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dyschoriste madurensis* (Burm.f.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dyschoriste nagchana* (Nees) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dyschoriste vagans* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium ligustrinum* (Vahl) Vollesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *viride* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium viride*

(Forssk.) Alston var. dentata (Klein ex Link) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium viride* (Forssk.) Alston var. *rotundifolia* (Nees) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elytraria acaulis* (L.f.) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum capense* L. var. *capense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum capense* L. var. *concanensis* (T.And.ex Clarke) Sant. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum nervosum* (Vahl) R.Br. ex Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum purpurascens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum roseum* (Vahl) R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Graptophyllum hortense* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnostachyum canescens* (Nees) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnostachyum ceylanicum* Arn. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnostachyum latifolium* (Dalz.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haplanthodes neilgherryensis* (Wight) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haplanthodes verticillatus* (Roxb.) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemigraphis latebrosa* (Heyne ex Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila balsamica* (L.f.) Rafin and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila heinei* Sreemadh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila quadrivalvis* (Buch.-Ham.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila salicifolia* (Vahl) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila schulli* (Hamilt.) M.R.Almeida & S.M. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacobinia carnea* (Lindl.) G. Nicholson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia beddomei* (Clarke) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia betonica*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia diffusa* Willd. var. *diffusa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia diffusa* Willd. var. *hedyotidifolia* (Nees) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia diffusa* Willd. var. *orbiculata* (Wall. ex T.And.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia gendarussa* Burm.f and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia glabra* Koen.ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia glauca* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia latispica* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia neesii* Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia nilgherrensis* (Nees) Wall. ex T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia prostrata* (Roxb. ex Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia salsoloides* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia santapau* Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia simplex* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia tranquebariensis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia trinervia* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia vahlii* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia wynaadensis* (Nees) Heyne ex T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis cristata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis cuspidata* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis*

diffusa Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis fasciculata* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis incurva* Buch.-Ham. ex D.Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis mitis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis pungens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis scariosa* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis spinosa* Wight ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis subarmata* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptostachya wallichii* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meyenia hawtayneana* (Wall.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monothecium aristatum* (Wall. ex Nees) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neuracanthus neesianus* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristrophe montana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristrophe paniculata* (Forssk.) Brummitt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petalidium barlerioides* (Roth) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaulopsis imbricata* (Forssk.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseuderanthemum malabaricum* (Clarke) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *nasutus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhinacanthus nasutus* (L.) Kurz var. *montana* (Clarke) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia colorata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia apiculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia crenata* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia laeta*

Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia latior* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia parviflora* (Retz.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia pectinata* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia repens* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia sisparensis* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia wightiana* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sanchezia nobilis* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sanchezia parvibracteata* Sprague & Hutchinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santapaua madurensis* Balakr. & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Staurogyne glauca* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Staurogyne zeylanica* (Nees) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenosiphonium confertum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenosiphonium cordifolium* (Vahl) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenosiphonium parviflorum* T.And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenosiphonium russellianum* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenosiphonium wightii* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes asperimus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes amabilis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes anamallai* J. R. I. Wood and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes andersonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes barbatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes bolampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes*

ciliatus Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes consanguineus* (Nees) T. Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes cuspidatus* (Benth.) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes decurrens* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes foliosus* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes heyneanus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes hamiltoniana* (Steud.) Bosser & Heine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes heteromallus* T. Anderson ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes homotropus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes humilis* (Nees) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes isophylla* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes ixiocephala* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes kunthianum* (Nees) Anders. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes lanatus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes lupulinus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes luridus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes matthewiana* R. W. Scotland and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes micranthes* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes microstachya* Benth. ex Hohen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes neoasper* Venu & P. Daniel and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes neilgherrensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes*

papillosus T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes perrottetianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes pulneyensis* C. B. Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes rubicundus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessilis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes sessilis* Nees var. *sessiloides* (Wight) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes sexennis* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes tristis* (Wight) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes urceolaris* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes violaceus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes walkeri* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes wightianus* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes zenkerianus* (Nees) T. Anderson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia alata* Boj. ex Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia bicolor* (Wight) Lindau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia erecta* (Benth.) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *fragrans* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia fragrans* Roxb. var. *vestita* Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia grandiflora* (Roxb. ex Rottl.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia mysorensis* (Wight) T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia tomentosa* Wall. ex Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aloysia triphylla*

(L'Herit.) Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bouchea hyderabadense* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callicarpa tomentosa* (L.) Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citharexylum fruticosum* L. forma *subseriatum* (Sw.) Moldenke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum aculeatum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum cordatum* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum indicum* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum inerme* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum neriifolium* Wall.ex Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum philippinum* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionachne koenigii* (SPRENG.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus macrophylla* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chionanthus mala-elengi* (DENNST.) GREEN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chondrus crispus* LYNGBYE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloranthus elatior* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloranthus glaber* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloranthus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloranthus officinalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris barbata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloris virgata* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophora*

excelsa BENTH. & HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum arundinaceum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum attenuatum* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum laxum* R.Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chlorophytum tuberosum* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloroxylon dupada* BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chondrus crispus* STACKH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chonemorpha fragrans* (MOON) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chonemorpha macrophylla* (ROXB.) G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chorchorus trilocularis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christella arida* (DON) HOLT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christella contiguum* (ROSENT) HOLTTUM F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christella crinipes* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christella parasitica* (L.) LEV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christella subpubescens* (BL.) HOLTTUM NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chromolaena odorata* (L.) R.M. KING & H. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrozophora plicata* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrozophora prostrata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrozophora rottleri* (GEIS.) A.JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrozophora tinctoria* A.JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthellum americanum* (L.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthellum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum*

cinerariifolium (TREV.) VIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum coccineum* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum purethroides* (KAR. & KIR.) FEDT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum roxburghii* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysobalanus icaco* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysophyllum cainito* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysophyllum roxburghii* DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon aciculatus* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysopogon fulvus* (SPRENG.) CHIOV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chukrasia tabularis* A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cibotium barometz* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cicca acida* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cicca disticha* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cicer microphyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cichorium endivia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cichorium intybus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cichorium noeanum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cicuta virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cimicifuga foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cimicifuga racemosa* NUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona*

calisaya WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona calisaya* WEDD. *ledgeriana* HOWARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona excelsa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona ledgeriana* MOENS EX TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona robusta* HOWARD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona succirubra* PAV. EX KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum aromaticum* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum bejolghota* (BUCH.-HAM.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum camphora* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum cassia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum cecidodaphne* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum glanduliferum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum glaucescens* (NEES) HAND-MEZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum impressinervium* MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum iners* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum macrocarpum* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum malabathrum* BATKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum obtusifolium* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum parthenoxylon* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum pauciflorum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum sulphuratum* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum*

tamala NEES & EBERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum travancoricum* GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum verum* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum wightii* C.F.W. MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinnamomum zeylanicum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cipadessa baccifera* (ROTH.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Circaea alpina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Circaea cordata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirrhopetalum sutepense* (ROLFE) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirsium argyranthum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirsium arvense* (L.) SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirsium sinense* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirsium verutum* (DON) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cirsium wallichii* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissampelos pareira* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus acida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus adnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus discolor* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus javanica* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus lanceolata* MALME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus latifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus pallida* (WIGHT & ARN.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus pedata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus*

quadrangularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus repKalam* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus repens* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus trilobata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cistanche tubulosa* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cistus creticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citharexylum suberratum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus colocynthis* (L.) SCHRADER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus lanatus* (THUNB.) MATSUMURA & NAKAI *fistulosus* (STOCKS) CHAKRAVARTHY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus vulgaris* SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus vulgaris* SCHRAD. *fistulosus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus acida* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus aurantifolia* (CHRISTM.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus aurantium* L. *bergamia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus bergamia* RISSO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus bigaradia* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus decumana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus grandis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus hystrix* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus jambhiri*

LUSH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus karna RAFIN*. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus latipes* (SWINGLE) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus limetta* RISSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus limon* (L.) BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus limonum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus macroptera* Montr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus madurensis* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus maxima* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus medica* L. medica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus medica* L. limetta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus medica* L. limonum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus paradisi* MACF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus pyxidata* (LINN.) FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus reticulata* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus sinensis* (L.) OSBECK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cladonia alpestris* (L.) RABH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claoxylon indicum* HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claoxylon polot* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena dentata* (WILLD.) ROEM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena excavata* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena heptaphylla* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena lansium*

(LOUR.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena pentaphylla* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena wampi* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena willdenowii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claviceps purpurea* (FR.) TUL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Claxylon indicum* (BL.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleidion nitidum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleisostoma tenuifolium* (L.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleisostoma williamsonii* (RCHB.F.) GARAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleistanthus collinus* (ROXB.) BENTH. & HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis barbellata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis buchananiana* DC. *vitifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis connata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis gouriana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis grata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis graveolens* LINDL. IN JOURN. HORT. SOC. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis hedysarifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis montana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis smilacifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis triloba* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis wightiana* WALL. EX WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome*

brachycarpa VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome burmanni* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome chelidonii* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome felina* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome gynandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome heptaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome icosandra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome vahliana* FAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome viscosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum colebrookianum* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum indicum* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum inerme* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum infortunatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum kaempferi* (JACQ.) SIEB. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum multiflorum* (Burm.f.)Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum paniculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum philippinum* SCHAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum phlomides* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum serratum* (L.) MOON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum siphonanthus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum*

splendens G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum viscosum* H.W. MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clerodendrum wallichii* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clinogyne dichotoma* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clinogyne grandis* BENTH. HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clinopodium umbrosum* (BIEB.) KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clinopodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clitoria mariana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccinia cordifolia* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccinia glauca* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccinia grandis* (L.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccinia indica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccoloba uvifera* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus cordifolius* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus hirsutus* (L.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus leaeba* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus macrocarpus* W. & A. PRODR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus pendulus* (JR. & G. FORST) DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus suberosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus villosus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cochlearia armoracia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cochlearia*

cochlearioides (ROTH) SANTAPAU & MAHESHWARI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cochlospermum gossypium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cochlospermum religiosum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocos nucifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocos schizophylla* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Codiaeum variegatum* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Codonacanthus pauciflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Codonopsis clematidea* (SCHR.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Codonopsis ovata* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelodepas calycinum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne cristata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne ovalis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne punctulata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coelogyne stricta* (DON) SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea bengalensis* HEYNE EX ROEM. & SCHULT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coix gigantea* KOENIG EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coix lachryma* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coix lacryma-jobi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cola nitida* (VENT.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colchicum autumnale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colchicum*

luteum BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colchicum variegatum* BIVONA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coldenia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colebrookea oppositifolia* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus ambonicus* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus aromaticus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus barbatus* (ANDR.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus forskohlii* (POIR.) BRIQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus osmirrhizon* W. ELLIOT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus rotundifolius* (POIR.) A. CHEV. & PERROT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus scutellarioides* (L.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus vettiveroides* K.C. JACOB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coleus zeylanicus* (BENTH.) CRAMEV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colocasia antiquorum* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colocasia esculenta* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colocasia macrorrhiza* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colocasia virosa* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colophospermum mopane* KIRK EX LEON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colubrina asiatica* (L.) BRONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colutea arborescens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colutea nepalensis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum acuminatum* (ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum decandrum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum*

extensum ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum latifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum nanum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum pilosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum roxburghii* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina benghalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina communis* EUGELM. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina diffusa* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina longifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina obliqua* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina paludosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina salcifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commelina suffruticosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commicarpus chinensis* (L.) HEIMERL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commicarpus helenae* (J.A.SCHULTES) MEIKLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commicarpus verticillatus* STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora abyssinica* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora agallocha* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora berryi* (ARN.) ENGLR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora caudata* (WIGHT & ARN.) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora molmol* ENGL. EX. TSCHIRAH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora mukul* (HOOK. EX. STOCKS) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora*

myrrha ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora opobalsamum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora playfairii* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora roxburghii* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora schimperi* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora stocksiana* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora wightii* (A.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conium maculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conocarpus latifolia* ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conocephalus suaveolens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Consolida ajacis* (L.) SCHUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Consolida ambigua* (L.) BALL. & HEYWOOD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Consolida regalis* S.F. GRAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convallaria majalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus auricomus* (A. RICH.) BHKALAMRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus gemellus* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus grandiflorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus malabaricus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus microphyllus* SIEB.EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus nil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus paniculatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus*

pluricaulis CHOIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus prostratus* FORSSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus scammonia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus speciosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus spinosus* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Convolvulus turpethum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza bonariensis* (L.) CRONQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza japonica* (THUNB.) LESS. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Conyza stricta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Copernicia cerifera* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coptis teeta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corallocarpus epigaea* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corallocarpus epigaeus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corbichonia decumbens* EXELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus acutangulus* AUCT. NON FORSK. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus antichorus* ROEUSCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus depressus* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus fascicularis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus trilocularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus*

urticifolius WIGHT & ARM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia dichotoma* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia gharaf* (FORSK.) EHRENB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia grandis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia macleodii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia monoica* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia myxa* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia obliqua* WILLD. *wallichii* (G.DON) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia obliqua* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia rothii* ROEM.& SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia sebestena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia vestita* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia wallichii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordyceps sinensis* (BERK.)SAAC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordyline fruticosa* GOEPPERT NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordyline terminalis* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coriaria nepalensis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coronilla picta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coronopus didymus* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cordia depressa* (DON) NORM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis adiantifolia* HK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis*

flabellata EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis govaniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis meifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis ramosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis rutifolia* (SMITH) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis vaginans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corylus avellana* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corylus colurna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corylus jacquemonti* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corymbis veratrifolia* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corymborkis veratrifolia* (REINW.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corypha umbraculifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coscinium fenestratum* (GAERTN.) COLEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cosmostigma racemosa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Costus arabicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Costus speciosus* (KOEN. EX RETZ.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotinus coggygria* SCOP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotinus racemiflora* (DESF.) C. KOCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster bacillaris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster buxifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster microphylla* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster microphyllus* WALL. EX LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster nummularia* FISCH. & MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotula*

anthemoides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotula aurea* Loeftl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cousinia thomsonii* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crambe cordifolia* STEVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crassocephalum crepidioides* (BTH.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataegus laevigata* (POIR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataegus oxyacantha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataegus songarica* KOCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataeva adansonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataeva magna* (LOUR.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataeva marmelos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataeva nurvala* SENSU KANJ. & DAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataeva religiosa* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crataeva tapia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cratoxylum cochinchinense* (LOUR.) BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cratoxylum neriifolium* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cremanthodium arnicoides* DC. GOOD *trigida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cremanthodium decaisnei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cremanthodium plantagineum* MAX. *maximowiczii* GOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cremastra appendiculata* (D.DON) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cremastra wallichiana* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crepidium acuminatum* (D.DON) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crepis flexuosa* (DC) BETH. & HK.F. EX Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crepis japonica*

BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crescentia cujete* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cressa cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum amoenum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum asiaticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum defixum* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum powellii* HORT. album HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum pratense* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum revolutum* HERB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crinum viviparum* (LAM.) HEMADRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crocus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crossandra infundobuliformis* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crossandra undulaefolia* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria alata* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria albida* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria anagyroides* H.B. & K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria angulosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria benghalensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria bialata* SCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria biflora* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria burhia* BUCH-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria calycina* SHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria juncea*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria linifolia* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria medicaginea* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria mucronata* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria mysorensis* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria pallida* DRY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria paniculata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria prostrata* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria pulchra* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria ramosissima* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria saltiana* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria sericea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria spectabilis* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria striata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria trifoliatrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton argyratus* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton aromaticus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton bonplandianum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton caudatus* GEISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton joufra*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton malabaricus* BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton oblongifolius* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton plicatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton polyandrum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton reticulatus* HEYNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton roxburghii* BALAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton sebiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton sparsiflorus* MORONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton tiglium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Croton zeylanicus* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocarya wightiana* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptocoryne spiralis* FISCH. EX WYDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptolepis buchananii* ROEMER & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptolepis elegans* WALL. EX G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptolepis grandiflora* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cryptostegia grandiflora* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ctenitis apiciflora* (WALL. & METT) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ctenolepis cerasiformis* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ctenolepis garcinii* BENTH. & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cubeba officinalis* RAFIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucubalus baccifer* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis acutangulus* DESCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis agrestis*

NAUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis anguinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis callosus* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis colocynthis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis hardwickii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis lagenarius* DUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis madraspatanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis melo* L. *utilissimus* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis melo* L. *momordica* DUTHIE & FULLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis melo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis momordica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis myriocarpus* NAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis pseudocolocynthis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis pubescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis trigonus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis utilisissimus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita citrullus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita lagenaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita maxima* DUCHESNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita moschata* (LAM.) DUCHESNE EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cudrania*

javanensis TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cullenia exarillata* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cupressus sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curanga amara* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curanga fel-terrae* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curculigo capitulata* (LOUR) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curculigo crassifolia* GEARTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curculigo orchioides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curculigo prainiana* (DEB.) BENNET & RAIZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curculigo recurvata* DRYAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma amada* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma angustifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma aromatica* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma caesia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma domestica* (MEDIK) VALH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma inodora* BLAT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma leucorhiza* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma longa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma pseudomontana* GRAHAM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma rubescens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma zedoaria* (CHRIST.) ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Curcuma*

zerumbet ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta capitata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta europaea* BOVE & ENGELM. *indica* ENGELM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta hyalina* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuscuta reflexa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyamopsis psoralioides* (LAM). DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyamopsis tetragonolobus* (L.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis axillaris* (L.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis concanensis* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis cristata* (L.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis papilionaceae* (L.) SCHULT. & SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyanotis tuberosa* (ROXB.) SCHULT. AND SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathea albo-setacea* (BEDD.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathea gigantea* (WALL. EX HOOK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathea spinulosa* WALL. EX HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathocline purpurea* (DON) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathostemma micranthum* J.SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathula prostrata* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathula tomentosa* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathus limbatus* TULSANE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathus stercoreus* (SCHW.) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cycas beddomei*

DYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cycas circinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cycas revoluta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cycas rumphii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclamen europaeum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclamen persicum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea arnotii* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea bicristata* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea burmanni* (DC.) HOOK.F. TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea fissicalyx* DUNN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea peltata* (LAM.) HOOK. F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclosorus dentatus* (FORSK.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclosorus gongylodes* (SCH.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclosorus parasiticus* (L.) FOREWELL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cydonia oblonga* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cydonia vulgaris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cylista scariosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbalaria muralis* G.M. SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium aloifolium* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium grandiflorum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium hookerianum* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbidium pendulum* (ROXB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon*

caesius STAPH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon citratus* (DC.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon coloratus* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon flexuosus* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon jwarancusa* (JONES) SCHULT. *olivieri* (BOISS.) SOENARKO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon martini* (ROXB.) WATS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon nardus* (L.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cymbopogon schoenanthus* (L.) SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum arnottianum* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum extensum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum heydei* HOOK.F.CYNAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanchum vincetoxicum* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynanthus lobatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynara scolymus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynodon dactylon* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynodon linearis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum denticulatum* A. DC. *zeylanicum* HORNEM. CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum glochidiatum* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum lanceolatum* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum micranthum* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum wallichii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynoglossum zeylanicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra*

cauliflora L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra iripa* KOSTEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra mimosoides* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra ramiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra ramiflora* Linn. bijuga (Span.) Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynosurus coracanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus alopecuroides* ROTTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus amabilis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus brevifolius* (ROTTB.) HASSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus bulbosus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus compactus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus compressus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus corymbosus* ROTTLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus cyperoides* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus denticulatus* SCHRAD EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus diffusus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus distans* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus exaltatus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus haspan* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus inundatus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus iria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus*

jeminicus HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus juncifolius* ROTTLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus kyllingia* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus laevigatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus longus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus malaccensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus michelianus* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus nutans* VAHL. *eleusinoides* (KUNTH) HAINES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pangorei* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pedunculatus* (R.BR.) KERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pertenus* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus pilosus* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus platyphyllus* ROEM. & SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus platystylis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus rohita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus rotundus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus scariosus* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus stoloniferus* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus triceps* (ROTTB.) ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus tuberosus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyperus undulatus* KUKENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyphostemma setosum* (ROXB.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtomium caryotideum* (WALL.) PRESL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtomium*

falcatum (L. F.) BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyrtophyllum peregrinum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cythocline purpurea* (DON.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus scoparius* (L.) LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dactylis glomerata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dactyloctenium aegyptium* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dactyloctenium indicum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dactylorhiza hatagirea* (DON.) SOO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daedalacanthus roseus* T. ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daemia cordata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daemia extensa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daemonorops draco* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dahlia rosea* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia arborea* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia candenatensis* (DENNST.) PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia emarginata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia horrida* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia lanceolaria* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia oogeinensis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia pinnata* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia sissooides* GRAHAM EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia sissoo*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia stipulacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia sympathetica* NIMMO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia tamarindifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia volubilis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalechampia indica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalhousiea bracteata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphne cannabina* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphne oleo* SCHRAB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphne oleoides* SCHREB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphne papyracea* WILLD. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphniphyllum himalayense* MUELL.- ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daphniphyllum neilgherrense* ROSENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datisca cannabina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura alba* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura fastuosa* L. *alba* (NEES) C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura fastuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura innoxia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura metel* L. *alba* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura metel* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura nilhummatu* DUN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura*

stramonium L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Datura tatula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daucus carota* L. sativa DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Davallia tenuifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Davallia trichomanoides* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Debregeasia longifolia* (BURM.F.) WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Decalepis hamiltonii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Decaspermum fruticosum* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Deeringia amaranthoides* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delima scandens* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delonix elata* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delonix regia* (L.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphaenium denudatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphaenium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium altissimum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium bruonianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium caeruleum* JACQ. EX CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium cashmirianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium denudatum* WALL. EX HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium glaciale* HOOK.F. & THOMSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium kashmirianum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium*

kohatense (BRUHL.) MUNZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium paciflorum* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium roylei* MUNZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium saniculifolium* AUCT NON BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium semibarbatum* BLENNERT EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium speciosum* JANKA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium vestitum* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium viscosum* HK. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium zalil* AITCH & HEMSL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium aduncum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium aggregatum* - JENKINSII K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium amoenum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium chrysanthum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium coerulescens* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium crumenatum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium crumentum* SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium densiflorum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium jenkinsii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium macraei* AUCT. NON LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium moschatum* (BUCH.-HAM.) SW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium nobile* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium ovatum* (L.) KRAENZL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrobium paxtonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrocalamus*

hamiltonii NEES EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrocalamus strictus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrocnide sinuata* (BL.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe falcata* (L.F) ETTING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dendrophthoe pentandra* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dentella repens* (L.) J.R. & G. FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris elliptica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris ferruginea* (ROXB.) BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris indica* (LAM.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris malaccensis* PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris robusta* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris scandens* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris trifoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris uliginosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Descurainia sophia* (L.) WEBB. EX PRANTL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmanthus cinereus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmanthus virgatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmochaeta atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium biarticulatum* (L.) F.V.MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium dichotomum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium*

gyrans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium gyroides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium heterocarpon - strigosum* VAN MEEWUEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium heterocarpon* (LINN.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium heterophyllum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium lasiocarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium latifolium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium microphyllum* (THUNB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium motorium* (HOULT.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium oojeinense* (ROXB.) OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium polycarpum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium pseudotriquetrum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium pulchellum* BENTH.EX. BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium retroflexum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium styracifolium* (OSB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium tiliaefolium* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium triangulare* (RETZ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium triflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium umbellatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium velutinum* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmos chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmos*

cochinchinensis LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmos dumosa* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmos longiflorus* (ROXB.) SAFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmostachya bipinnata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmotrichum fimbriatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Deutzia scabra* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dianthus anaticus* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dianthus caryophyllus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dianthus chinensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicaelospermum ritchiei* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicentra chrysantha* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicentra thalictrifolia* HF.& T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium caricosum* (L.) A. CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichanthium pertusum* CLYTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichopsis ellipticum* BENTH & HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichroa febrifuga* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrocephala bicolor* (ROTH) SCHLECHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrocephala integrifolia* (L.F.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrocephala latifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrostachys cinerea* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera bupleuroides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera cuneata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera micranthus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera*

roxburghiana NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicliptera verticillata* (FORSK.) CHRISTENS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicoma tomentosa* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicranopteris linearis* (BURM.F.) UNDERW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dictamnus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus aromaticus* WALL. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Didymocarpus pedicellata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dieffenbachia seguine* (L.) SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dienia muscifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digera arvensis* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digera muricata* (L.) MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitalis lanata* EHRH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Digitalis purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia aurea* SIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia bracteata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia pentagyna* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimocarpus longan* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimorphocalyx glabellus* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dinebra arabica* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dinebra retroflexa* (VAHL) PANZER *retroflexa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dinochloa Kalammanica* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dionysia diapiensiaefolia* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea*

aculeata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea alata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea belophylla* VOIGT EX HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea bulbifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea composita* HEMSLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea crispata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea daemona* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea deltoidea* WALL. EX KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea esculanta* (LOUR.) BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea glabra* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea globosa* ROXB. ET. PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea hamiltonii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea hirsuta* DENNST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea hispida* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea prazeri* PRAIN & BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea puber* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea purpurea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea rubella* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea sativa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea tomentosa* KOEN. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea triphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dioscorea*

wallichii HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros bourdilloni* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros buxifolia* (BLUME) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros candolleana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros chloroxylon* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros cordifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros ebenum* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros embryopteris* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros exsculpta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros ferrea* (WILLD.) BATCH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros glutinosa* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros insignis* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros kaki* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros lancaefolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros lotus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros malabarica* (DESR.) KOSTEL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros melanoxylon* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros montana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros oocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros paniculata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros peregrina* (GAERTN.) GURKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros quaesita* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros*

sylvatica ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros tomentosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diospyros toposia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipcadi erythraeum* WEBB & BERTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplazium esculentum* (RETZ.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplazium stoliczkae* BEDD. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diploclisia glaucescens* (BL.) DIELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplocyclos palmatus* (L.) JAFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diploknema butyraceae* (ROXB.) H.J. LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplospora singularis* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplospora sphaerocarpa* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipsacus fullonum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipsacus inermis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipsacus mitis* D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipteracanthus patulus* (JACQ.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipteracanthus prostratus* (POIR.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipteracanthus suffruticosus* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus alatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus bourdillonii* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus gracilis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus indicus* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus laevis* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus pilosus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus*

tuberculatus ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus turbinatus* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dischidia rafflesiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Disporum cantoniense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Distemon indicum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dittelasma raraka* (DC.) HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dodonaea angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dodonaea burmanniana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dodonaea viscosa* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dodonaea viscosa* JACQ. *angustifolia* (L.F.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone arcuata* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone atrovirens* (HEYNE EX. ROTH) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone falcata* SEEMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone spathacea* (L.F.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichandrone stipulata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos biflorus* SENSU AUCT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos bulbosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos catiang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos catjang* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos cylindricus* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos falcatus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos gladiatus* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos lablab* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos lablab*

L. typicus Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos pruriens* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos trilobus* (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos uniflorus* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolomaea macrocephala* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya cayeuxii* HORT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Donax connaeformis* (FORST.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dopatrium junceum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dopatrium lobelioides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dopatrium nudicaule* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dorema ammoniacum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dorema aureum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Doronicum falconeri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Doronicum hookeri* C.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Doronicum pardalianches* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Doronicum roylei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dorstenia indica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Douepia tortuosa* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Draba muralis* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Draba setosa* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena angustifolia* (MEDIC.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena*

cinnabari BALF NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena petiolata* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena terminalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracaena terniflora* ROXB. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracocephalum heterophyllum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracocephalum moldavica* LINN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracocephalum royleanum* ROYLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracocephalum stamineum* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dracontium polyphyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dregea volubilis* (L.F.) BENTH. EX.HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drimia indica* (ROXB.) J.P. JESSOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drimys winteri* FORST. CHAR. GEN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera burmannii* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera lunata* HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera peltata* SM.WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drymaria cordata* (L.) WILLD. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drymaria cordata* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drymaria diandra* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drymoglossum carnosum* (WALL.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drynaria quercifolia* (L.) J. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryobalanops aromatica* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris barbigera* (MOORE) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris*

blanfordii (HOPE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris cochleata* (DON) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris filix-mas* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris marginata* (WALL.) CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris odontoloma* (MOORE) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris schimperiana* (HOCHST.) C. CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dryopteris sparsa* (DON)KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes confertiflora* (HOOK. F.) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes macrophylla* (BLUME) PAX & HOFFM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes roxburghii* (WALL.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drypetes zeylanica* (MUELL.-ARG.) HURUSAWA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Duboisia myoporoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Duchesnea indica* (ANDR.) FOCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Duranta repens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Durio zibethinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dyschoriste madurensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysophylla auricularia* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysophylla rugosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysophylla stelata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysophylla stellata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum alliarum* (BUCH.-HAM.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum binectariferum* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum hamiltonii* HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum*

malabaricum BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum procerum* HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ebermaiera glutinosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium linneanum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium viride* (FORSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ecbolium virids* (FORSSK.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echeveria glauca* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinacea angustifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa colona* LINK. frumentacea BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa crusgalli* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa frumentacea* LINK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinochloa stagnina* (RETZ.) BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinops cornigerous* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echinops echinatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echioglossum williamsonii* (RCHB.F.) SZLAC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Echites dichotoma* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eclipta alba* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eclipta erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eclipta parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eclipta prostrata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Edgeworthia gardneri* (WALL.) MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Edgeworthia tomentosa* NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Edwardsia griffithii* (STOCKS) PHILIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia*

acuminata BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia canarensis* MIQ. EX CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia laevis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia laevis* ROXB. pubescens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia microphylla* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ehretia obtusifolia* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eichhornia crassipes* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Codariocalyx motorius* (Houtt.) H. Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria acicularis* Buch.-Ham. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria agatiflora* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria alata* Buch.-Ham & Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria albida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria anagyroides* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria angulata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria barbata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria berteriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria bidiei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria bifaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria bourneae* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria calycina* Schrank and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria candicans* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria clarkei*

Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria clavata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria conferta* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria digitata* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria dubia* Graham ex benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria epunctata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *evolvuloides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria evolvuloides* Wight ex Wight & Arn. var. *acutifolia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria formosa* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *fysonii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria fysonii* Dunn var. *glabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria globosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria hebecarpa* (DC.) Rudd and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria heyneana* Grahma ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria hirta* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria humifusa* Graham ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria laburnifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria laevigata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria beddomeana* Thoth. & A. A. Ansari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria spectabilis* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria linifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria*

longipes Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria lunulata* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria madurensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *medicaginea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria medicaginea* Lam. var. *neglecta* (Wight & Arn.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria multiflora* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria mysorensis* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria nana* Burn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria notonii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *obtecta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria obtecta* Graham ex Wight & Arn. var. *glabrescens* (Benth.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria orixensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria ovalifolia* Wall. ex Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *pallida* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria pallida* Dryand. var. *obovata* (G.Don) Polhill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria paniculata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria peduncularis* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria priestleyoides* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria prostrata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria pulchra* Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria pusilla* Neyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria quinquefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria ramosissima* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria retusa*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria rigida* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria salicifolia* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria scabra* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria scabrella* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria semperflorens* Vent. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria shevaroyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria speciosa* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria subperfoliata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria tecta* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria trifolium* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria triquetra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria umbellata* Wight ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria verrucosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria walkerii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria wightiana* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *willdenowiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crotalaria willdenowiana* DC. subsp. *glabrifoliolata* Ellis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyamopsis tetragonoloba* (L.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus canariensis* Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus hirsutus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus monspessulanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus multiflorus* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus*

proliferus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus scoparius* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cytisus supinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia congesta* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia coromandeliana* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia gardneriana* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia horrida* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia lanceolaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia latifolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia malabarica* Prain and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia melanoxylon* Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia paniculata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia pinnata* (Lour.) prain var. *acaciaefolia* (Dalz.) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia pseudo-siso* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia rubiginosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia sissoides* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia sissoo* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia spinosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia tinneveli* Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dalbergia volubilis* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *benthamii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris benthamii* (Thw.) Thw. var. *wightii* (Baker) Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris brevipes* (Benth) Baker var. *brevipes* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris brevipes*

(Benth) Baker var. coriacea Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris canarensis* (Dalz.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris scandens* (Roxb.) Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris thothathrii* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Derris trifoliata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium alysicarpoides* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium barbatum* (L.) Benth. subsp. *sauliereri* (Schind.) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium dichotomum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium dolabriforme* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *ferrugineum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium ferrugineum* Wall ex Thw. subsp. *wynaadense* (Bedd. ex Gamble) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium gangeticum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *heterocarpon* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium heterocarpon* (L.) DC. var. *strigosum* Van Meeuwen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium heterophyllum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium laxiflorum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium laxum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium microphyllum* (Thunb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium oojeinense* (Roxb) Ohashi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium pryonii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium pulchellum* (L.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium repandum* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium styracifolium* (Osbeck) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium*

tortuosum (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium triangulare* (Retz.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium triflorum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium triquetrum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium velutinum* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmodium zonatum* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicerma biarticulatum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dolichos trilobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dumasia villosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dunbaria ferruginea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dunbaria heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleiotis monophylla* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina cristagalli* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina suberosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina subumbrans* (Hassk.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia grahamiana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia lineata* (L.) Roxb. Ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia macrophylla* (Willd.) Prain ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia nilgheriensis* (Baker) Wight ex Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia semialata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia stricta* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia*

strobilifera (L.) R. Br. ex Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia tuberosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia wallichii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia wightiana* Grahams ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galactia longifolia* Benth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *lucida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galactia tenuiflora* (Klein ex Willd.) Wight & Arn var. *villosa* (Wight & Arn.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>. Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geissaspis cristata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gliricidia sepium* (Jacq.) Kunth ex Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycine max* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hardenbergia comptoniana* (Link) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera aspalathoides* Vahl ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera caerulea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera*

cassioides Rottl. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera colutea* (Buem. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera constricta* (Thwaites) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera cordifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera glandulosa* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera hochstetteri* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera karnatakana* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera karuppiana* Pallithanam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera linifolia* (L.f.) Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera linnaei* Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera longiracemosa* Boiv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera mysorensis* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera nummularifolia* (L.) Skina ex Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera oblongifolia* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera parviflora* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera pedicellata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera prostrata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera spicata* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera stachyodes* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera tirunelvelica* Sanjappa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera*

trifoliata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera trita* L.f. var. *trita* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera trita* L. f. var. *maffei* (Chiov.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera trita* L. f. var. *marginulata* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera uniflora* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera vicioides* Jaub. & Spach and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera wightii* Graham ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera zollingeriana* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *purpureus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lablab purpureus* (L.) Sweet var. *lignosus* (Prain) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laburnum anagyroides* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus latifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus odoratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lens culinaris* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptodesmia congesta* (Wight) Benth. ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lespedeza cuneata* (Dum. Cours.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonchocarpus violaceus* Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus angustifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus luteus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus pilosus* Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macroptilium atropurpureum* (DC.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macroptilium*

lathyroides (L.) Urban var. *semierectum* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrotyloma ciliatum* (Willd.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrotyloma uniflorum* (Lam.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melilotus alba* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia racemosa* (Wight & Arn.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia rubiginosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia splendens* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna gigantea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna monosperma* DC. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *pruriens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna pruriens* (L.) DC. var. *hirsuta* (Wight & Arn.) Wilmot - Dear and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mundulea sericea* (Willd.) A. Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neonotonia wightii* (Graham ex Wight & Arn.) Lackey var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neonotonia wightii* (Wight & Arn.) Lackey var. *coimbatorensis* (Ajita Sen) Karthik. and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ormocarpum cochinchinense* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ormosia travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ougeinia oojeinensis* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paracalyx scariosa* (Roxb.) Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parochetus communis* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus coccineus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus*

vulgarisL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllodium pulchellum* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pongamia pinnata* (L.) Pierre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudarthria viscida* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psophocarpus tetragonolobus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psoralea pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocarpus marsupium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocarpus santalinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pueraria triloba* (Lour.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pueraria tuberosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnospora lutescens* (Poir.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia albiflora* (Sims) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia aurea* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia cana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia capitata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia densiflora* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia filipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia heynei* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia jacobii* Chandrabose & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia nummularia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia*

rothii Benth ex Aitch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia rufescens* (Willd.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia suaveolens* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia velutina* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia viscosa* (Roth) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Robinia pseudo-acacia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rothia indica* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania bispinosa* (Jacq.) W. F. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania grandiflora* (L.) Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania procumbens* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania sesban* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania speciosa* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Shutteria involucrata* (Wall.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia bigemina* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *blKalam* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia blKalam* Wall. ex Wight & Arn. var. *racemosa* (Heyne ex Wight & Arn.) Baker and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia capitata* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia conferta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia gracilis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia hirsuta* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia sensitiva* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia setulosa* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora glauca* Lesh.ex DC. Ann. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora*

interrupta Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spartium junceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stylosanthes fruticosa* (Retz.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stylosanthes sunaica* Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia calophylla* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia canarensis* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia fusca* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia hookeriana* Wight & Arn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia maxima* Pres. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia pulcherrima* (Wight ex Baker) Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia pumila* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia purpurea* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia spinosa* (L.f.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia strigosa* (Dalz.) Sant. & Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia tinctoria* Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia vegellii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia villosa* (L.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teramnus labialis* (L.F.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teramnus mollis* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium alexandrium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium*

cernuum Brot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium dubium* Sibth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium incarnatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium subterraneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ulex europaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria alopecuroides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria lagopodioides* (L.) Desv. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria rufescens* (DC.) Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia faba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia hirsuta* (L.) S. F. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia villosa* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna aconitifolia* (Jacq.) Marechal and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna adenantha* (G. F. W. Meyer) Marechal, *Mascherpa* & *Stainier* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna bourneae* Ganble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna dalzelliana* (Kuntze) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna grahamiana* (Wight & Arn.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna hosei* (Craib) Backer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna khKalamensis* (Sant.) Ragh. & Wadhwa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna mungo* (L.) Hepper and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna radiata*

(L.) Wilczek var. radiata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna radiata* (L.) Wilczek var. sublobata (Roxb.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna subramaniana* (Raizada) Raizada and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna trilobata* (L.) Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna umbellata* (Thunb.) Ohwi & Ohahsi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna unguiculata* (L.) Walp. subsp. cylindrica (L.) Eselt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna vexillata* (L.) A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna wightii* Benth. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Virgilia oroboides* (Berg.) Salter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wisteria sinensis* (Sims) Sweet. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zornia diphylla* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zornia gibbosa* Span. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrocarpus fraxinifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amherstia nobilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia acuminata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia malabarica* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia phenicea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia racemosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia vahlii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bauhinia variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brownea grandiceps* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brownea*

macrophylla Linden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia bonduc* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia coriaria* (Jacq.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia cucullata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia decapetala* (Roth) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia mimosoides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia pulcherrima* (L.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Caesalpinia sappan* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia fistula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia grandis* L. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia javanica* L. var. *javanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia javanica* L. var. *nodosa* Buch. - Ham. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia javanica* L. var. *renigera* Wall. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia montana* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia siamea* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassia spectabilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceratonia siliqua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista absus* (L.) H. Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista auricoma* (Graham ex Benth.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista kleinii* (Wight & Arn.) K. M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista lechenaultiana* (DC.) O. Deg. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista mimosoides* (L.) Green and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista*

nigricans (Vahl) Greene and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chamaecrista pumilla* (Lam.) K. Larsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra cauliflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cynometra travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delonix elata* (L.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delonix regia* (Boj. ex Hook) Rafin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hardwickia binata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia bourdillonii* Prian and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia brunonis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia decurrense* Bedd. ex Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia unijuga* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia vahliana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kingiodendron pinnatum* (Roxb. ex DC.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkinsonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peltophorum africanum* Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peltophorum pterocarpum* (DC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterolobium hexapetalum* (Roth.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saraca asoca* (Roxb.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saraca thaipingensis* Cantley ex. Prain. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizolobium parahybum* (Vell.) S. F. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna alata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna alexandrina* Gars. ex Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna auriculata* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna*

didymobotrya (Fresn.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna hirsuta* (L.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna intermedia* (Sharma et al.) Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna italica* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna multiglandulosa* (Jacq.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna occidentalis* (L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna pallida* (Wall) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna septumtrionalis* (Viv.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna sophora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna surattensis* (Burm.f) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna timoriensis* (DC.) Irwin & Barneby and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna tora* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia armata* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia auriculiformis* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia baileyana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia caesia* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia catechu* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia chundra* (Roxb. ex Rottl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia confusa* Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia cultriformis* A. Cunn. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia concurrens* Pedley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia dealbata* Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia decora*

Reichb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia decurrens* (Wendl.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia eburnea* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia elata* Cunn. Ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia farnesiana* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia ferruginea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia grahamii* Vajravelu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia hohenackeri* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia homalophylla* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia holosericea* A.Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia horrida* (L.f.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia leucophloea* (Roxb.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia longifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia maidenii* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia mearnsii* Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia melanoxylon* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia myrtifolia* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia neriifolia* A. Cunn. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia nilotica* (L.) Willd. ex Del. subsp. *indica* (Benth) Brenan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pennata* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia planifrons* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia podalyriifolia* A. Cunn ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia polyacantha* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia*

pruinosus Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pruinosa* A. Cunn ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pulchella* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia pycnantha* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia retinodes* Schlecht. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia saligna* (Labill.) H. L. Wendl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia sinuata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia tomentosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia torta* (Roxb.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia verticillata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acacia wightii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenanthera pavonina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia amara* (Roxb.) Boivin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia chinensis* (Osbeck.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia lathamii* Hole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia lebbeck* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth. var. *odoratissima* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia odoratissima* (L.f.) Benth var. *mollis* Benth ex Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia procera* (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia Kalamn* (Jacq.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Albizia thompsonii* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archidendron clypearia* (Jack) Nilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archidendron monadelphum* (Roxb.)Nielsen var. *monadelphum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Archidendron*

monadelphum (Roxb.)Nielson var. gracile (Bedd.) Sanj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calliandra brevipes* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calliandra calothyrsus* Meisn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calliandra haematocephala* Hassk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calliandra inmeris* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cathormion umbellatum* (Wall) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmanthus virgatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrostachys cinerea* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrostachys muelleri* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichrostachys santapau* Sebastine & Raman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Entada pursaetha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enterolobium cyclocarpum* Griseb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haematoxylum campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucaena leucocephala* (L.) Gills and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa intsia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa hamata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia prostrata* (Lam.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia plena* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia triquetra* (Willd.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paraserianthes falcataria* (L.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paraserianthes lophantha* (Willd.) I.C. Nielsen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkia biglandulosa* Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium*

dulce (Roxb.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis cineraria* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis juliflora* (Sw.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alchemilla indica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chaenomeles speciosa* (Sweet) Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster bacillaris* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster buxifolia* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster microphyllus* Wall ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cotoneaster transens* G. Klotz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriobotrya japonica* (Thunb.) Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fragaria chiloensis* (L.) Duchesne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fragaria nilgerrensis* Schlecht. ex Gay and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fragaria vesca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kerria japonica* (L.) Dc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malus baccata* (L.) Borkh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malus sylvestris* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Photinia integrifolia* Lindl. var. *sublanceolata* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *serratifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Photinia serratifolia* (Desf.) Kalkman var. *tomentosa* (Gamble) Vivek. & Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla indica* (Andr.) Wolf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla leschenaultiana* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla sundaica* (Blume) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prinsepia utilis* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus*

armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus cerasoides* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus ceylanica* (Wight) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus laurocerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus persica* (L.) Batsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus salicina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus serrulata* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quillaja saponaria* Molina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa banksiae* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa brunonii* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa x centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa x damascena* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa gigantea* Collett ex Crop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa laevigata* Michx. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa leschenaultiana* Red. & Thory ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa multiflora* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus ellipticus* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus fairholmianus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus glomeratus* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus idaeus* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus indicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus micropetalus* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus niveus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus racemosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus rugosus* Smith var. *rugosus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus rugosus* Smith var. *thwaitesii* Focke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea canescens* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea cantoniensis* Lour. var. *cantoniensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea cantoniensis* Lour var. *florepleno* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea nipponica* Maxim. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atuna indica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atuna travancorica* (Bedd.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysobalanus icaco* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saxifraga stolonifera* Meerb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vahlia dichotoma* (Murr.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vahlia digyna* (Retz.) Bullock and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parnassia mysorensis* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parnassia wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Deutzia scabra* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrangea macrophylla* (Thunb.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Philadelphus coronarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Escallonia rubra*

(Ruiz & Pav.) Pers. var. *macrantha* Hook. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Escallonia montevidensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeonium arboreum* (L.) Webb & Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bryophyllum fedtschenkoi* (Raym.-Hamet & H.Perrier) C.Y.Cheng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crassula multicava* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crassula quadrifida* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe bhidei* Cooke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe grandiflora* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *lanceolata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glabra* (Clarke) Srinivasan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe lanceolata* (Forsk.) Pers. var. *glandulosa* (Hochst. ex A. Rich.) Cufod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe olivacea* Dalz. & Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe pinnata* (Lam.) Pers. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe schweinfurthii* Penzig and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe tubiflora* Hamet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rochea coccinea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum mexicanum* Britton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tillaea pentandra* Royle ex Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera burmannii* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drosera peltata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exbucklandia populnea* (R.Br. Ex Griffith) R. W. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurembergia*

coccinea (Blume) Kan. var. coccinea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurembergia coccinea* (Blume) Kan. var. *zeylanica* (Arn. ex Clarke) Meyden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myriophyllum oliganthum* (Wight & Arn.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callitriche stagnalis* Scop. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bruguiera cylindrica* (L.) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bruguiera gymnorrhiza* (L.) Savigny and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carallia brachiata* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassipourea ceylanica* (Gard.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriops decandra* (Griff.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriops tagal* (Perr.) Robins and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kandelia candel* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhizophora x annamalayana* Kathir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhizophora apiculata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhizophora mucronata* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anogeissus acuminata* (Roxb. ex DC.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anogeissus latifolia* (Roxb. Ex DC.) Wall ex Guill. & Perr. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calycopteris floribunda* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum albidum* G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum coccineum* (Sonner.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Combretum nanum* Willd. Buch. - Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lumnitzera racemosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quisqualis malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia*

bellirica (Gaertn.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia chebula* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia cuneata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia elliptica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia gella* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia pallida* Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia paniculata* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia travancorensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acca sellowiana* (Berg) Burret and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agonis flexuosa* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angophora costata* (Gaertn.) Britt. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angophora intermedia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angophora lanceolata* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Angophora subvelutina* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Baeckea virgata* (Forst.) Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon brachyandrus* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon citrinus* (Curtis) Stapf and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon polandii* Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon rigidus* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon salignus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistemon viminalis* (Gaertn.) Don ex Loudon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus alpina* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus*

amygdalina Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus blakelyi* Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus bosistoana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus botryoides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus bridgesiana* R. T. Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus calophylla* R. Br. ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus camaldulensis* Dehnh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus cephalocarpa* Blakely and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus citriodora* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus cladocalyx* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus crebra* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus cypellocarpa* L.A.S. Johnson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus elata* Dehnh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus diversicolor* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus eugenioides* Sieb. ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus ficifolia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus globulus* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus grandis* W.Hill ex Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus hemiphloia* F. v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus leucadendron* Reinz. ex DeVriese and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus leucoxydon* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus longifolia* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus macarthurii* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus*

maculata Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus megacornuta* C. A. Gardener and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus microcorys* F. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus melliodora* A. Cunn ex Schau. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus nitida* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus nova-anglica* Deane & Maiden and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus obliqua* L. Her. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus ovata* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus paniculata* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus pauciflora* Sieb ex Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus pipertia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus polyanthemus* Schauer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus ptychocarpa* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus punctata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus radiata* Sieb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus regnans* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus resinifera* Sm and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus robusta* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus rossii* R. T. Baker & H. G. Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus saligna* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus siderophloia* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus sideroxylon* A. Cunn.ex.Woolls and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus staigeriana* F. v. Muell. ex Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus*

tereticornis Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus torelliana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus viminalis* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia bracteata* (Willd.) Roxb ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia calcadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia continifolia* Jacq. subsp. *codyensis* (Munro ex Wight) Ashton and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia discifera* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia floccosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia indica* (Wight) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia mabaeoides* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia manickamia* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia rottleriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia singampattiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia thwaitesii* Duthie and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptospermum flavescens* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptospermum scoparium* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptospermum stellatum* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lophostemon confertus* (R.Br.) Peter G. Wilson & J.T. Waterh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca armillaris* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca hypericifolia* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca nesophylla* F.v. Muell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca*

quinquenervia S. T. Blake and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca styphelioides* Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meteoromyrtus wynaadensis* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimenta dioica* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium cattleianum* Sabine and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium guajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodomyrtus tomentosa* (Ait.) Hassk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syncarpia glomerulifera* (Sm.) Nied. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syncarpia laurifolia* Tenore and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium alternifolium* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium aqueum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium aromaticum* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium beddomei* (Duthie) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium benthamianum* (Wight ex Duthie) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium bourdillonii* (Gamble) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium calophyllifolium* Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium caryophyllatum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium chandrasekharanii* Chandrabose & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium courtallense* (Gamble) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium cumini* (L.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium densiflorum* Wall ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium fergusonii* (Trimen) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium*

gambleanum Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium gardneri* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium hemisphericum* (Wight) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium jambos* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium laetum* (Buch. - Ham.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium lanceolatum* (Lam.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium malabaricum* (Bedd.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium malaccensis* (L.) Merr. & Perry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium megacarpum* (Craib) Rathakr. & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium mundagam* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium munronii* (Wight) Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium myhendrae* (Bedd. ex Brandis) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium rama-varmae* (Bourd.) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium revolutum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium rubicundum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium scoparium* Wallich and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium spathulatum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium sriganesanii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium tamilnadensis* Rathakr. & Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium travancoricum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium venosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *zeylanicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *ellipticum* Henry, Chandrabose and Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium*

zeylanicum (L.) DC. var. lineare (Duthie) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. var. *megamalayanum* K. Ravik. & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Couroupita guianensis* Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gustavia superba* Berg and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia acutangula* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia asiatica* (L.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barringtonia racemosa* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Careya arborea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kendrickia walkeri* (Wight) Hook. f. ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medinilla beddomei* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medinilla fuchsioides* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medinilla malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon angustifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon bremeri* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon depressum* Benth ex Triana and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon edule* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon flavescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon gracile* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon gracillimum* Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon grande* Retz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon heyneanum* Benth ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon*

lawsonii Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon leucanthemum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon lushingtonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon manickamii* C. Murugan V. Sundaresan & G.J. Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon molestum* (Clarke) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon mundanthuraianum* Viswanathan & ManikKalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon randerianum* S.M. & M.R. Almeida and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon rivulare* Bremer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon rostratum* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon sisparens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon subcordatum* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon subramanii* Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon talbotianum* Brandis & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon tirunelvelicum* Murugan Manickam & Sundaresan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon umbellatum* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon varians* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *aspera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *travancorica* (Bedd. ex gamble) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia aspera* (L.) Blume var. *wightiana* (Benth ex Wight & Arn.) Trimen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia brachystemon* Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia buxifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia gracilis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia muralis*

Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia reticulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia rubicunda* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia parvifolia* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *hispidissima* (Wight) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia stellata* Buch. Ham. ex Ker-Gawl. var. *rostrata* (D. Don) Hansen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia tirunelvelica* Manickam & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia virgata* D. Don ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia wynaadensis* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia zeylanica* L f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila clarkei* Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila devicolamensis* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila elegans* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila grandiflora* R. Br. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila inaequalis* Murugan et Manickam and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila kanyakumariana* Gopalan & Henry and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila longipetiolata* Josephine Manickam Murugan Sundaresan & Jothi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila parameswaranii* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila rheedii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila rotundifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila sadasivanii* Nayar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila speciosa*

Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila tenera* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila tinneveli* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila versicolor* Wight var. *versicolor* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila versicolor* Wight var. *axillaris* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila wallichii* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila zeylanica* Wifht & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tibouchina urvilleana* (DC.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammania baccifera* L. subsp *baccifera* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammania baccifera* L. subsp. *aegyptiaca* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammania multiflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ammania octandra* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuphea hyssopifolia* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuphea ignea* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuphea platycentra* Lemaire and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia microcarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia reginae* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nesaea brevipes* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nesaea prostrata* (Ham. ex Dillwyn) Suresh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pemphis acidula*

Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala densiflora* (Roth ex Roem. & Schultes) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala fimbriata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala illecebroides* (Arn. ex Clarke) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala indica* (Willd.) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala macrKalam* Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala rosea* (Roiret.) C. Cook and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala rotundifolia* (Buch. Ham. Ex D. Don) Koehne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala verticillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonneratia apetala* Buch. -Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Circaea alpina* L. subsp. *imaicola* (Asch. & Magn.) Kitamura and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuchsia arborescens* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuchsia boliviana* Carr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fuchsia magellanica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia adscendens* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia hyssopifolia* (G. Don) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia octovalvis* (Jacq.) Raven subsp. *sessiliflora* (Mich.) Raven and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia peruviana* (L.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia prostrata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera glazioviana* Mich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera*

nocturna Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera odorata* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera rosea* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera stricta* Ledeb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera tetraptera* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trapa natans* L. var. *bispinosa* (Roxb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turnera subulata* Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia hondala* (Gaertn.) Wilde and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenia wightiana* (Wall. ex Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora alba* Link & Otto and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora antioquiensis* Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora caerulea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora edulis* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora holoserica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora laurifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora ligularis* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora mollissima* (H. B. K.) Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora suberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora subpeltata* Ortega and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carica papaya* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Benincasa hispida* (Thunb.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus colocynthis* (L.) Schrader and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrullus lanatus* (Thunb.) Matsumura & Nakai and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coccinia grandis* (L.) Voigt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corallocarpus epigaeus* (Rottl. & Willd.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ctenolepis garcinii* (Burm.f.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis melo* L. var. *melo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis melo* L. var. *utilissimus* (Roxb.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis prophetarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucumis trigonus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita maxima* Duchesne ex Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita moschata* (Duchesne ex Lam.) Duchesne ex Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cucurbita pepo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diplocyclos palmatus* (L.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnopetalum wightii* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynostemma pentaphyllum* (Thunb.) Makino and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kedrostis courtallensis* (Arn.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kedrostis foetidissima* (Jacq.) Cogn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenaria siceraria* (Molina) Standley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa acutangula* (L.) Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa cylindrica* (L.) M.Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica*

charantia L. var. charantia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica charantia* L. var. *muricata* (Willd.) Chakravarty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica cymbalaria* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica dioica* Roxb. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica subangulata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mukia leiosperma* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mukia maderaspatana* (L.) M. Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sechium edule* (Jacq.) Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solena amplexicaulis* (Lam.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solena angulata* (Chakravarty) Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes anaimalaiensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes lobata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes nervifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes tricuspidata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria maysorensis* (Wight & Arn.) Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria scabra* (L.f.) Sond. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria thwaitesii* (Schweinf.) Jeffrey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia albo-coccinea* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia aliciae* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia anamalayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia cordifolia* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia floccifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia*

integrifolia Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia malabarica* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Begonia subpeltata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrameles nudiflora* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cereus pterogonus* Lem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cylindropuntia ramosissima* (Engler) Knuth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epiphyllum oxypetalum* (DC.) Haw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hylocereus undatus* (Haw.) Britton & Rosc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nopalea cochenillifera* (L.) Salm-Dyck and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia elatior* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia ficus-indica* (L.) Miller and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia stricta* (Haw.) Haw. var. *dillenii* (Ker Gawl.) L. D. Benson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia vulgaris* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pereskia aculeata* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lampranthus spectabilis* (Haw.) N. E. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesuvium portulacastrum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema triquetra* Rottl. var. *triquetra* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema salsoloides* Oliv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zaleya decandra* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corbichonia decumbens* (Forsk.) Exell and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glinus*

oppositifolius (L.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo cerviana* (L.) Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo disticha* Ser. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo nudicaulis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anethum graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apium graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum distichophyllum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum plantaginifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *wightii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bupleurum wightii* Mukh. var. *ramosissimum* (Wight & Arn.) Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carum nothum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centella asiatica* (L.) Urban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coriandrum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cuminum cyminum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Daucus carota* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Foeniculum vulgare* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum aquilegifolium* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum candolleianum* (Wight & Arn.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum ceylanicum* Gard. ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum courtallense* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum hookerianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum rigens*

Wall ex DC. var. rigens and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *elongatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum rigens* Wall ex DC. var. *multiradiatum* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum sprengeianum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle conferta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle javanica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle sibthorpioides* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pastinaca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petroselinum crispum* (Mill.) Nyman ex auct.non. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peucedanum anamallayense* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella candolleana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella heyneana* (Wall ex DC.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella pulneyensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella wallichiana* (Miq.) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sanicula elata* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachyspermum ammi* (L.) Sprague and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vanasushava pedata* (Wight) Mukh. & Constance and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aralia malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedera australiana* F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedera helix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyscias acuminata* (Wight) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyscias*

fruticosa (L.)Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentapanax leschenaultii* (DC.) Seem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera capitata* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera clarkiana* Craib. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera maduraiensis* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera racemosa* (Wight) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *rostrata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera rostrata* (Wight) Harms var. *micrantha* (Clarke) Mahesh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera roxburghii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera stellata* (Gaertn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera venulosa* (Wgith & Arn.) Harms var. *venulosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera venulosa* (Wgith & Arn.) Harms var. *obliquinervia* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera wallichiana* (Wight & Arn.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrapanax papyrifer* (Hook.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cornus capitata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *arborea* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mastixia arborea* (Wight) Bedd. subsp. *meziana* (Wang.) Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *salvifolium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alangium salvifolium* (L.f.) Wang. subsp. *hexapetalum* (Lam.) Wang and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diervilla florida* Sieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera caprifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera etrusca* Santi. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera*

leschenaultii Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera ligustrina* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera periclymenum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera sempervirens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum cylindricum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum erubescens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum hebanthum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum punctatum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acranthera anamallica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acranthera grandiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aidia gardneri* (Thw.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostemma courtallense* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Agrostemma verticillatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Benkara malabarica* (Lam.) Tirvengadum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Byrsophyllum tetrandrum* (Bedd.) Hook.f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium angustifolium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium ficiforme* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium neilgherrense* Wight var. *neilgherrense* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium neilgherrense* Wight var. *chartacea* (Gamble) Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium coromandelicum* (Burm. F.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canthium travancoricum* (Bedd.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catesbaea*

spinosa Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Catunaregam spinosa* (Thunb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceriscoides turgida* (Roxb.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chassalia curviflora* (Wall. ex Kurz) Thw. var. *ophioxylodes* (Wall.) Deb & Krishna and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *calisaya* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona calisaya* Wedd. var. *ledgeriana* How. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cinchona succirubra* Pav. ex Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea canephora* Pierre ex A. Froehner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea liberica* Bull. ex Hiern var. *dewevrei* (De Wild. & T. Durand) Leburn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coffea travancorensis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Deccania pubescens* (Roth) Tirvengadam var. *candolleana* (Wight & Arn.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dentella repens* (L.) Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dentella serpyllifolia* Wall. ex Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fergusonia tetracocca* (Thw.) Baill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium asperifolium* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia angusta* (L.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia gummifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia latifolia* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia resinifera* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geophila repens*

(L.) I.M. Johnston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haldina cordifolia* (Roxb.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hamelia patens* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis affinis* Roem. & Schultes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis albionervia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis anamalayana* (Gamble) R. Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *articularis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis articularis* R.Br. ex Wight & Arn. subsp. *santapau* (Shetty & Vivek.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis aspera* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis barberi* (Gamble) Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis biflora* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis brachiata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis buxifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis caerulea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis corymbosa* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis devicolamensis* Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis diffusa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis erecta* Manilal & Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *eualata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis eualata* (Gamble) Henry & Subram. var. *agastyamalayana* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis gamblei*

Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis gracilis* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *graminifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis graminifolia* L.f. var. *shuteri* (Hook. f.) Deb & Dutta and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis hirsutissima* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis lessertiana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis nitida* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis ovatifolia* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis pruinosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis pterita* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis puberula* (G.Don) Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis pumila* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *purpurascens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis purpurascens* Hook.f. var. *pallida* (Gamble) Mohanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R.Rao & Hemadri var. *ramarowii* and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis ramarowii* (Gamble) R. Rao & Hemadri var. *kannikattica* Sundaresan, Manickam, G.J. Jothi & Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis shettyi* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis sisparensis* Gage and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis leschenaultiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis swertioides* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis villosostipulata* (Gamble) R.Rao & Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis viscida* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrophylax maritima* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenodictyon obovatum* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenodictyon orixense* (Roxb.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora brachiata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora cuneifolia* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora elongata* Heyne ex G.Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora finlaysoniana* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora johnsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora leucantha* Heyne ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora malabarica* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora monticola* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora nigricans* R.Br. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora notoniana* Wall.ex G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora pavetta*

Andr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *sumatrensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *glaberrima* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *hookeriana* Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia sumatrensis* (Retz.) DC. var. *linearis* (Gamble) Bhattacharjee & Deb and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus acuminatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus blumeanus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus capitulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus ciliatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus cinereus* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus dichotomous* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus jackianus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus oblongifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus parvifolius* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus rostratus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus strigillosus* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus truncatus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus venulosus* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luculia grandifolia* Ghose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luculia gratissima* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luculia pinceana* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitracarpus villosus* (Sw.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitragyna*

parvifolia (Roxb.) Korth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitragyna tubulosa* (Arn.) Hav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *pubescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *tomentosa* Rathna Kumari & Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda pubescens* J.E. Smith var. *stenophylla* (Spreng.) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda reticulata* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda belilla* Buch.-Ham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda glabrata* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda hirsutissima* (Hook.f.) Hutchinson ex Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda tomentosa* Wight ex Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mycetia acuminata* (Wight) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis decipiens* (Hook.f.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis hutchinsonii* Deb & R. Dutta and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *affinis* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis indica* (DC.) W.H. Lewis var. *deltoidea* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *monosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis monosperma* (Wall. ex Wight & Arn.) W.H. Lewis var. *tirunelvelica* Henry & Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis nummularia* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis rheedei* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis richardiana* (Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis tubulosa* (G.Don) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis wightiana* (Wall. ex Wight & Arn.) W.H. Lewis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolamarckia cadamba* (Roxb.) Bosser and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neonauclea purpurea* (Roxb.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neurocalyx calycinus* (R.Br. ex Benn.) Robins. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nostolachma crassifolia* (Gamble) Deb & Lahiri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochreinauclea missionis* (Wall. ex G.Don) Ridsdale and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Octotropis travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza brunonis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza eriantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza grandiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza hirsutula* Wight ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza incarnata* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza*

mungos L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza pectinata* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza pykarensis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza roxburghiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *argentea* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *merguensis* (Hook.f.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza rugosa* Wall. var. *prostrata* (D.Don.) Deb & Mondal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza tirunelvelica* Henry & Subram. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxyceros rugulosus* (Thw.) Tirvengadam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta blKalam Bremek.* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta breviflora* DC. var. *breviflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta breviflora* DC. var. *ciliolata* Gamble ex Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta breviflora* DC. var. *glaberrima* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta breviflora* DC. var. *pubescens* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta breviflora* DC. var. *subcoriacea* Gamble. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta brunonis* Wall. ex G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta calophylla* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta hispidula* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta hohenackeri* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta indica* L. var. *indica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta indica* L. var. *minor* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta indica* L. var. *montana* Thw. ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta laeta* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta*

oblanceolata Bremek and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta praeterita* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta thomsonii* Bremek. var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta tomentosa* Roxb. ex J.E. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta wightii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *zeylanica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta zeylanica* (Hook.f.) Gamble var. *puberula* Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentas lanceolata* (Forssk.) Deflers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentas zanzibarica* (Klotzsch) Vatke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleiocraterium verticillare* (Wight & Arn.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portlandia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudaidea speciosa* (Bedd.) Tirv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psilanthus wightianus* (Wight & Arn.) J. Leroy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria anamallayana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria beddomei* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria bisulcata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria connata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria flavida* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria fosbergii* Sohmer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria globicephala* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria johnsonii* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria macrocarpa* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria nigra*

(Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *nilgiriensis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria nilgiriensis* Deb & Gang. var. *astephana* (Hook.f.) Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *nudiflora* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria nudiflora* Wight & Arn. var. *latifolia* Deb & Gang. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria octosulcata* Talbot and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria sarmentosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria subintegra* (Wight & Arn.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria truncata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *dicoccos* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psydrax dicoccos* Gaertn. var. *lanceolatus* (Arn.) Ridsd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psydrax ficiformis* (Hook.f.) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psydrax umbellata* (Wight) Bridson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Richardia brasiliensis* Gomes and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saprosma corymbosum* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saprosma foetens* (Wight) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saprosma fragrans* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saprosma glomeratum* (Gard.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce articularis* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce assurgens* Ruiz et Pavon and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce*

latifolia Aubl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce mauritiana* Osea Gideon ex Verdc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce pusilla* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce ramanii* Sivarajan & Nair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *ocymoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce ocymoides* Burm.f. var. *thekkumalensis* (Sivarajan & Joseph) Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamilnadia ulginosa* (Retz.) Tirvengadum & Sastre and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna alpestris* (Wight) Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *asiatica forma rigida* (Wight) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna asiatica* (L.) Kuntze ex K. Schum. var. *montana* (Thw.) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna canarica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna monosperma* (Wight & Arn.) Raju. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna nilagirica* (Bedd.) Bremek. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricalysia apiocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricalysia sphaerocarpa* (Dalz.) Gamble and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urophyllum ceylanicum* (Wight) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia angustifolia* Wight ex Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia thyrsoides* (Schultes) Steud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana arnottiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana moonii* Arn.ex Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipsacus*

leschenaultii Coult. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scabiosa atropurpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acanthospermum hispidum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Achillea millefolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acroclonium roseum* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenon indicum* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *lavenia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *madurensense* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *reticulatum* (DC.) Panigrahi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adenostemma lavenia* (L.) Kuntze var. *rugosum* (DC.) Ram Lal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ageratina adenophora* (Spreng.) R.King & H. Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ageratum conyzoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ageratum houstonianum* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Amberboa ramosa* (Roxb.) Jafri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis aristata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis beddomei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis bournei* Fyson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis brevifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis busua* (Buch.-Ham.ex D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis elliptica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis lawii* (Hook.f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis leptophylla* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis marcescens* (Wight) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis*

meeboldii W.W. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis neelgerryana* (Sch. - Bip. ex DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis notoniana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis subdecurrens* (DC.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis travancorica* W.W.Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anaphalis wightiana* (DC.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arctotis venusta* Norl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argyranthemum frutescens* Sch. Bip. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia nilagirica* (Clarke) Pamp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia japonica* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia pallens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artemisia sieversiana* Ehrh. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster indamellus* Grierson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster laevis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster cordifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aster rotundifolius* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens biternata* (Lour.) Merr. & Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens pilosa* L. var. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens pilosa* L. var. *minor* (Blume) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bidens triplinervia* H.B.K. var. *macrantha* (Wedd.) Sherff and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blainvillea acmella* (L.) Philipson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharispermum petiolare* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blepharispermum subsessile* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea alata*

(D.Don) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea aurita* (L.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea barbata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea Nripatingeriana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea bifoliata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea clarkei* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea eriantha* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea fistulosa* (Roxb.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hieracifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *flexuosa* (Clarke) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *hamiltonii* (DC.) Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea hieracifolia* (D.Don) DC. var. *macrostachya* (DC.) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea lacera* (Burm.f.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea lanceolaria* (Roxb.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea malcolmii* (Clarke) Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *membranacea* and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea membranacea* Wall. ex DC. var. *jacquemontii* (Hook.f.) Randeria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea mollis* (D.Don) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea obliqua* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea oxyodonta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea virens* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Blumea flava* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bracteantha bracteata* (Vent.) Andr. & Haegi var. *bracteata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bracteantha*

bracteata (Vent.) Andr. var. albidum DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calendula officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Callistephus chinensis* (L.) Nees and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carpesium cernuum* L. var. *nilagiricum* Clarke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Carthamus tinctorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centaurea cyanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centrantherum punctatum* Cass. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centipeda minima* (L.) A. Braun & Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chromolaena odorata* (L.) King & Robinson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum anethifolium* Brouss. ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chrysanthemum coronarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus angustifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus caudata* SCHLECHT. EX MOMIYAMA caudata and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus conferta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus hortensis* M. BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus indica* SERV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus kologa* SCHLECHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus parvifolia* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus pyriformis* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeagnus umbellata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus floribundus* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus ganitrus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus*

lanceolatus BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus munronii* (WIGHT.) MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus oblongus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus sphaericus* (GAERTN.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus tuberculatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeodendron glaucum* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeodendron roxburghii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema lineolatum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema platyphyllum* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatostema sessile* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleocharis dulcis* (BURM.F.) TRIN. EX HENSCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elephantopus scaber* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria cardamomum* MATON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria cardamomum* MATON major THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria cardamomum* MATON minor and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria cardamomum* MATON *miniscula* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elettaria repens* BAILLOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleusine aegyptiaca* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleusine coracana* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleusine indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eleutherococcus senticosus* (RUPR. & MAXIM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia brikalam* (BTH.) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia ciliata*

(THUNB.) HYLAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia densa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia pilosa* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia polystachya* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elsholtzia strobilifera* BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elytraria acaulis* (L.F.) LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elytrophorus spicatus* (WILLD.) CAMUS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia acutipetalum* (LAM.EX HASSK.) S.M.& M.R. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia ribes* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia robusta* C.B.CLARK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia subcoriacea* (CL.) MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia tsjeriam-cottam* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embelia officinalis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Embryopteris glutinifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia javanica* (BURM. F.) C. B. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Emilia sonchifolia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Engelhardia polystachya* RADLK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Engelhardtia roxburghiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Engelhardtia spicata* LESCHEN EX. BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enhydra fluctuans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eniada scandens* AUCT. NON BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enicostemma axillare* (LAM.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enicostemma*

hyssopifolium (WILLD.) VERDOORN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enicostemma littorale* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enicostemma verticillatum* (L.) ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Entada phaseoloides* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Entada pursaetha* DC. *pursaetha* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Entada rheedii* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Entada scandens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Enteropogon dolichostachyus* (LAGAS.) KENG EX LAZAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilobium divaricatum* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra equisetina* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra intermedia* SCHR. & MEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra major* HOST NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra nevadensis* WATS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra peduncularis* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra saxatilis* STAPF sikkimensis STAPF. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra sinica* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephedra vulgaris* HOOK.F. NON A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ephemerantha macraei* (LINDL.) HUNT & SUMMERH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epidendrum retusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epidendrum tenuifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilobium angustifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilobium hirsutum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilobium*

roseum SCHREB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epilobium royleanum* HOUSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epimedium elatum* MORR. & DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Epipactis latifolia* ALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Equisetum arvense* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Equisetum debile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Equisetum diffusum* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Equisetum ramosissimum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis amabilis* (L.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis ciliata* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis cynosuroides* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis gangetica* (ROXB.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis nutans* (RETZ.) NEES EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis tremula* HOCHST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eragrostis viscosa* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum bicolor* SCHRANK. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum nervosum* (VAHL) R. BR. EX ROEM & SCHULTES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum purpurascens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eranthemum roseum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erechtites valerianaefolia* (WOLF.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremostachys acanthocalyx* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremostachys loasifolia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremostachys superba* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremostachys*

vicaryi BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eremurus himalaicus* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria calamifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eria pannea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erianthus arundinaceus* (RETZ.) JESWEIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erianthus munja* JESW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron alpinus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron asteroides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron bellidioides* (DON) BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron bonariensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron canadensis* TENORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron floribundus* (H.B. & K.) SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron multiradiatus* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erigeron sublyratus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriglossum rubiginosum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriobotrya japonica* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriobotrya latifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon setaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon sexangulare* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriocaulon sieboldianum* S. & Z. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriodendron anfractuosum* BC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erioglossum rubiginosum* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriolaena hookeriana* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriolaena*

quinquelocularis WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriosema chinense* VOG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriosema himalaicum* OHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eritrichium canum* (BTH.) KITAMURA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erodium cicutarium* (L.) L'HERT EX AIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erodium moschatum* L'HERIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erophila verna* (L.) C.E. MEY. EX GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eruca sativa* GARS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eruca vesicaria* (LINN.) CAV. sativa (mill.)thell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ervatamia coronaria* (JACQ.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ervatamia dichotoma* (ROXB.) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ervatamia heyneana* T.COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ervatamia orientalis* (R.BR.) TURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ervatamia divaricata* (LINN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erycibe paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erygium caeruleum* BEIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eryngium coeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eryngium biebersteinianum* NEVSKI EX BABROV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eryngium billardieri* DELAR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eryngium caeruleum* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eryngium foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erysimum altaicum* C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erysimum repandum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erysimum*

sisymbrioides C.A. MEY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythraea roxburghii* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina corallodendron* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina fusca* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina resupinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina suberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina variegata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythrina variegata* L. *orientalis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythronium indicum* ROTTL. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythralum scandens* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylium coca* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylium areolatum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylium lucidum* MOON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum monogyneum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum monogynum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum moonii* HOCHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum retusum* BAUER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum retusum* BAUER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ethulia conyzoides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus*

camaldulensis DENST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus citriodora* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus globulus* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucalyptus resinifera* HORT. ARG. EX MAIDEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euchresta horsfieldii* (LESCH.) BENNETT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euchretia buxifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eucomis undulata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia aromatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia bracteata* (WILD.) ROXB. EX. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia caryophyllaea* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia hemispherica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia jambolana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia jambos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia malaccensis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia munroii* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia occidentalis* BOURD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia operculata* SENSU DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia spicata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eugenia uniflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulaliopsis binata* (RETZ.) C.E. HUBBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia Kalammanensis* REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia campestris* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia cullenii*

(WIGHT) BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia dabia* (D.DON) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia epidendrea* (KOENIG) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia explanata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia herbacea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia nuda* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia pratensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia ramentacea* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eulophia spectabilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euodia lanu-ankenda* (GAERTN.)MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus atropurpureus* JACQ.B.P. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus crenulatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus hamiltonianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus indicus* HEYNE EX. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus javanicus* BL.BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus pendulus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus serratifolius* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus theophrasti* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus tingens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium adenophorum* SPRENG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium ayapana* VENT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium birmanicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium cannabinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium*

glandulosum SCH. BIP. EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium odoratum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eupatorium triplinerve* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia antiquorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia atoto* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia barnhartii* CROIZAT, EUPHORB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia bombaiensis* SANT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia caducifolia* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia chamaesyce* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia cognata* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia dracunculoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia fusiformis* BUCHY.-HAM. EX D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia granulata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia helioscopia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia hirta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia hispida* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia hypericifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia inaequilatera* SOND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia laeta* HEVNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia lathyris* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia ligularia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia*

longan STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia longifolia* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia microphylla* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia milii* DESMOUL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia neriifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia nivulia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia onicrophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia orbiculata* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia pilosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia prostrata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia pulcherrima* WILLD. EX KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia resinifera* BERQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia rosea* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia rothiana* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia royleana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia sanguinea* HOCHST. & STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia splendens* BOI EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia stracheyi* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia thomsoniana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia thymifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia tibetica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia tirucalli* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia tortilis*

ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia trigona* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia turcomanica* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia uniflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia wallichii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphorbia longana* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphrasia himalaica* WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphrasia odontites* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphrasia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euphrasia platyphylla* PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eurya acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eurya japonica* AUCT. NON THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eurya nitida* KOTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euryale ferox* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euryangium sumbul* KAUFFMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eurycoma longifolia* JACK. ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evodia fraxinifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evodia lunu-ankenda* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evodia meliaefolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evodia roxburghiana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evodia rutaecarpa* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evodia trichotoma* (LOUR.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evolvulus alsinoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evolvulus*

emarginatus BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Evolvulus nummularius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum bicolor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum lawii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum pedunculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exacum tetragonum* ROXB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria acerifolia* F. DIDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria agallocha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Excoecaria crenulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Exogonium purga* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fabiana imbricata* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagonia arabica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagonia bruguieri* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagonia indica* L. *schweinfurthii* HADIDI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagopyrum cymosum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagopyrum dibotrys* (DON) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagopyrum esculentum* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagopyrum tataricum* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagraea ceilanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagraea imperialis* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagraea obovata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagraea racemosa* JACK, ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Farsetia*

aegyptiaca TURRA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Farsetia edgeworthii* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Farsetia hamiltonii* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Farsetia jacquemontii* HOOK. F. & TH. *jacquemontii* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Farsetia jacquemontii* HOOK.F. TH. *edgeworthii* (HOOK. F. & TH.) JAFRI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Feronia elephantum* CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Feronia limonia* (L.) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula alliacea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula assa-foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula foetida* REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula galbaniflua* BOISS. & BUHSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula jaeschkeana* VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula narthex* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula persica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula suaveolens* AITCH. & HEMSEL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula sumbul* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ferula thomsoni* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Festuca indica* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fibraurea chloroleuca* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fibraurea tinctoria* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus altissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus amplissima* SMITH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus arnottiana*

(MIQ.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus asperrima* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus auriculata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus bengalensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus benjamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus callosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus carica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus cunia* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus dalhousiae* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus drupacea* THUNB. pubescens (ROTH) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus elastica* ROXB. EX. HORNEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus exasperata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus fistulosa* REINW. EX BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus fulva* REINW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus gibbosa* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus glabella* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus glomerata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus heterophylla* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus hirta* VAHL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus hispida* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus infectoria* SENSU ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus lacor* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus lacor*

BUCH.- HAM. infectoria and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. *lambertiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus lacor* BUCH.- HAM. *wightiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus lucescens* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus microcarpa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus mollis* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus oppositifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus palmata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus racemosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus religiosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus retusa* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus ribes* REINW. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus rumphii* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus scandens* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus semicordata* BUCH. EX J. E. SMITH conglomerata (ROXB.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus talboti* G.KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tinctoria* FORST. F. *parasitica parasitica* (WILLD.) CORNER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tinctoria* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tomentosa* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tsiela* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus tsjakela* BURM .F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus virens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ficus wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Filago arvensis*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Filicium decipiens* (WIGHT & ARN.) THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis annua* (ALL.) ROOM & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis argentea* (ROTTB.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis bisumbellata* (FORSK.) BUB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis diphylla* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis falcata* (VAHL) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis junciformis* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis miliacea* L. & VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis ovata* (BURM.F.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis polytrichoides* (RELZ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fimbristylis sietiniana* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fioria vitifolia* (L.) MATTEI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Firmiana colorata* (ROXB.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fissendocarpa linifolia* (VAHL) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fissistigma polyanthum* MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia cataphracta* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia indica* (BURM.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia jangomas* (LOUR.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia ramontchi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia sapida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flagellaria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flaveria*

australasica HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia bracteata* (ROXB.) WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia chappar* BUCH.-HAM. EX BTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia congesta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia grahamiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia macrophylla* (WILLD.) O.KTZE. EX MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia nana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia procumbens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia semialata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia stricta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia strobilifera* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia tuberosa* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flemingia wightiana* GRAHAM EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fleurya interrupta* (L.) GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flickingeria fugax* (RCHB.F.)SEODEMF. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flickingeria macraei* (LINDL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flickingeria nodosa* (DALZ.) SEIDENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Floscopa scandens* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fluegea leucopyrus* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flueggea leucopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flueggea microcarpa* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flueggea virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Foeniculum*

capillaceum GILB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Foeniculum vulgare* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Foeniculum vulgare* GAERTN dulce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fomes officinalis* (VIL EX. FR.) LLOYD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fortunella japonica* (THUNB.) SWINGLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fragaria indica* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fragaria nilgherrensis* SCHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Francoeria crispa* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Frankenia pulverulenta* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fraxinus excelsior* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fraxinus floribunda* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fraxinus hookeri* WENZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fraxinus ornus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fritillaria cirrhosa* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fritillaria imperialis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fritillaria roylei* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fucus distichus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fucus nodosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fucus vesiculosus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fumaria indica* PUGSLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fumaria parviflora* AUCT. NON. LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fumaria vaillantii* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Furcraea foetida*

(L.) HAW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fynura bicolour* (WILLD.)DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaillonia aucheri* JAUB. & SPACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galega purpurea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galega spinosa* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galeopsis tetrahit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galidium cartilagineum* (L.) GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galinsoga parviflora* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium acutum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium aparine* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium asperifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium elegans* BLOCKI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium mullugo* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium triflorum* MICHX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galium verum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ganophyllum falcatum* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia atroviridis* GRIFF. EX T. ANDER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia cambogia* GAERTN. DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia cornea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia cowa* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia dulcis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia echinocarpa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia gummi-*

gutta (L.) ROBS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia hanburyi* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia heterandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia indica* (DUP.) CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia kydia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia morella* (GAERTN.) DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia pedunculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia pictoria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia purpurea* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia rubroechinata* KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia spicata* (WIGHT & ARN.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia talbotii* RAIZADA EX SANTAPAU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia tinctoria* (DC.) W.F. WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia travancorica* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia wightii* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia xanthochymus* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia augusta* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia campanulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia dumetorum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia floribunda* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia florida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia gummiifera* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia incida*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia jasminoides* ELLIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia latifolia* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia lucida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia nummularioides* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia resinifera* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gardenia turgida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garuga pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gastrochilus longiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gastrochilus pandurata* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaultheria fragrantissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaultheria nummularioides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaultheria procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gaultheria trichiphylla* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gelidium cartilagineum* GAILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gelonium bifarium* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gelsemium elegans* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gelsemium semepervirens* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gemphostemma ovatum* WALL. EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gendarussa vulgaris* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geniosporum gracilo* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geniosporum prostratum* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geniosporum tenuiflorum* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana algida*

PALLAS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana argentea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana borealis* GRISEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana carinata* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana chirayta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana decumbens* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana desonasa* (ROTTB.) G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana kurroo* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana lutea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana moorcroftiana* WALL. EX. G. DON. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana olivieri* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana quadrifaria* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana renella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana stipitata* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana tenella* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentiana thianschanica* RUPR. EX KUSN. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentianella moorcroftiana* (WALL. EX GRISEB.) AIRY-SH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentianella pedunculata* (ROYLE) H. SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentianella tenella* (ROTTB.) BORNER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gentianopsis detonsa* (ROTTB.) MA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geodorum densiflorum* (LAM.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geodorum dilatatum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geophila herbacea* KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geophila*

reniformis D. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geophila repens* (L.) I.M.JOHNSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium himalayense* KLOT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium lucidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium mascatense* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium nepalense* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium ocellatum* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium pusillum* BURM.F.SPEC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium rivulare* VILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium robertianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium rotundifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium sibiricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium wallichianum* DON EX SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gerbera gossypina* (ROYLE) BEAUV. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gerbera lanuginosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gerbera piloselloides* (L.) CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geum alatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geum elatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geum roylei* WALL. EX BOLLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geum urbanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Giesekia pharnacoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ginkgo biloba* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia diversifolia* (LINK) FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia heterophylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia leschenaultiana* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia zeylanica* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia cuspidata* (BL.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Girardinia reticulata* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gisekia pharnaceoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Givotia rottleriformis* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gleditsia sinensis* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gleditsia triacanthos* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gleichenia longissima* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glinus dictamnoides* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glinus lotoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glinus oppositifolius* (L.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gliricidia maculata* (H.B. & K.) STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba clarkeii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba marantina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba multiflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba orixensis* ROXB. ASIAT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Globba pauciflora* KING EX BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion calocarpem* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion calocarpum* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion*

ellipticum WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion heyneanum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion hohenackeri* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion lanceolarium* VOIGT. NON DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion multiloculare* MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion oblatum* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion sumatrana* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion tomentosum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glochidion zeylanicum* A. JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gloriosa superba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossocardia bosvallea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossocardia linearifolia* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossogyne bidens* (RETZ.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossogyne pinnatifida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glossonema varians* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gluta travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycine labialis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycine max* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycine pentaphylla* DLAZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycine soja* SIEB. & ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis arborea* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis cochinchinensis* PIERRE EX ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis macrocarpa* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis*

mauritiana (LAMK.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis mauritiana* (LAMK.) TANAKA *Kalammanensis* (NARAY.) TANAKA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis pentaphylla* (RETZ.) DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycyrrhiza glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycyrrhiza glabra* L. *violace* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycyrrhiza radix* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycyrrhiza uralensis* FISCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina arborea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina elliptica* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina parviflora* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gmelina philippensis* CHAMP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium luteo-album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnaphalium polycaulon* PER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnetum edule* (WILLD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnetum gnemon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnetum montanum* MARKGRAF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnetum scandens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnetum ula* BRONGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gnidia glauca* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goldfussia thomsonii* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphia angustifolia* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphia serrata*

(GAERTN.) KANIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma crinitum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma parviflora* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphostemma wallichii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphrena celosioides* MART. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphrena globosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gonatanthus pumilus* (DON) E. & KRAUSE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus sequipedalis* HK.F.& TH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus waynaadensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus wightii* HOOK.F. & THOMAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gonostegia hirta* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gonystylus macrophyllus* (MIQ.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goodyera repens* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goodyera schlectKalamliana* RCHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goodyera secundiflora* (GRIFF.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gordonia obtusa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium acuminatum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium indicum* TOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium obtusifolium* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium*

purpurascens POIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium religiosum* WATT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium stocksii* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gouania tiliaefolia* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gouania leptostachya* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gracilaria lichenoides* GERV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grangea maderaspatana* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Graptophyllum hortense* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Graptophyllum pictum* (L.) GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gratiola monniera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grevillea robusta* A. CUNN. EX R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia abutilifolia* VENT. EX JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia asiatica* L. *vestita* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia asiatica* MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia carpinifolia* JUSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia elastica* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia helicterifolia* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia heterotricha* MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia hirsuta* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia microcos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia obtusa* WALL. EX GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia*

oppositifolia ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia optiva* DRUMMOND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia orbiculata* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia polygama* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia populifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia rhamnifolia* HEYNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia salvifolia* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia sapida* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia scabrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia sclerophylla* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia subinaequalis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia tenax* (FORSK.) FIORI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia tiliaefolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia umbellata* AUCT. NON ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia villosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guazuma tomentosa* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guazuma ulmifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guettarda speciosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guilandina bonducella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guizotia abyssinica* CASS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnadenia*

himalayica SCHLTR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnadenia orchidis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema aurantiaca* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema balsamicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema hirsutum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema khKalamlense* SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema lactiferum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema latifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema montanum* (ROXB.) HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema spartium* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnema sylvestre* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnocladus assamicus* Kanjilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnopetalum cochinchinensis* (LOUR.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnopetalum wightii* WT. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnosporia montana* (ROTH.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnosporia royleana* M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnosporia spinosa* MERILL & ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gymnostachyum febrifugum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynandropsis gynandra* BRIQUET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynandropsis pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynocardia odorata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynostemma pentaphyllum* (THUNB.) MAKINO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura angulosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura cusimbua*

(D.DON) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura hispidula* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynura pseudo-china* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gyrocarpus americanus* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria commelinifolia* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria crinifera* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria diphylla* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria edgeworthii* HOOK. F. EX COLLETT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria intermedia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria longicorniculata* GRAH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria orchidis* (LINDL.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria ovalifolia* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria plantaginea* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria rariflora* A.RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria rotundifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Habenaria roxburghii* (PERS.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hackelochloa granularis* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haemanthus multiflorus* MARTYN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haematoxylon campechianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hagenia abyssynica* GMEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haldina cordifolia* (ROXB.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Halophila ovalis* (R.BR.) HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haloxylon*

multiflorum (MOQ.) BUNGE EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haloxylon recurvum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haloxylon salicornicum* BUNGE EX BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hamamelis virginiana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hamelia patens* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hamiltonia suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haplanthodes verticillata* (ROXB.) MAJUMDAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haplanthus tentaculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Haplanthus verticillata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hardwickia binata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hardwickia pinnata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Harpagophytum procumbens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Harpullia arborea* (BLANCO) RADLK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hebanthe paniculata* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedeoma pulegioides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedera helix* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedera nepalensis* C. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedgsonia macrocarpa* (BL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium acuminatum* ROSCOE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium coccineum* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium coronarium* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium ellipticum* HAMILT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium gardnerianum* SHEPPARD EX KER- GAWLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium*

glaucum ROSC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium gracile* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium marginatum* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium spicatum* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedychium wardii* C.E.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis articularis* R.BR. EX WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis auricularia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis auriculata* (LINN.). *AURICULARIA* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis biflora* (L.) LAMK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis brachypoda* (DC.) SIVAR. ET AL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis capitellata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis corymbosa* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis costata* (ROXB.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis diffusa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis glabra* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis gracilis* WALL. O.GR. (WALL.) HK.F. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis herbacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis hispida* (BENTH.) RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis lineata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis pinifolia* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis pruinosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis puberula* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis pumila* L.F. O.PU(L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis*

scandens ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis tenelliflora* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis umbellata* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis uncinella* HK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis verticillata* (L.) LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedyotis vestita* R.BR. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarium sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarum alhagi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarum gangeticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarum purpureum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarum sennoides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarum triflorum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hedysarum tuberosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helianthus annuus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helianthus tuberosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicanthes elastica* (DESR.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicia excelsa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicia robusta* (ROXB.) R. BR. EX BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicteres isora* L. *glabrescens* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicteres isora* L. *tomentosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliophyllum indicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium bacciferum* FORSK. *tuberosum* (BOISS.) KAZMI *bacciferum* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium*

brevifolium WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium curassavicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium eichwaldi* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium ellipticum* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium keralense* SIV. & MANL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium ophioglossum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium ovalifolium* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium peruvianum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium rariflorum* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium strigosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium subulatum* HOCHST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium supinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium tuberculatum* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium undulatum* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heliotropium zeylanicum* HEYNE. EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helixanthera wallichiana* (SCHULT.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helleborus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helleborus viridis* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helminthostachys zeylanicus* (L.) HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heltropium ophioglossum* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemarthria compressa* (L.F.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemerocallis fulva* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemidesmus*

indicus (L.) SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemidictyum ceterach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemigraphis latebrosa* NESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hemionitis arifolia* (BURM.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum cachemiricum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum candicans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum candolleianum* (WT. & ARN.) GAMBLE . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum canescens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum lanatum* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum nepalense* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum pinda* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum pinnatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum rigens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heracleum wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heritiera littoralis* AITON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heritiera minor* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heritiera papilio* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hermodactylus tuberosus* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hernandia ovigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hernandia peltata* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Herniaria glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Herniaria hirsuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Herniaria intermedia* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Herpestis*

monniera (L.) H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hesperethusa alata* (W. & A.) ALST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hesperethusa crenulata* (ROXB.) M. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hetaeria obliqua* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heterophragma quadriloculare* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heterophragma roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heteropogon contortus* (L.) BEAUV. EX R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heterostemma piperifolium* KING & GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heterostemma tanjorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hevea brasiliensis* (WILLD. EX. JUSS.) MUELL. - HRG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hewittia malabarica* (L.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heylandia latebrosa* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heynea sumatrana* MIG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heynea trijuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus abelmoschus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus aculeatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus cancellatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus canescens* HEYNE EX. WIGHT & ARNOLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus esculentus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus ficulneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus furcatus* ROXB. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus*

hispidissimus GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus lampas* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus lunariifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus manihot* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus micranthus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus obtusifolius* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus ovalifolius* (FORSK.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus platanifolius* (WILLD.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus populneus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus sabdariffa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hieracium umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hieracium virosum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hieracium vulgatum* (FR.) ALMQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippocratea indica* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippophae rhamnoides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippophae*

rhamnoides L. *saticifolia* (D.DON) SARVETTAZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippophae salicifolia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hippophae tibetana* SCHLECT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hiptage benghalensis* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hiptage madablota* GAERTN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hitchenia caulina* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hodgsonia macrocarpa* (BI.) COGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holarrhena antidysenterica* (ROTH.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holarrhena mitis* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holarrhena pubescens* (BUCH.-HAM.) WALLICH EX DO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holboellia latifolia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna arnottiana* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna ferruginea* MARCHAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna grahamii* (WGT.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna longifolia* BUCH.-HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna nigra* BOURD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holmskioldia sanguinea* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holoptelea integrifolia* (ROXB.) PLANCHON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holostemma adakodien* SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holostemma annulare* (ROXB.) K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holostemma rheedianum* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holostemma rheedii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holostemum umbellatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homalomena*

aromatica SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homalomena rubescens* KUNTH ENUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homonoia retusa* (GRAH. EX WT.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homonoia riparia* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea glabra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea odorata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea ponga* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea wightiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoppea dichotoma* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hordeum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hornstedtia costata* (ROXB.) K. SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Horsfieldia glabra* (BL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Horsfieldia irya* (GAERTN.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Horsfieldia kingii* (HK.F.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Houttuynia cordata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hovenia acerba* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya carnosia* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya globulosa* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya multiflora* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya ovalifolia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya pendula* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya viridiflora* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hoya wightii*

HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia unijuga* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humboldtia vahliana* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Humulus lupulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hunteria corymbosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hunteria legocii* SKINA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hunteria zeylanica* (RETZ.) GARDNER EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Huperzia phlegmaria* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hura crepitans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hybanthus enneaspermus* (L.F.) MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyderangea macrophylla* (THUNB.) SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus alpina* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus anthelminthica* PIERRE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus castanea* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus inebrians* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus kurzii* (KING) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus laurifolia* (DENNST.) STEUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus macrocarpa* (BEDD.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus octandra* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus pentandra* (BUCH.-HAM.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus venenata* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus wightiana* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnophytum*

Kalammanense BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnophytum formicarium* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrangea arborescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrangea aspera* BUCH.-HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrangea macrophylla* (THUNB.) SER. *stylosa* (HK.F. & TH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrangea paniculata* SIEB. *grandiflora* SIEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrastis canandensis* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrilla verticillata* (L.F.) ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocharis dubia* (BL.) BACKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle javanica* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle javanica* THUNB. *PODUNTHA MOLKENBOER* EX C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle rotundifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocotyle sibthorpiodes* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrolea zeylanica* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila auriculata* (SCHUMACH.) HEINE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila erecta* (Burm.f.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila heinei* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila phlomoides* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila polysperma* (ROXB.) AND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila quadrivalvis* (BUCH.-HAM.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila ringens* (L.) R.BR. EX STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila salicifolia* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila*

schulli (HAM.) M.R. & S.M. ALMEIDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila spinosa* T. ANDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hygrophila aristata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenaea courbaril* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenaea hornemannianum* (HAYNE) D. DIETR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenocrater sessilifolius* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenodictyon excelsum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenodictyon obovatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenodictyon orixense* (ROXB.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyoscyamus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyoscyamus muticus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyoscyamus niger* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyoscyamus pusillus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyoscyamus reticulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyoscyamus squarrosus* GRIFF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypocym leptocarpum* HOOK. F. & THOMS. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypocymum pendulum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypocymum procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyperanthera moringa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum cernuum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum elodeoides* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum humifusum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum*

japonicum THUNB. EX MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum laxum* (BL.) KOIDZUMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum monanthemum* HK. F. & TH. EX DYER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum monogynum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum mysurense* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum oblongifolium* CHOISY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum patulum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum perforatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum sampsoni* HANCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum uralum* BACH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypobathrum microcarpum* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypochaeris glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypodematium crenatum* (FORSK.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypolepis punctata* (THUNB.) METT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypolytrum nemorum* (VAHL) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypoxis aurea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypoxis orchoides* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyptis brevipes* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyptis capitata* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyptis pectinata* POIT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyptis suaveolens* POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyssopus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hyssopus parviflora* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ichnocarpus*

frutescens R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex denticulata* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex godajam* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex paraguariensis* A.ST.HIL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex wightiana* WALL. EX. WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illecebrum lanatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illicium anisatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illicium griffithii* HOOK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illicium religiosum* S. & L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illicium verum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illigera appendiculata* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Illigera villosa* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilysanthes oppositifolia* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilysanthes reptans* (ROXB.) URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens brachycentra* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens gigantea* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens glandulifera* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens minor* (DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens roylei* WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens scabrida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens tilo*

(DC.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens tripetala* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Imperata arundinacea* CYR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Imperata cylindrica* (L.) RAEUSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Incarvillea emodi* (LINDL.) CHATTERJ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera anil* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera argentea* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera articulata* GONAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera aspalathoides* VAHL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera astragalina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera caerulea* ROXB. caerulea and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera cassioides* ROTTL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera ennaephylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera galegoides* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera gerardiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera glandulosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera hebeptala* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera heterantha* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera linifolia* RETZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera linnaei* ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera nil* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera nummulariifolia* (L.) SKINA EX ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera oblongifolia* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera paucifolia* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera pulchella* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera suffruticosa* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera sumatrana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera tinctoria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera trita* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indigofera uniflora* HAM. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indoneesiella echicides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indoneesiella echioides* (L.) SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Indoneesiella intermedia* SREEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Intsia bijuga* (Colebr.) O. Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula cappa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula cuspidata* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula grandiflora* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula grantioides* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula graveolens* DESF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula helenium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula obtusifolia* KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula racemosa* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Inula royleana*

DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ionidium enneaspermum* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ionidium suffruticosum* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iphigenia indica* (L.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea aquatica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea asarifolia* (DESR.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea batatas* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea biloba* FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea bonanox* HEYNE EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea burmanni* CHOISY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea cairica* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea campanulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea candicans* SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea carnea* (MART. EX CHOISY) AUSTIN. *fistulosa* (MART. E CHOISY) AUSTIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea carnea* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea coccinea* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea coptica* (L.) ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea cymosa* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea dasysperma* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea dissecta* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea eriocarpa* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea*

fastigiata (ROXB.) SWEET NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea fistulosa* MART EX CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea glaberrima* BOJ. EX HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea hederacea* AUCT. NON JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea hederifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea hispida* ROEM. & SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea illustris* (CLARKE) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea involucreata* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea marginata* (DESR.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea maxima* G. DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea muricata* (L.) JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea nil* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea obscura* KER.-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea paniculata* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea pes-caprae* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea pes-tigridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea petaloidea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea purga* (WEND.) HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea purpurea* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea quamoclit* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea reniformis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea reptans*

(L.) POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea sepiaria* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea indica* STAPF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea staphylinia* R, BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea tridentata* (L.) ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea turbinata* LAG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea turpethum* (L.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea uniflora* ROEM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea violacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ipomoea vitifolia* SWEET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris decora* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris ensata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris florentina* KUNZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris foetidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris germanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris kashmiriana* BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris kemaonesis* D.DON EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris nepalensis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris songarica* SCHRENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iris versicolor* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isachne globosa* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum muticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum*

pilosum HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ischaemum rugosum* SALISH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isopyrum acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isopyrum anemonoides* KAR. & KIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Isopyrum thalictroides* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Itea chinensis* HOOK. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora arborea* ROXB. EX J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora brunnescens* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora coccinea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora cuneifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora grandiflora* Zoll. & Mor. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora nigricans* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora parviflora* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora pavetta* ANDR. BOT. REPOS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora polyantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora sub-sessilis* WALL. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ixora undulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacar Kalam acutifolia* HUMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jacobinia tinctoria* HEMSL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jaeschkea gentianoides* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jaeschkea*

oligosperma (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Janakia arayalpathra* JOSEPH & CHANDRASHEKARAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum amplexicaule* BUCH.-HAM. EX G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum anastomozans* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum angustifolium* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum arborescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum auriculatum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum azoricum* L. *azoricum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum bignoniaceum* WALL. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum calophyllum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum chrysanthemum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum cuspidatum* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum diversifolium* KOBUSKI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum flexile* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum grandiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum humile* SENSU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum malabaricum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum multiflorum* (BURM.F.) ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum nervosum* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum pubescens* (RETZ.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum ritchiei* CLARKE IN HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum rottlerianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum*

sambac (L.) AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum sambac* AIT. *heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum scandens* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum subhumila* W.W. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum trichotomum* HEYNE. EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jasminum undulatum* KER-GAWLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jateorhiza palmata* (LAM.) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha curcas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha glandulifera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha glandulosa* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha glauca* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha gossypifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha montana* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha nana* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jatropha panduraefolia* ANDR. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Joannesia princeps* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juglans regia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juglans regia* L. *kumaonia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncellus inundatus* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus inflexus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus lampocarpus* EHRH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juncus prismatocarpus* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus*

communis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus excelsa* BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus indica* BERTOL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus macropoda* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus polycarpus* C. KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus recurva* BUCH.-HAM. EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Juniperus wallichiana* HOOK.F. EX PARL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jurinea dolomiaea* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jurinea himalaica* STEWART NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jurinea macrocephala* (ROYLE) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jurinea macrophylla* BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jussiaea repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jussiaea suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Jussiaea tenella* BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia acaulis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia adhatoda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia beddomei* (CL.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia betonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia bicalyculata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia bilvalvis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia ecbolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia gendarussa* BURM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia madurensis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia nasuta* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia paniculata* (VAHL) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia picta* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia prostrata* (CL.) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia quinqueangularis* KOEN. EX. ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia repens* DELESS. EX NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia simplex* DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia tranquebariensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Justicia vasculosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kaempferia angustifolia* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kaempferia galanga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kaempferia rotunda* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe integra* (MEDIK.) KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe laciniata* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe pinnata* (LAM.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe rosea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalanchoe spathulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kallstroemia pubescens* (DON) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kametia caryophyllata* (ROXB.) NICOL. & SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kandelia candel* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kandelia rheedei* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kandelia rheedii* W.&A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kedrostis*

foetidissima (JACQ.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kedrostis rostrata* (ROTTL.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kickxia ramosissima* (WALL.) JANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kigelia africana* (LAMK.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kigelia pinnata* (JACQ.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kingiodendron pinnatum* (ROXB. EX DC.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kirganelia reticulata* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kleinia grandiflora* (WALL. EX DC.) RANI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knema angustifolia* (ROXB.) WARB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knema attenuata* (WALL.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knema erratica* (HOOK.F. & TH.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knema linifolia* (ROXB.) WARB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia brachycarpa* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia roxburghii* (SPRENG.) M.A. RAU and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Knoxia sumatrensis* (RETZ.) DC. *hookeriana* BHATTACHARJEE & DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kochia indica* WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kochia scoparia* (L.) SCHRAD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kochia sedoides* SCHRAD NEUES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Koelpinia linearis* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kokoona zeylanica* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kopsia flavida* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kopsia fruticosa*

A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kurrimia bipartita* M.LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kydia calycina* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kyllinga brevifolia* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kyllinga monocephala* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kyllinga nemoralis* HUTCH. & DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kyllinga squamulata* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kyllinga triceps* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lablab purpureus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca dissecta* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca gracilis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca heyneana* D.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca orientalis* (BOISS.) BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca remotiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca runcinata* DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca scariola* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca serriola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca tatarica* C.A.REY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lactuca virosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagascea mollis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagascea spinosissima* COV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenandra*

ovata (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenandra toxicaria* (L.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenaria leucantha* RUSBY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenaria siceraria* (MOLINA) STANDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagenaria vulgaris* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia flos-reginae* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia hirsuta* (LAM.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia lanceolata* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia microcarpa* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia parir-flosh* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia reginae* PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagerstroemia speciosa* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagergera alata* (D.DON) SCH.-BIP. EX OLIVE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagergera aurita* (WILD.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laggera crispata* (VAHL) HEP. & WD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laggera flava* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laggera pterodonta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagotis cashmeriana* (ROYLE) RUPR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lagotis glauca* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lallemantia royleana* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lamarkia aurea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laminaria*

saccharina LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lamium album* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lamium amplexicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lamprachaenium microcephalum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lancea tibetica* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), Safed Musli farming for Diabetic neuropathy formulations: Impact of *Lannea coromandelica* (HOUTT.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lannea grandis* (DENNST.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lansium domesticum* JACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana camara* L. *aculeata* (L.) MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana camara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lantana indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laportea crenulata* GANDICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laportea interrupta* (L.) CHEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Larrea tridentata* (SESSE & MOC.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasia aculeata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasia heterophylla* SCHOTT MELET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasia spinosa* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasianthus Kalammanicus* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasiosiphon eriocephalus* (MEISNER) DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lasiurus hirsutus* (FORSK.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lastrea filix-mas* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathraea squamaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus altaicus*

LED. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus aphaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus inconspicuus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus luteus* BAKER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus odoratus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus pratensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lathyrus sphaericus* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea acaulis* (ROXB.) BABCOCK EX KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea aspleniifolia* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea capitata* (SPRENG.) DANDY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea chondrilloides* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea fallax* (JAUB. & SPACH.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea glomerata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea nudicaulis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea pinnatifida* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea procumbens* (ROXB.) RAMAYYA & RAJAGOPA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea remotiflora* (DC.) STEBBINS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea resedifolia* (LINN.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launaea sarmentosa* (WILLD.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launea acaulis* (ROXB.) KERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launea procumbens* (ROXB.) RAM. & RAJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Launea sarmentosa* ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens*

chandrasekharanii Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens clavicornu* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens cordata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens crenata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens cuspidata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens dasysperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens debilis* Turez. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens denisonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens disotis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens diversifolia* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens elegans* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens floribunda* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens fruticosa* Lesch. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens goughii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens grandis* Heyne and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens hensloviana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens herbicola* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens hookeriana* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens inconspicua* Benth ex. Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens jerdoniae* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens laticornis* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens*

latifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens lawsonii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens lenta* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens leptura* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens leschenaultii* (DC.) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens levingei* Gamble ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens ligulata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens maculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens minor* (DC.) Bennet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens modesta* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens munronii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens neobarnesii* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens nilgirica* Fischer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens orchioides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens parasitica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens parvifolia* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens phoenicea* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens rufescens* Benth. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens scabriuscula* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens scapiflora* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens tangachee* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens tenella* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens*

tomentosa Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens trichocarpa* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens umbellata* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens uncinata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens verticillata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens viridiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens viscida* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens viscosa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens wightiana* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acronychia pedunculata* (L.) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aegle marmelos* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atalantia monophylla* (L.) Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atalantia racemosa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Atalantia wightii* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boenninghausenia albiflora* (Hook.) Reichb. ex Meisner and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chloroxylon swietenia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Choisya ternata* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus aurantifolia* (Christm.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus aurantium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus limon* (L.) Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus maxima* (Burm.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus medica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus nobilis*

Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus reticulata* Blanco and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Citrus sinensis* (L.) Osbeck. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena austro-indica* B. C. Stone and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena dentata* (Willd.) M. Roem and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena indica* (Dalz.) Oskin and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clausena lansium* (Lour.) Skeels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euodia fraxinifolia* (D. Don.) Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *lunu-ankenda* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euodia lunu-ankenda* (Gaertn.) Merr. var. *tirunelvelica* Henry & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fortunalla japonica* (Thunb.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis angustifolia* Lindl.ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis cyanocarpa* (Blume) Spreng. var. *cymosa* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis macrocarpa* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis mauritiana* (Lam.) Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis pentaphylla* (Retz.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glycosmis tirunelveli*ensis Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melicope indica* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melicope lunu-ankenda* (Gaertn.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murraya koenigii* (L.) Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murraya paniculata* (L.) Jack and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naringi crenulata*

(Roxb.) Nicolson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pamburus missionis* (Wight) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paramignya beddomei* Tanaka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paramignya monophylla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleiospermium alatum* (Wall ex. Wight & Arn.) Swingle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetradium fraxinifolia* (Hook.) T. G. Hartley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toddalia asiatica* (L.) Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triphasia trifolia* (Burm. f.) P. Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vepris bilocularis* (Wight & Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum ovalifolium* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum rhetsa* (Roxb.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum limonellia* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus excelsa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ailanthus triphysa* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quassia amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suriana maritima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphia serrata* (Gaertn.) Kanis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna integerrima* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna lanceolata* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna obtusata* DC. var. *obtusata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna gamblei*

King ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Boswellia serrata* Roxb. ex Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bursera penicillata* (Sesse & Moc. ex DC.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium strictum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canarium vulgare* Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora berryi* (Arn.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *caudata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Commiphora caudata* (Wight & Arn.) Engler var. *pubescens* (Wight & Arn.) K.M. Matthew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garuga floribunda* Decne var. *gamblei* (King ex W. W. Sm.) Kalkman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garuga pinnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia apiocarpa* (Thw.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia barberi* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia bourdillonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia domestica* (Correa) Pellegrin Lecomte and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia elaeagnoidea* (Juss.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia edulis* (Roxb.) Wall and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia lawii* (Wight) Saldanha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia tomentosa* Teijsm. & Binn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia odorata* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aglaia simplicifolia* (Bedd.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphanamixis polystachya* (Wall.) Parker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Azadirachta indica* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chukrasia tabularis* A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cipadessa*

baccifera (Roth) Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum binectariferum* (Roxb.) Hook. f. ex Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum ficiforme* (Wight) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dysoxylum malabaricum* Bedd. ex Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naregamia alata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reinwardtiadendron anamallayanum* (Bedd.) Saldahnha and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sandoricum koetjape* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Soymida febrifuga* (Roxb.) A. Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swietenia macrophylla* King and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swietenia mahagoni* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toona ciliata* M. Roem. var. *ciliata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toona ciliata* M. Roem. var. *pilistila* (C. DC.) Nair & Kumari and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichilia connaroides* (Wight & Arn.) Bentvelzen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turraea villosa* Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Walsura trifolia* (A. Juss.) Harms and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylocarpus granatum* Koen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dichapetalum gelonioides* (Roxb.) Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anacolosia densiflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis scandens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis imbricata* Roxb. var. *imbricata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis imbricata* Roxb. var. *nigrescens* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthus ceylanica* Gard. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ximenia*

americana L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cansjera rheedii* Gmel. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opilia amentacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Apodytes dimidiata* E. Meyer ex Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphandra coriacea* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gomphandra tetrandra* (Wall ex. Roxb.) Sleumer and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miquelia dentata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothapodytes nimmoniana* (Graham) Mabberley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrenacantha volubilis* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostigma kleinii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythralium populifolium* (Arn.) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex aquifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex denticulata* Wall ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex gardneriana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex malabarica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex opaca* Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex walkeri* Wight & Gard. ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ilex wightiana* Wall ex. Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bhesa indica* (Bedd.) Ding and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassine glauca* (Rottb.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cassine paniculata* (Wight & Arn.) Loobr.-Callen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celastrus paniculatus* Willd. var. *paniculatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celastrus paniculatus* Willd. subsp. *dependens* (Wall.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Celastrus*

paniculatus Willd. subsp. aggregatus K.T.Mathew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus angulatus* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus barberi* C. Murugan & V. S. Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus crenulatus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus dichotomus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus indicus* Heyne ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus japonicus* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus kanyakumariensis* Murugan & Manickam and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus paniculatus* Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Euonymus serratifolius* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glyptopetalum grandiflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glyptopetalum lawsonii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Glyptopetalum zeylanicum* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loeseneriella bourdillonii* (Gamble) Raju and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loeseneriella obtusifolia* (Roxb.) A. C. Smith and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lophopetalum wightianum* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus emarginata* (Willd.) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus heyneana* (Roth) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus ovatus* (Wall ex Wight & Arn.) Loes. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus rufa* (Wall.) Hara and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus wallichiana* (Wight & Arn.) Raju & Babu and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis microcarpa* Wight var. *microcarpa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis microcarpa* Wight var. *densiflora* Merr. & Freem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis*

latifolia Wight ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis ovalifolia* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis ramiflora* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis stocksii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtropis wallichiana* Wight ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleurostylia opposita* (Wall.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reissantia grahamii* (Wight) Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reissantia indica* (Willd.) Halle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia fruticosa* Heyne ex Lawson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia macrosperma* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia oblonga* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alphitonia excelsa* Reiss ex Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colletia cruciata* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colletia ferox* Gill. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Colubrina asiatica* (L.) Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gouania microcarpa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hovenia acerba* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maesopsis eminii* Engler and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Noltea africana* (L.) Reichb. ex Harv. & Sond.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pomaderris apetala* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pomaderris lanigera* Sims and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus cathartica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus dahuricus* Pall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus virgatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus wightii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sageretia hamosa* Brongn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sageretia parviflora* (Klein) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutia myrtina* (Burm. f.) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago denticulata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago*

gamblei Suesseng and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago goughii* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago madraspatana* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus glabrata* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus horrida* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus incurva* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *mauritiana* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus mauritiana* Lam. var. *fruticosa* (Haines) Sebastine & Balakr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus nummularia* (Burm.f.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus oenoplia* (L.) Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus rugosa* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus xylopyrus* (Retz.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus araneosa* (Dalz. & Gibs.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus divaricata* (Wall ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus indica* (L.) Planch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus latifolia* (Roxb.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus tomentosa* (Heyne ex Roth) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ampelocissus wightiana* Shetty & Singhand 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia anemonifolia* (Zipp. Ex Miq.) Suesseng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia auriculata* (Roxb.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia japonica* (Thunb.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia mollissima* (Wall.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia pedata* (Lam.) Juss. ex Gagnep. var. *pedata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia pedata*

(Lam.) Juss. ex Gagnep. var. glabra Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia roxburghii* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia tenuifolia* (Wight & Arn.) Gagnep. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cayratia trifolia* (L.) Domin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus arnottiana* B.V.Shetty & P.Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus adnata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus discolor* Blume. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus latifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus glyptocarpa* (Thw.) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus heyneana* (Wall. ex Lawson) Planch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus quadrangularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus repKalam* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus repens* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissus vitiginea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyphostemma setosum* (Roxb.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parthenocissus neilgherriensis* (Wight) Planch. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parthenocissus semicordata* (Wall.) Planchon var. *roylei* (King) Raizada & Saxina and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrastigma gamblei* Shetty & Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrastigma leucostaphylum* (Dennst.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrastigma nilagiricum* (Miq.) Shetty and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrastigma sulcatum* (Lawson) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea asiatica* (L.) Ridsdale and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea guineensis*

G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea indica* (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea macrophylla* Roxb. ex Hornem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Allophylus cobbe* (L.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardiospermum canescens* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardiospermum halicacabum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dimocarpus longan* Lour. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dodonaea viscosa* (L.) Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Filicium decipiens* (Wight & Arn.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Harpullia arborea* (Blanco) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepisanthes erecta* (Thw.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepisanthes senegalensis* (Juss. ex Poir.) Leenh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepisanthes tetraphylla* (Vahl.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litchi chinensis* Sonner. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Otonephelium stipulaceum* (Bedd.) Radlk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapindus emarginatus* Vahl and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapindus trifoliata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schleichera oleosa* (Lour.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aesculus indica* (Cambess.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer caesium* Wall. ex Brandis and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer oblongum* Wall. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acer pseudo-platanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanthus major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turpinia*

malabarica Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turpinia cochinchinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meliosma pinnata* (Roxb.) Maxim. subsp. *barbulata* (Cufod.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *simplicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meliosma simplicifolia* (Roxb.) Walp. subsp. *pungens* (Wall ex Wight & Arn.) Beus. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sabia limoniacea* Wall. ex Hook. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anacardium occidentale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchanania axillaris* (Desr.) Ramam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Buchanania lanzan* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gluta travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna arnottiana* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna beddomei* Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna ferruginea* Marchand and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna grahamii* (Wight) Kurz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Holigarna nigra* Bourd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), Safed Musli farming for Diabetic neuropathy formulations: Impact of *Lannea coromandelica* (Houtt.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia aureo-fulva* Bedd. ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia beddomei* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia colebrookeana* (Wight) Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia heyneana* (Hook. f.) Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *racemosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia racemosa* (Dalz.) Ramam. var. *angustifolia* (Gamble) Chithra and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia*

travancorica Bedd ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia vajravelui* Ravikumar & Lakshmanan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus mysorensis* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus paniculata* Wall. ex Hook. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus tomentosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schinus molle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schinus terebinthifolius* Raddi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus anacardium* L. var. *anacardium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus anacardium* L. var. *cuneifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus auriculata* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus travancorica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spondias indica* (Wight & Arn.) Airy Shaw & Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spondias pinnata* (L.f.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corynocarpus laevigata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moringa concanensis* Nimmo ex Gibs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moringa pterygosperma* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Connarus monocarpus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Connarus sclerocarpus* (Wight & Arn.) Schellenb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Connarus wightii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ellipanthus tomentosus* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rourea minor* (Gaertn.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abrus fruticulosus* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abrus precatorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abrus pulchellus*

Wall ex Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynomene americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynomene aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aeschynomene indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus beddomei* Schind. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) DC. var. *bupleurifolius* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *gracilis* (Edgew.) Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus bupleurifolius* (L.) Dc. var. *hybridus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus heterophyllus* (Benth. ex Baker) Jefri & Ali and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus longifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus monilifer* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus ovalifolius* (Schumac) J. Leon. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus racemosus* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus roxburghianus* Thoth. & Pramanik and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus glumaceus* (Vahl) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus scariosus* Rottler. ex. Spring) Grah. ex Thw. var. *scariosus* and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus scariosus* (Rottler. ex. Spring) Grah. ex Thw. var. *pilifer* (Prain) Pramanik & Thoth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *vaginalis* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alysicarpus vaginalis* (L.) DC. var. *stocksii* Baker and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arachis hypogaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea acuminata* (Benth.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea monosperma* (Lam.) Taub. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea parviflora* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Butea purpurea* (Benth. ex Baker) Blatter and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus albicans* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus goensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus lineata* (Wight & Arn) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus cajan* (L.) Millsp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus rugosus* (Wight & Arn) Maesen and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus scarabaeoides* (L.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cajanus trinervius* (DC.) van der. Maesen. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calopogonium mucunoides* Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calpurnia aurea* (Ait.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia cathartica* Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia gladiata* (Jacq.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia maritima* (Aubl.) Thouars and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia mollis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Canavalia virosus* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Castanospermum*

australe A. Cunn. & Fraser ex Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Centrosema pubescens* Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chorizema ilicifolium* Labill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christia obcordata* (Poir.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Christia vespertilionis* (L.f.) Bakh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cicer arietinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clanthus puniceus* Soland ex. Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clitoria ternatea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurentia longiflora* (L.) PETERMANN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurus cassia* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurus cinnamomum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Laurus nobilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavandula bipinnata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavandula burmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavandula carnosia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavandula stoechas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavandula vera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lavatera kashmiriana* CAMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lawsonia alba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lawsonia inermis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lawsonia spinosa* L.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lechea verticillata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea aequata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea alata*

EDGEW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea arguata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea asiatica* (L.) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea aspera* EDGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea bracteata* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea compactiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea crispa* V. ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea guineensis* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea hirta* ROXB EX HORNEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea indica* MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea macrophylla* ROXB. EX HORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea robusta* ROXB. HORT. BENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leea sambucina* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemanea australis* ATKINS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemmaphyllum carnosum* (J. SM.) PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemna globosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemna obcordata* BOJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lemna perpusilla* TORREY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lens culinaris* MEDIC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lens esculenta* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonotis nepetaefolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leontopodium jacotianum* BEAUVERD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus cardiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus*

hamiltoniana WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus incurva* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus japonicus* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus sibiricus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leonurus stelligera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepeocercis serrata* TRIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepianthes umbellata* (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis cristata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis hamiltoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis incurva* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis pungens* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis scariosa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis trinervia* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidagathis trinervis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium apetalum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium capitatum* HOOK. F. & THOMS NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium cartilagineum* (J. MAY.) THELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium draba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium iberis* L. alba and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium iberis* POLL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium latifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium perfoliatum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium ruderales* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium*

sativum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium virginicum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepionorus sylvestris* BL. BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepionurus sylvestris* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepisanthes Kalammanica* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepisanthes rubiginosa* (ROXB.) LEENH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepisanthes tetraphylla* (VAHL) RADLK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptadenia pyrotechnica* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptadenia reticulata* (RETZ.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptadenia spartium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochilus decurrens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptochloa malabarica* (L.) VELDKAMP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptodermis lanceolatus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptonychia heteroclita* (ROXB.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lespedeza sericea* MIQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lettsomia aggregata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lettsomia atropurpurea* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lettsomia elliptica* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lettsomia mysorensis* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lettsomia nervosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lettsomia setosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucaena glauca* (L.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas aspera* (WILLD.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas capitata*

DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas cephalotes* (ROTH.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas ciliata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas flaccida* R.BR. *scaberula* (HOOK.F.) SRINIVASAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas indica* (L.) R.BR. EX VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas lanata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas lavandulifolia* J.E. SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas linifolia* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas martinicensis* (JACQ.) R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas mollissima* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas plukenetii* (ROTH) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas stelligera* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas stricta* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas urticaefolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucas zeylanica* (L.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leuconotis eugenifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucosceptrum canum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucostegia immersa* (HK.) PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leucostegia nodosa* BEDD.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leueas rosmarnifolia* CIRUTUMPAI benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Levisticum officinale* W.D.J. KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Licuala spinosa* WURMB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligularia amplexicaule* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligularia*

jacquemontiana (DECNE) RAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligusticum elatum* C.B. CL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum indicum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum lucidum* (LOUR.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum nicum* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum perrottetii* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ligustrum robustum* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium candidum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium giganteum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium martagon* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium neilgherrense* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium polyphyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lilium wallichianum* SCHULT. & SCHULT. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnanthemum cristatum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnanthemum indicum* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnanthemum nymphaeoides* LINK FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila aromatica* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila gratioloides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila gratiissima* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila polystachya* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila*

rugosa (ROTH) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophila sessiliflora* (VAHL) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnophyton obtusifolium* (L.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limodrum spatulatum* WLLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limonia acidissima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limonia alata* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limonia crenulata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limonium cabulicum* (BOISS.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linaria cirrhosa* H.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linaria minor* DESF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linaria ramosissima* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindelia longiflora* (BENTH.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindenbergia indica* (L.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindenbergia muraria* (ROXB.) P.BRUCHE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindenbergia urticaefolia* LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindera caudata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindera neesiana* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindera pulcherrima* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia anagallis* (BURM.F.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia antipoda* (L.) ALSTON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia caespitosa* (BL.) PANIGRAHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia ciliata* (COLESM.) PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia cordifolia* (COLSM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia*

crustacea (L.) F. V. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia hyssopioides* (L.) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia oppositifolia* (RETZ.) MUKH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia procumbens* (KROCK.) BORBAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia pyxidaria* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia rotundifolia* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindernia ruellioides* (COLSM) PENNEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lindsaea cultrata* (WILLD.) SW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linociera malabarica* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linociera ramiflora* (ROXB.) WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linum perenne* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linum strictum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis nervosa* (THUNB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liparis parviflora* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lippia alba* N.E. BR. EX BRITTON & WILS NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lippia geminata* H.B.K. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lippia javanica* (BURM.F.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lippia nodiflora* MICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liquidambar orientalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liquidambar styraciflua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liqustrum indicum* (LOUR.) NERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Liriodendron tulipifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litchi chinensis*

SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lithocarpus pachyphyllus* (KURZ) REHDER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lithospermum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lithospermum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea chinensis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea citrata* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea coriacea* (HEYNE EX. MEISNER) HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea cubeba* (LOUR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea glutimosa* (LOUR.) C.B. ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea glutinosa* (LOUR.) ROBINSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea lancifolia* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea monopetala* (ROXB.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea polyantha* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea quinqueflora* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea sebifera* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea stocksii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea umbrosa* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Litsea zeylanica* C. & T. NESS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia alsinoides* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia chinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia cordigera* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia excelsa* LESCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia inflata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia*

leschenaultiana (PRESL) SKOTTSB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia nicotianaefolia* ROTH. EX. R. & S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobelia pyramidalis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobularia maritima* DESV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lochnera pusilla* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lochnera rosea* REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lodoicea maldivica* (POIR.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lodoicea seychellarum* LABILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loeseneriella obtusifolia* (ROXB.) A.C.SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lomatogonium carinthiacum* (WULF.) BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera glauca* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera japonica* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera leschenaultii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera macrantha* (D.DON) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera semenovii* REGEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera spinosa* (JACQUEM. EX DECNE) WALP. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lonicera webbia* WALL. EX DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lophopetalum wallichii* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loranthus coriaceus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loranthus elasticus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loranthus falcatus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loranthus longiflorus* DESR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loranthus pentandrus* HEYNE. EX SCHULT.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lotus*

corniculatus LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Loxococcus rupicola* WENDL.& DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia adscendens* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia clavelliana* GOMEZ DE LA MAZA & MONLINET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia hyssopifolia* (DON) EXCELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia octovalvis* (JACQ.) RAVEN sessiliflora (MICHELI) RAVEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia perennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia peruviana* (L.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ludwigia prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa acutangula* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa acutangula* ROXB. *amara* (ROXB.) CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa aegyptiaca* MILL. EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa cylindrica* (L.) M.J. ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa echinata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa graveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa graveolens* ROXB. *longystyla* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa pentandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa tuberosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luffa umbellata* (KLEIN) ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luisia tenuifolia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lumnitzera*

racemosa WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus albus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus angustifolius* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus digitatus* FORSK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lupinus luteus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luvunga eleutherandra* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luvunga scandens* (BLUME) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Luzula campestris* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lychnis apetala* L. SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lychnis coronaria* LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycianthes laevis* (DUN.) BITTER SUBTRUNCATA (WALL. EX DUN.) DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycianthes laevis* (DUNAL) BITTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycium barbarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycium europaeum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycium ruthenicum* MURR. EX DUNAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycoperdon gemmatum* BATSCH. NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycoperdon pusillum* PER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopersicon esculentum* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopersicon lycopersicum* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopersicum esculentum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopodium cernuum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopodium clavatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopodium phlegmaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycopus*

europaeus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lycoris radiata* (L'HERIT.) HERBERT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lygodium circinatum* (BURM) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lygodium flexuosum* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lygodium japonicum* (THUNB.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lygodium microphyllum* (CAV.) R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lygodium pinnatifidum* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lygodium scandens* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lyonia ovalifolia* (WALL.) DRUDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maba bauxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maba buxifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macadamia ternifolia* F. MUELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga denticulata* (BL.) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga indica* W. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga nicobarica* BALAKR. & CHAKRAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga peltata* (ROXB.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga roxburghi* WRIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga tanarius* (L.) M. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macaranga tetracoccus* (ROXB.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Machilus bombycina* KING EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Machilus macrantha* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Machilus villosa* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maclura pomifera* (RAFIN.) C.K. SCHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macropanax*

dispermus (BI.) KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrosolen cochinchinensis* (LOUR.) TIEGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrosolen parasiticus* (L.) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrotomia benthamii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrotomia perennis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrotomia speciosa* AITCHET HEMST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Macrotyloma uniflorum* (LAM.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca butyracea* (ROXB.) MACBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca diplostemon* (CLARKE) ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca indica* GMEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca insignis* (RADLK) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca longifolia* (KOEN.) MACLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca malabarica* (BEDD.) R.N.PARKAR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Madhuca neriifolia* (MOON) LAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maerua apetala* (ROTH) JACOBS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maerua arenaria* HOOK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maerua oblongifolia* (FORSK.) A.RICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maesa chisia* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maesa indica* (ROXB.) A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maesa montana* DC, and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maesa ramentacea* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maharanga emodi* (WALL.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia acanthifolia* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia borealis*

TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia leschenaultii* (WALL. EX. WIGHT & ARN.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia manipurensis* TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia pycnophylla* (FEDDE) TAKEDA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia sikkimensis* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia simonsii* TAKEDA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Majorana hortensis* MOENCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malachra capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malaxis acuminata* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malaxis biloba* (LINDL.) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malaxis mackinnonii* (DUTHIE) AMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malaxis muscifera* (LINDLEY) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malaxis rheedei* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malaxis saprophyta* (KING & PRANTL) TANG & WAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus ferrugineus* (ROXB.) MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus peltatus* (GEIS.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus philippensis* (LAM.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus repandus* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus rhamnifolius* (WILLD.) MULL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mallotus tetracoccus* (ROXB.) KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malpighia glabra* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malpighia punicifolia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malus pumila*

MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malus sylvestris* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva neglecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva rotundifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malvastrum americanum* (L.) TORR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malvastrum coromandelianum* GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mammea americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mammea longifolia* PLANCH. & TRIANA. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mammea suriga* (BUCH.-HAM. EX ROXB.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mandragora autumnalis* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mandragora officinalis* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mangifera caesia* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mangifera domestica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mangifera indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mangifera sylvatica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manihot esculenta* CRANTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manihot utilisima* POHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manilkara hexandra* (ROXB.) DUBARD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manilkara kauki* (L.) DUBJ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manilkara zapota* (L.) VAN ROYEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Manisuris*

granularis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maoutia puya* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mappia foetida* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maranta arundinacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marchantia palmata* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marchantia polymorpha* - NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus concinnus* SCHRADER EX NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mariscus javanicus* (HOUTT.) MERR. & METCALF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marlea tomentosa* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marrubium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia brunoniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia hamiltonii* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia lucida* EDGEW. EX MADDEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia roylei* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia tenacissima* (ROXB.) MOON and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia tinctoria* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsdenia volubilis* (L.F.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsilea dentata* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsilea grandifolia* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsilea minuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Marsilea quadrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Martnia diandra* GLOX. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Martynia annua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Martynia diandra* GLOX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mastixia assamica* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mastixia arborea* CB. CLARK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mathiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matricaria aurea* (Loefl.)Sch. Bip. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matricaria chamomilla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matricaria lasiocarpa* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matricaria recutita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matthiola flavida* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matthiola incana* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matthiola tristis* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mattiastrium thomsonii* (CL.) KAZMI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus emarginata* (WILLD.) DING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus heyneana* (ROTHY) RAJU & BABU NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maytenus senegalensis* (LAM.) EXELL. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mazus japonicus* (THUNB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mazus pumilus* (BURM.F.) VAN STEENIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meconopsis aculeata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meconopsis nepaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meconopsis paniculata* (D.DON) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meconopsis robusta* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meconopsis simplicifolia* (G.DON) WALP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meconopsis*

wallichii HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mecoropsis napaulensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medicago lupulina* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medicago minima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medicago polymorpha* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Medicago sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Megacarpaea polyandra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca alternifolia* (MAIDEN & BETCHE) CHEEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca cajaputi* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melaleuca leucadendron* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanorrhoea curtisii* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanorrhoea usitata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanorrhoea wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanthesa rhamnoides* (RETZ.) BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanthesa turbinata* (ROXB.) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanthium indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melasma thompsonii* (HK.F.) WETTST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melastoma affine* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melastoma asperum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melastoma decemfidum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melastoma malabathricum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melia azadirachta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melia azedarach* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melia composita*

WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melia dubia* HIERN, NON CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melanthus major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melica ciliata* DUTHIE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melica jacquemontii* DCNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melilotus indica* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melilotus officinalis* (L.) PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melilotus parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meliosma arnottiana* WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meliosma simplicifolia* (ROXB.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melissa axillaris* (BENTH.) BAKH. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melissa officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melissa parviflora* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melocalamus compactiflorus* BENTH. F. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melocanna bambusoides* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melocanna bambusoides* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melodinus monogynus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melothria heterophylla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melothria indica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melothria maderaspatana* (L.) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melothria perpusilla* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melothria scabra* (LINN. F.) PANIGR. ET S.C. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon*

amplexicaule ROXB. malabarica CLARKE IN HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon angustifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon edule* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon gracile* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon heyneanum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon malabaricum* (CLARKE) COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon sessile* BENTH. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon talbotianum* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Memecylon umbellatum* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Menanthes sumatrana* (MIQ.) BREMEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Menispermum cocculus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Menispermum columba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Menispermum cordifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Menispermum glabrum* BRUM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha aquatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha cordifolia* OPHIZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha crispa* GARSALT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha dumetorium* SCHULT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha longifolia* (L.) HUDS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha mulleriana* SCH.-BIP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha niliaca* JACQ. *alopecuroides* NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha piperita* STOKES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha pulegium*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha rotundifolia* (L.) HUDS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha spicata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha verticillata* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mentha viridis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meriandra benghalensis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meriandra strobilifera* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia dissecta* (JACQ.) HALLIER F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia emarginata* (BURM.F.) HALL.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia gangetica* (L.) CUFO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia hastata* (DESR.) HALLIER. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia hederacea* (N.BURM.) H.HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia mammosa* (LOUR.) HALL. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia peltata* (Linn.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia tridentata* (L.) HALLIER *tridentata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia tridentata* (L.) HALL. F. *hastata* (DESR.) OOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia tridentata* (L.) H. HALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia tuberosa* (LINN.) RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia turpethum* RENDLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia umbellata* (L.) HALLIER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Merremia vitifolia* (BURM. F.) HALL. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched),

Mesembryanthemum crystallinum L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mesua ferrea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mesua nagassarium* (BURM.F.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Metathelypteris gracilescens* (BL.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meyna laxiflora* ROBYNS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meyna spinosa* ROXB. EX LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mezoneuron cucullatum* (ROXB.) WT. AND ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mezoneuron sumatranum* W.A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Michelia champaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Michelia doltsopa* BUCH.- HAM. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Michelia montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Michelia nilagirica* ZENK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micranthus oppositifolius* WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microcos paniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microglossa pyrifolia* (LAM.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microglossa volubilis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microlepis puberula* VAVR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microlepis speluncae* (L.) MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromelum hirsutum* OSKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromelum integerrimum* (Buch-Ham) Roem. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromelum minutum* (FORST. F.) WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromelum pubescens* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromeria biflora* (DON) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micromeria*

capitellata BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micrometum integerrimum* (BUCH.-HAM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Micropus xanthopus* (FR.) KUNT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microrhynchus nudicaulis* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microsorium alternifolium* COPEL.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microsorium punctatum* (L.) COPEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microsorium scolopendria* (BURM.F.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstegium ciliatum* A.CAMUS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstylis muscifera* RIDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstylis saprophyta* KING & PANTL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstylis versicolor* (LINDL.) ABEYW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microstylis wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microtoena insuavis* (HANCE) PRAIN EX DUNN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Microroula tibetica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mikania cordata* (BURM. F.) R.L. ROBINSON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mikania micrantha* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Milium ramosum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Milium roxburghiana* (GRIFF.) HK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Milium tomentosum* (ROXB.) SINCLAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Milium velutinum* HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia auriculata* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia caudata* (BENTH.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia extensa* (BENTH.) BAKER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia*

pachycarpa BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia piscidia* WIGHT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millettia racemosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Millingtonia hortensis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa abstergens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa amara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa cineraria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa cinerea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa ferruginea* ROTTLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa flexuosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa hamata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa intsia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa invisa* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa lucida* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa paniculata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa pudica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa pudica* L. *hispida* BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa pudica* L. *tetrandra* (WILLD.)DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa pudica* L. *unijuga* (DUCHASS. & WALP.)GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa rubicaulis* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa rubicaulis* LAMK. *himalayana* (GAMBLE) DHASHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa spinisilqua* KLEIN. EX POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimosa suma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimulus*

moschatus DOUGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimulus strictus* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimusops elengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimusops hexandra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimusops indica* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mimusops kauki* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mirabilis jalapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mischocarpus undulatus* Bl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitracarpus villosus* (SW.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitragyna parvifolia* KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitragyna rotundifolia* KUNTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mnesithea laevis* (RETZ.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Modecca palmata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Modecca trilobata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Modecca wightiana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania bracteata* HIU-LIN-LI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania chappar* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania macrophylla* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania nana* MUKHSJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania phursia* O.KTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania semialata* (ROXB.) MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania stricta* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania*

strobilifera J.ST. HILAIRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moghania tuberosa* KTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Molinieria crassifolia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Molinia coerulea* MOENCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo cerviana* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo hirta* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo lotoides* (L.) O. KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo nedicaulis* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo nudicaulis* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo oppositifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo pentaphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo spargula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mollugo stricta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica balsamina* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica charantia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica charantia* L. *charantia* and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica charantia* L. *muricata* (WILLD.) CHAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica cochinchinensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica cymbalaria* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica dioica* ROXB. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica exserta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica muricata* VELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica tuberosa* COGN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Momordica*

umbellata ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monetia barlerioides* L HERIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moniera cuneate* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moniera cuneifolia* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monochoria hastaefolia* PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monochoria hastata* SOLMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monochoria vaginalis* PRESL.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Monotropa uniflora* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morchella esculenta* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morina coulteriana* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morina longifolia* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morina persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda angustifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda citrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda coreia* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda pubescens* J.E.SMITH IN REES *pubescens* VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda*

pubescens SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda tinctoria* ROXB. tomentosa (ROTH) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda tomentosa* HEYNE EX ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morinda umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moringa concanensis* NIMMO EX DALZ. & GIBSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moringa conconensis* NIMMO. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moringa oleifera* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moringa pterygosperma* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus acedosa* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus australis* POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus laevigata* WALL. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Morus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moschosma polystachyum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Moullava spicata* (DALZ.) NICOLS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna atropurpurea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna bracteata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna capitata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna cochinchinensis* Cheval and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna gigantea* (WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna hirsuta* WIGHT & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna monosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna*

nigricans (LOUR.) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna pruriens* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna prurita* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mucuna utilis* Wall. ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mukia maderaspatana* (L.) M.ROEMER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mukia scabrella* (L.F.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mundulea sericea* (WILLD.) A. CHEVAL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mundulea suberosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Munronia pinnata* (WALL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia edulis* (STOKES) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia elata* (VAHL) BRUECKNER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia japonica* (THUNB) FADEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia nudiflora* (L.) BRENAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia scapiflora* (ROXB.) ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia semiteres* (DALZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murdannia vaginata* (L.) BRUECK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Muricia cochinchinensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murraya exotica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murraya koenigii* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Murraya paniculata* (L.) JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa balbisiana* COLLA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa chinensis* SWEET. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa ornata*

ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa paradisiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa rosacea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa sapientum* O.KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa sapientum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa superba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa textilis* NEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa troglodytarum* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Musa velutina* WENDL. & DRUDE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda belilla* BUCH.- HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda erythrophylla* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda frondosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda glabra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda glabrata* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda hirsutissima* (HOOK. F.) HUTCHINSON EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda laxa* (HOOK. F.) HUTCH EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda macrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mussaenda roxburghii* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mutilla occidentalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mylitta lapidescens* HORAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myosoton aquaticum* (L.) MOENCH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrica cerifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrica esculenta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrica*

integrifolia ROXY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrica nagi* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrica pensylvanica* LOISEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrica sapida* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myricaria bracteata* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myricaria coulteriana* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myricaria elegans* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myricaria germanica* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myriogyne minuta* LESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrioneuron nutans* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myriophyllum spicatum* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica argentea* WARB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica dactyloides* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica fragrans* HOUTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica laurifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica malabarica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica moschata* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myristica officinalis* L..F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myropyrum similacifolium* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrsine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrsine capitellata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrsine semiserrata* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrsine serrata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrtus*

caryophyllata L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myrtus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myxopyrum serratum* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Myxopyrum smilacifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nannorrhops ritchieana* H. WENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naravelia zeylanica* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Narcissus tazetta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nardostachys grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nardostachys jatamansi* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naregamia alata* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naringi alata* (WALL. EX WIGHT & ARN.) EL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naringi crenulata* (ROXB.) NICOLSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nasturtium fontanum* ASCHERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nasturtium indicum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nasturtium officinale* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nasturtium palustre* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Natsiatum herpeticum* BUCH.-HAM. EX ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nauclea aculeata* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nauclea cadamba* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nauclea missionis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nauclea orientalis* (L.) L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nauclea ovalifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nauclea sessilifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis hirsuta*

(L.F.) LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neanotis rheedei* (WIGHT & ARN.) W.H.LEWIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neillia thyrsoiflora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neisosperma oppositifolium* (Lamk.) Fosb. & Sach. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nelsonia canescens* (LAM.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nelumbium speciosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nelumbo nucifera* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neodissochaeta celebica* (Bl.) Bakh.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolamarckia cadamba* (ROXB.) BOSSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea cassia* (L.) KOSTERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea chinensis* (LAM.) CHUN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea scrobiculata* (MEISSNER) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea umbrosa* (NEES) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neolitsea zeylancia* (NEES) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neonauclea sessilifolia* (ROXB.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepenthes distillatoria* AUCT. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepenthes khasiana* KH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta cataria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta ciliaris* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta coerulascens* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta connata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta discolor* ROYLE EX BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta elliptica* ROYLE EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta*

eristachya BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta floccosa* BTH. LAB. GEN. & SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta glomerulosa* BOISS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta glutinosa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta hindostana* (ROTH) HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta leucophylla* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta longibracteata* (BENTH.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta malabarica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta podostachys* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta royleana* STEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta ruderalis* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nepeta spicata* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephelium lappaceum* LINN. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephelium litchi* (LOUR.) GAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephelium longana* CAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephelium stipulaceum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephrolepis biserrata* SCHOTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephrolepis cordifolia* (L.) PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nephrolepis multiflora* (ROXB.) JARRETT EX MORTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia natans* (L. F.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia oleracea* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia prostrata* (LAM.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neptunia triquetra* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium*

antidysentericum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium coronarium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium indicum* MILLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium odorum* SOLANED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium oleander* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nerium tomentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia aragoana* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia plicata* SCHLTR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nervilia prainiana* (KING & PANTL) SCIDEN.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nesaea lanceolata* (WT. & ARN.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nesaea prostrata* (DILLWYN) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neuracanthus sphaerostachyus* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Neuracanthus trinervis* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicandra physalodes* (L.) GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana macrophylla* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana plumbaginifolia* VIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana rustica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nicotiana tabacum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Niebuhreria linearis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nigella damascena* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nigella sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nilgiranthus ciliatus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nilgiranthus heyneanus* (NEES) BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nipa fruticans*

WURMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nomocharis nana* (KLOTZ.)WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nopalea cochenillifera* (L.) LYONS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothapodytes nimmoniana* (GRAH.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Notholaena eckloniana* KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopanax fruticosum* MIQ. FL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia castaneifolia* (Roth)Ding Hou and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothopegia colebrookiana* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nothosaerva brachiata* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Notonia grandiflora* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nyctanthes arbor-tristis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea caerulea* SAVIGN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea cyanea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea edulis* D.C and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea lotus* HOOK. F.(NON L). and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea nouchali* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea odorata* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea pubescens* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea rubra* ROXB. EX ANDREWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea stellata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea stellata* WILLD. *cyanea* H.F. & T. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea tetragona* GEORGI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides*

cristata (ROXB.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides hydrophylla* (LOUR.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides indicum* (L.) O. KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides macrospermum* VASUDEVAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphoides peltata* (GMEL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nypa fruticans* Wurb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra brandisii* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra rheedii* BENTH. & HOOK. F. EX GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra scriptoria* (DENNST.) C.E.FISCHER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochlandra travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna gamblei* KING(SONARI) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna jabotapita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna lanceolata* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna obtusata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna pumila* HAM. EX D. DON PRODR. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochna squarrosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochradeneus baccatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochradenus baccatus* DEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochreinauclea missionis* (WALL. EX G. DON) RIDSDALE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochrocarpus longifolius* (WIGHT) T. ANDERSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ochthochloa coracana* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum adscendens* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum album*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum americanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. *basilicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. *majus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. *pilosum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum basilicum* L. *minimum* DAMERT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum canum* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum caryophyllatum* SCHWEIG EX. SCHRAUK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum gratissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum kilimandscharicum* GUERKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum pilosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum polystachyon* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum prostratum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum sanctum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ocimum tenuiflorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Odina pinnata* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Odina wodier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenanthe javanica* (BL.)DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oenothera biennis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis acuminata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis imbricata* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis nana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis scandens*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia auricularia* K.SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia biflora* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia corymbosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia dichotoma* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia diffusa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia fruticosa* (L.) K. SCHUM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia glandulifera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia herbacea* (L.) ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia heynii* BR. EX. G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oldenlandia umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea cuspidata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea europea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea ferruginea* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea glandulifera* WALL. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Olea polygama* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oleandra neriiformis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oleandra pistillaris* (SW.) C.CHR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oleandra wallichii* PRESL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oligochaeta ramosa* (ROXB.) WAGEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oligomeris linifolia* (VAHL) MACB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onosma bracteatum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onosma*

echioides L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onosma hispidum* WALL. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onosma hookeri* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onychium contiguum* (WALL.) HOPE.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onychium japonicum* O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Onychium siliculosum* (DESV.) C. CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Operculina petaloidea* (CHOISY) OOSTSTROOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Operculina turpethum* (L.) S. MANSO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophelia angustifolia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophelia chiraita* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophelia densifolia* GRISEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophelia elegans* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophelia multiflora* DATZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiocephalus striatus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum costatum* R.BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum fibrosum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum pendulum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum thermale* KUMAROV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum vulgaatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioglossum vulgatum* (L.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon intermedius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon japonicum* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon*

malcolmsonii ROYLE EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiopogon wallichianus* HOOK.F. PAUCIFLORA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza mungos* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza nicobarica* BALAKR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza nutans* C. B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza ochroleuca* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza pauciflora* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiorrhiza rugosa* WALL. ARGUITEA DEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophioxylon serpentinum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophiuros exaltatus* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ophrestia pentaphylla* (DALZ.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opilia amentacea* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oplismenus burmannii* (RETZ.) BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opopanax chironium* KOCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia cochinellifera* MILL. GARD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia dillenii* (KER-GAMIER) HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia elatior* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia ferox* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia ficus-indica* (L.) MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia monacantha* HAW. SUPPL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia nigricans* HAW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia stricta* (HAW.) HAW. *dillenii* (KER.GAWL) BENSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Opuntia vulgaris* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orchis chusua*

D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orchis habenarioides* K. & P. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orchis latifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orchis laxiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orchis mascula* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orchis spathulata* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oreocnide frutescens* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oreocnide integrifolia* (GAUD) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Origanum majorana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Origanum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ormocarpum cochinchinense* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ormocarpum sennoides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ormosia travancoria* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orobanche aegyptiaca* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orobanche solmsii* CLARKE EX. HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orophea katschallica* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oroxylum indicum* (L.) VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon aristatus* (BL.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon diffusus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon glabratus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon grandiflorus* BOLDINGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon incurvus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon pallidus* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon*

rubicundus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon spiralis* (LOUR) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon stamineus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orthosiphon thymiflorus* (ROTH.) SLEASEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orygia decumbens* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza granulata* Nees. & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza meyeriana* (Zoll.&Mor.)Baill *granulata* Tateoka and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza mutica* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza rufipogon* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oryza sativa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia aspera* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia capitata* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia crinita* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia cupularis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia nepalensis* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia sexatilis* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia sikkimensis* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia stellata* KER-GAWL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osbeckia zeylanica* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osmanthus fragrans* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osmunda claytoniana* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osmunda regalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osyris arborea*

WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osyris quadripartita* SALZ EX DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Osyris wightiana* WALL. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Othonnopsis intermedia* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Otostegia aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Otostegia limbata* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ottelia alismoides* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ougeinia dalbergioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ougeinia oojeinensis* (ROXB.) HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ouratea angustifolia* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis corymbosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis debilis* H.B.K. *corymbosa* (DC.) LOUR. 0. C0. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis latifolia* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis martiana* ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis pubescens* H.B.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxyria digyna* (L.) HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxyspora paniculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxystelma esculentum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxystelma secamone* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytenanthera nigrociliata* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytenanthera thwaitesii* MUNRO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytropis*

lapponica (WAHL.) GAY. CORRESS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytropis mollis* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxytropis tatarica* BUNGE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachygone ovata* (POIR.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachygone zeylanica* (GAERTN) SANT. & WAGH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachyrrhizus angulatus* RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachyrrhizus erosus* (L.) URBAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachystoma senile* (LINDL.) REICHB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Padus cornuta* (WALL. EX ROYLE) CARR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paederia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paederia scandens* (LOUR.) MERILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paederia tomentosa* BLUME BIJDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paeonia emodi* WALL. EX. ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pajanelia longifolia* (WILLD.) K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Palaquium ellipticum* (DOLZ.) BAILLON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Palhinhaea cernua* (L.) FRANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pamburus missionis* (WIGHT) SWINGLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panax ginseng* MEY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panax pseudoginseng* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panax quinquefolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panax wangianus* Sun and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pancratium triflorum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pancratium zeylanicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus*

fascicularis LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus foetidus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus furcatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus kaida* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus odoratissimus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus tectorius* AUCT. NON SOLAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus thwaitesii* MARTELLI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *PKalamnus unipapillatus* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum antidotale* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum argyriacum* HORT. EX ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum brizoides* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum crus-corvi* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum flavo-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum floro-marginatum* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum frumentaceum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum grossarium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum grossularium* GRIFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum incomtum* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum isachne* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum italicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum macimum* FACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum maximum* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum miliaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum milliare*

AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum psilopodium* TRIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum psilopodium* TRIN. *psilopodium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum repens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum sarmentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum stagninum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Panicum sumatrense* ROTH EX ROEM. ET SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver argemone* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver dubium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver hybridum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver nudicaule* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paphiopedilum druryi* (BEDD.) STEIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched) and 15 wasteland weeds

based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paracalyx scariosa* (ROXB.) ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paraleptochilus decurrens* (BLUME) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parameria barbata* (BL.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parameria polyneura* HOOK.R. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paramignya angulata* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paramignya longispina* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paramignya monophylla* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pardanthus*

chinensis KER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paris polyphylla* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkia biglandulosa* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkia javanica* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkia roxburghii* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkia timoriana* (A. DC.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parkinsonia aculeata* L.SP. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmelia cirrhata* FR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmelia kamstchadalis* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmelia nilgherrensis* NYL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmelia perforata* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmelia perlata* (HUDS.) ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parmignya monophylla* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parnassia laxmannii* PALL. EX SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parnassia nubicola* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parnassia palustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parnassia pusilla* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parochetus communis* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parsonsia alboflavescens* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parsonsia helicandra* HOOK. & ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parsonsia laevigata* (Moon) Alston. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parsonsia spiralis* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Parthenium hysterophorus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pasania truncata*

(KING) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum conjugatum* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum distichum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum scrobiculatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paspalum scrobiculatum* L. *commersonii* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora assamica* CHAKRAVARTY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora edulis* SIMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora incarnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora perpera* MAST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Passiflora quadrangularis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Paullinia cupana* H.B. & K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pausinystalia yohimba* PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta crassicaulis* BREMEK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta indica* L. minor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavetta tomentosa* ROXB. EX SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia odorata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia procumbens* SOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia propinqua* GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia repKalam* (J.E. SM.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia zeylanica* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Payena lucida* A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pecteilis*

susannae (L.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedaliium murex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis bicornuta* CLOTZ. EX. GARCKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis cheilanthifolia* SCHRENK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis comosa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis longiflora* RUDOLPH tubiformis (KLOTZSCH) PENNEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis pectinata* WALL. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis pycnantha* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis pyramidata* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedicularis siphonantha* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pedilanthus tithymaloides* (L.) POIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peganum harmala* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pegia nitida* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pegolettia senegalensis* CASS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pegonatherum crinitum* KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium graveolens* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium roseum* R. BR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peliosanthes bakeri* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peliosanthes teta* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pellaea colomelanos* LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pellaea hastata* (THUNB) PRANTL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peltigera canina* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peltophorum dasyrhachis* (MIQ.) KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peltophorum*

pterocarpum (DC.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pemphis acidula* FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum alopecuroides* (L.) SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum americanum* (L.) LEEKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum compressum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum flaccidum* GRISEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum glaucum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum spicatum* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum typhoides* (BURM.F.) STAPF ET HUBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pennisetum typhoideum* (RICH) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentanema indicum* (L.) LING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentaneura khasiana* KURZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentaptera tomentosa* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentatropis capensis* (L.F.) BULLOCK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentatropis cynanchoides* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentatropis microphylla* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentatropis nivalis* (GMEL.) FIELD & WOOD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentatropis spiralis* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia pellucida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia reflexa* (L.F.) A. DIETR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peperomia tetraphylla* (G.FORST.) HOOK. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peranama cyatheoides* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pergularia*

aktensa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pergularia daemia* (FORSK.) CHOIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pergularia extensa* N.E.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pergularia tomentosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pericampylus glaucus* (LAMK.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pericampylus incanus* MIERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perilepta auriculata* (NEES) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perilla frutescens* (L.) BRITT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Periploca aphylla* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Periploca indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Periploca sylvestris* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristrophe bicalyculata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristrophe bivalvis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristrophe paniculata* (FORSK.) BRUMMITT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristrophe roxburghiana* (SCHULT.) BREMEK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peristylus stocksii* (HK.F.) KRANZ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perotis indica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perovskia abrotanoides* KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Perovskia atriplicifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persea fructifera* KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persea gamblei* (KING EX HK.F.) KOST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Persea macrantha* (NEES) KOST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petrea volubilis* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Petroselinum*

crispum NYM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peucedanum aucheri* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peucedanum dhana* BUCH.-HAM.EX CLARKE DALZELII C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peucedanum grande* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peucedanum graveolens* BENTH. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Peucedanum nagpurens* (CI.) PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaius grandifolius* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaius tancarvilleae* (L. HERIT.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaius wallichii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phalaenopsis amabilis* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phalaris arundinacea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phalaris canariensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phallus rubicundus* (BOSC.) FRIES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pharbitis nil* CHOIS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pharnaceum cerviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pharnaceum mollugo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus aconitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus adenanthus* G.F. MEYER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus aureus* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus dalzellii* COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus lunatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus mungo* (L) MANT. *radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus mungo* (L) MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus*

pauciflorus DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus radiatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus roxburghii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus semierectus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus sublobatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus trilobus* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaseolus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaulopsis dorsiflora* (RETZ.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phaulopsis imbricata* (FORSK.) SWEET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlegmarius phlegmaria* (L.) SEN & SEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus curviflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus guttatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus jenkinsii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus pubinervis* T.ANDERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus thrysiflorus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus thrysiflorus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlogacanthus thyrsoformis* (HARD.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phlomis bracteosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoebe lanceolata* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoebe wightii* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix acaulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix asperulatus* HUTCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix dactylifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix*

farinifera ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix humilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix loureirii* KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix paludosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix pusilla* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoenix sylvestris* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pholidota chinensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pholidota imbricata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phoradendron leucarpum* (RAF.) REV. & M.C. JOHNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Photinia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Photinia serrulata* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phragmites australis* (CAV.) TRIN. EX STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phragmites communis* TRIN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phragmites karka* TRIN. EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phragmites maxima* BLATTER & MCCANN and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phragmites roxburghii* (KUNTH) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phrymum dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyla nodiflora* (L.) GREENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllagathis rotundifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus acidus* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus airy-shawii* BRUNEL & ROUX and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus amarus* SCHUM. & THENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus*

clarkei HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus debilis* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus distichus* (L.) MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus emblica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus fraternus* WEBSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus gomphocarpus* HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus indofischeri* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus maderaspatensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus missionis* HOOK.F. FL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus mukherjeeanus* MITRA ET BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus multiflorus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus niruri* SENSU HOOK.F.Non Linn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus polyphyllus* DALZ. & GIBS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus reticulatus* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus rhamnoides* WILLD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus rheedii* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus simplex* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus urinaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllanthus virgatus* G.FORSTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllocephalum indicum* (LESS.) KIRKMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllochlamys taxoides* KOORDERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phyllostachys bambusoides* SIEB. & ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phymatodes ebenipes* (HOOK.) CHING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phymatodes*

scolopendria (BURM.) CHING. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis alkekengi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis alkekengi* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis angulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis divaricata* D. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis flexuosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis indica* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis minima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physalis peruviana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physochlaina praealta* (DECNE) MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Physostigma venenosum* BALF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phytolacca acinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phytolacca americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Phytolacca lathenia* (MOQ.) HANS WALTERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrasma guassoides* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picea abies* (L.) KARST. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrasma javanica* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrasma nepalensis* BENN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrasma quassioides* BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picris hieracioides* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrorhiza kurroa* ROYLE EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrorhiza scrophulariiflora* PENNELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Picrorhiza kurroa* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pieris ovalifolia*

D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea microphylla* (L.) LIEBM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilea umbrosa* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piliostigma malabaricum* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pilocarpus jaborandi* HOLMES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimenta acris* KOSTEL ALLG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimenta racemosa* J. W. MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella anisum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella bracteata* HAINES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella diversifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella heyneana* (WALL. EX DC.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella involucreta* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella saxifraga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella stocksii* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pimpinella tirupatiensis* BAL. & SUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinanga dicksonii* (ROXB.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinanga manii* BECC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus dammara* LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus deodara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus excelsa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus gerardiana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus griffithii* M. CLELL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus insularis* ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus kesiya*

GORDON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus longifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus maritima* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus merkussi* JUNGH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus picea* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus roxburghii* SARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus sylvestris* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus wallichiana* JACKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pinus webbiana* WALL. EX. LAMB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper argyrophyllum* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper attenuatum* BUCH.-HAM. EX MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper aurantiacum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper auranticum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper baccatum* CAS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper bachystachyum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper bantamense* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper barberi* GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper betele* LINN. SIRIBOA (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper betle* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper betleoides* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper boehmeriaefolium* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper caninum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper chaba* HUNTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper clusii*

C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper crassipes* KORTH. EX. C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper cubeba* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper dichotomum* HORT. PAR. EX KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper diffusum* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper gamblei* Cl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper griffithii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper guineense* SCHUM & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper lanceolatum* RUIZ & PAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper longum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper mullesua* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper officinarum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper pedicellatum* C. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper pedicellosum* WALL.EX CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper peepuloides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper retrofractum* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper ribesioides* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper sarmentosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper sylvaticum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper thomsoni* Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper thomsonii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper trichostachyon* (MIQ.) C.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper trioicum*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Piper wallichii* (MIQ.) HAND MAZZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pipturus velutinus* WEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia aculeata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia alba* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia grandis* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia mitis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia morindifolia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisonia umbellata* (FORST.) SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia chinensis* BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia chinensis* BUNGE *integerrima* (STEW) RECH.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia integerrima* STEW. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia khinjuk* STOCKS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia lentiscus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia terebinthus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistacia vera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistia stratiotes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pistia stratiotes* LINN. CUNEATA ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisum arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pisum sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium angulatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium bigeminum* MART. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium clypearia* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium*

dulce (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium fasciculatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium globosum* KOSTERM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium lobatum* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecellobium monadelphum* (ROXB.) KOSTER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecolobium dulce* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecolobium subcoriaceum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pithecolobium umbelletum* (VAHL.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum floribundum* SENSU HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum nepaulense* (DC.) REHDER & WILSON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum nilghirensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pityrogramma calomelanos* (L.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Planchonella obovata* (R.BR.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago amplexicaulis* CAV. bauphula (EDGEW.) RECH. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago arenaria* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago brachyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago ciliata* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago depressa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago erosa* WALL. IN ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago himalaica* PILG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago ispaghula* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago*

lagocephala BUNGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago major* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago media* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago psyllium* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago pumila* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago stocksii* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plantago tibetica* HK. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platanthera susannae* (L.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platanus orientalis* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platostoma africanum* BEAUV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platostoma africanus* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Platostoma flaccidum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plecosperrum spinosum* TREC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus ambonicus* (LOUR.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus barbatus* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus coetsa* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus fruticosus* WIGHT EX HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus incanus* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus japonicus* (BURM.F) KOIDZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus lophanthoides* (DON) GRIER. & LONG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus mollis* (AITON) SPLRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus*

nilgherricus BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus rugosus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus striatus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus ternifolius* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectranthus vettiveroides* (JACOB) SINGH & SHARMA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectronia didyma* KURZ FOR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plectronia parviflora* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleione maculata* (LINDL.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleiospermium alatum* (WALL. EX WT. & ARN.) SURINGLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleopeltis contorta* (CHRIST.) PANIGR. & PATAV. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleopeltis lanceolata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleopeltis macrocarpa* (BORRY EX WILLD.) KAULF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleopeltis nuda* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plesmonium margaretiferum* (ROXB.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleurospermum angelicoides* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleurospermum brunonis* (DC.) BENTH. EX. CLARKE and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleurospermum candollei* (DC.) CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pleurostylia opposita* (WALL.) ALSTON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pluchea lanceolata* OSKIN & HIERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pluchea pinnatifida* HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pluchea tomentosa* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pluchea indica* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago*

auriculata LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago capensis* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumbago zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumeria acuminata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumeria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumeria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumeria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumieria acutifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumieria alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plumieria rubra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poa cynosuroides* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poa malabarica* KLEIN.EX STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podocarpus latifolia* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podocarpus neriifolius* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podophyllum emodi* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podophyllum hexandrum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Podophyllum peltatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poeciloneuron indicum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poeciloneuron pauciflorum* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogonatherum crinitum* (THUNB.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogonia plicata* (ROXB.) LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon*

auricularis (L.) HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon benghalensis* (BURM.F.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon cablin* (BLANCO) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon elsholtzioides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon heyneanus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon paniculatus* (WILLD.) BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon parviflorus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon patchouli* PELLET. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon plectranthoides* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon pubescens* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon purpurascens* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon vestitus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pogostemon villosus* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poikilospermum suaveolens* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poinciana elata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poinciana gilbesii* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poinciana pulcherrima* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polanisia felina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polanisia icosandra* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polemonium caeruleum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polianthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia cerasoides* (ROXB.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia coffeoides* (HOOK.F.&THOMS.) BENTH. & HOOK.F. EX. HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia fragrans* BENTH. & HOOK. F. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia korinti* (DUNAL) BENTH. & J.HOOK. EX J.HOOK. & TH oms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia longifolia* BENTH. & HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia simiarum* BENTH. & HK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia suberosa* (ROXB.) THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyanthes tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpaea corymbosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpon prostratum* (FORSK.) ASCH. & SCHWEINF. and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala abyssinica* (R.BR.) FRESEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala arillata* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala arvensis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala crotarioides* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala elongata* KLEIN EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala erioptera* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala*

glomerata LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala irregularis* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala leptalea* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala longifolia* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala persicariaefolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala senega* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala telephioides* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala vulgaris* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygallata arillata* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonatum cirrhifolium* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonatum multiflorum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonatum verticillatum* (L.) ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum affine* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum alatum* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum alpinum* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum amphibium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum amplexicaule* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum auriculatum* MEISN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum aviculare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum barbatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum bistorta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum*

capitatum BUCH.-HAM. EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum chinense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum chinense* LINN. SUBHASTATA MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum convolvulus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum cymosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum flaccidum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum glabrum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum hydropiper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum lapathifolium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum macrophyllum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum minus* HUDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum molle* D.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum multiflorum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum nepalense* MEISSN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum paronychioides* MEYER EX HOHEN NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum perfoliatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum persicaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum plebeium* R. BR. EFFUSA HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum plebeium* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum polystachyum* WALL. EX MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum posumbi* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum pulchrum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum*

recumbens ROYLE EX BAB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum roettleri* ROTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum rumicifolium* ROY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum serrulatum* LAGASCA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum sphaerostachyum* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum stagninum* (BUCH.-HAM. EX MEISSN.) STEWARD *stagninum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum stewartianum* DIELS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum strigosum* BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum tenellum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum tomentosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum tortuosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum vacciniifolium* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygonum viviparum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polypodium irioides* LAMK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polypodium quercifolium* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polypodium vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyporus anthelminticus* BERK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyporus officinalis* FRIES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyscias fruticosa* (L.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polysolenia wallichii* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polystichum aculeatum* (L.) ROTH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polystichum biaristatum* (BLUME) MOORE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polystichum*

squarrosu (D.DON) FEE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polytoca barbata* STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polytrichum juniperinum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pometia pinnata* Forst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ponerorchis chusua* (D.DON) SOO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pongamia glabra* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pongamia pinnata* (L.) PIERRE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pontederia vaginalis* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Populus alba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Populus caspica* BORN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Populus ciliata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Populus euphratica* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Populus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porana paniculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porphyra umbilicalis* (L.) AG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Porphyra vulgaris* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca grandiflora* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca meridiana* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca pilosa* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca sativa* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca*

tuberosa ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla anserina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla arbuscula* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla argyrophylla* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla atosanguinea* LODD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla bifurca* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla fragarioides* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla fruticosa* L. *rigida* (LEHM.) WOLF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla fulgens* WALL. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla gerardiana* LINDL. EX LEHM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla kleiniana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla lineata* TREVIR EX REICH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla mooniana* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum inophyllum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum polyanthum* Wall.ex Choisy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia cowa* Roxb. ex DC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia gummi-gutta* (L.) Robs. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia mangostana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia morella* (Gaertn.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia papilla* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia rubro-echinata* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia spicata* (Wight & Arn.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia talbotii* Raiz. ex Sant and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia*

travancorica Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia wightii* T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Garcinia xanthochymus* Hook. f. ex. T. And. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum androsaemum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum humifusum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum japonicum* Thunb. ex Murr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum mysurense* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum patulum* Thunb ex Murray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum uralum* Buch. - Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hypericum wightianum* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mammea suriga* (Buch. - Ham. ex Roxb.) Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mesua ferrea* L. subsp. *ferrea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *pulchella* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mesua ferrea* L. subsp. *pulchella* (Planch. & Triana) Vesque var. *coromandeliana* (Wight) Mahesh. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poeciloneuron indicum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Poeciloneuron pauciflorum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Camellia japonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Camellia sinensis* (L.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eurya nitida* Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gordonia obtusa* Wall ex Wight Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schima wallichii* (DC.) Korth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ternstroemia japonica* (Thunb.) Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia fasciculata* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia*

napaulensis DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachyurus himalaicus* Hook. f. & Thoms. ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dipterocarpus indicus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea erosa* (Bedd.) van Sloot. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea glabra* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea parviflora* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea ponga* (Dennst.) Mabblerley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hopea utilis* (Bedd.) Bole and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Shorea roxburghii* G. Don. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ancistrocladus heyneanus* Wall. ex Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus angulosus* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus esculentus* (L.) Moench and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus ficulneus* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus manihot* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abelmoschus moschatus* Medicus subsp. *tuberosus* (Span.) Borss. Waalk and 15 wasteland weeds based Green

Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon crispum* (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon hirtum* (Lam.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *indicum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon indicum* (L.) Sweet subsp. *guineense* (Schumach.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon megapotamicum* (Spreng.) Mill. & Naud. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon neilgherrense* Munro ex Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon pannosum* (Forst. f.) Schlect and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon*

persicum (Burm. F.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon ramosum* (Cav.) Guill. & Perr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon striatum* Dickson ex Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Abutilon theophrastii* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alcea rosea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Decaschistia crotonifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Decaschistia rufa* Craib and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium arboreum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium barbadense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium herbaceum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gossypium hirsutum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus canescens* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus cannabinus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus furcatus* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus hirtus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus lobatus* (Murr.) Kuntze and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus lunariifolius* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus mutabilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus micranthus* L.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus panduriformis* Burm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus platanifolius* (Willd.) Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus radiatus* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus rosa-sinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus*

sabdariffa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus schizopetalus* (Mast.) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus surattensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus syriacus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus tiliaceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus trionum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hibiscus vitifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kydia calycina* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malachra capitata* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva parviflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva sylvestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malva verticillata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malvastrum coromandelianum* (L.) Garcke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malvaviscus arboreus* Cav. var. *arboreus* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malvaviscus arboreus* Dill ex Cav. var. *penduliflorus* (DC.) Schery and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Modiola caroliniana* (L.) G. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia odorata* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia procumbens* (Wall ex. Wight & Arn.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pavonia zeylanica* (L.) Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Plagianthus pulchellus* A. Gray and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida acuta* Burm.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida cordata* (Burm. f.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida*

mysorensis Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. var. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. var. *retusa* (L.) Borss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida schimperiana* Hochst. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thespesia lampas* (Cav.) Dalz. ex Dalz. & Gibs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thespesia populnea* (L.) Soland ex Correa and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urena lobata* L. subsp. *lobata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urena lobata* L. subsp. *sinuata* (L.) Borssum and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Adansonia digitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax ceiba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax ellipticum* Kunth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bombax insigne* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ceiba pentandra* (L.) Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chorisia speciosa* St. Hil. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cullenia exarillata* Robyns and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Durio zibethinus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Byttneria herbacea* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cola acuminata* (P. Beauv.) Schott & Endlicher and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya acutangula* Cav. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya burgessiae* Gerr. ex Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya mastersii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya mollis* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya*

platanifolia Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya spectabilis* Boj. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dombeya wallichii* (Lindl.) K. Schum. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriolaena hookeriana* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriolaena lushingtonii* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriolaena quinquelocularis* (Wight & Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eriolaena stocksii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Firmiana colorata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guazuma ulmifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Helicteres isora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Heritiera papilio* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hildegardia populnifolia* (Roxb.) Schott & Endl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kleinhovia hospita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Leptonychia moacurroides* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melhanian balakrishnanii* K.Ravik., R.Ganesan & K.Ramamurthy and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melhanian cannabina* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melhania hamiltoniana* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melhania incana* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melochia corchorifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melochia nodiflora* Sw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Melochia pyramidata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pentapetes phoenicea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum acerifolium* (L.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum*

canescens Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum diversifolium* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum obtusifolium* Wight ex Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum reticulatum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum rubiginosum* Heyne ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum xylocarpum* (Gaertn.) Sant. & Wagh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterygota alata* (Roxb.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia balanghas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia guttata* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia urens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia villosa* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theobroma cacao* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berrya cordifolia* (Willd.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berrya javanica* (Turez.) Burret. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus aestuans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus capsularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus fascicularis* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus olitorius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus tridens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus trilobularis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corchorus urticifolius* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia*

abutilifolia Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia abutilifolia* Vent. ex Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia barberi* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia bracteata* Roth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia damine* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia flavescens* Juss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia gamblei* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia heterotricha* Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia hirsuta* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia lanceaefolia* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia nervosa* (Lour.) Panigr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia oppositifolia* Buch - Ham ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia orbiculata* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia pKalamica* Drumm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia rhamnifolia* Heyne ex Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia rothii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia serrulata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia tenax* (Forsk.) Fiori and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia tiliifolia* Vahl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia umbellifera* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Grewia villosa* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Muntingia calabura* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta annua*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta pentandra* A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta pilosa* Roth and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta rhomboidea* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta rotundifolia* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus amoenus* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus blascoi* Weibeln and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus lanceifolius* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus munronii* (Wight) Mast. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus recurvatus* Corner and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus rugosus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus serratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus glandulosus* Wall. ex Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus tuberculatus* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elaeocarpus venustus* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hugonia mystax* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linum mysurense* Heyne ex Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Linum usitatissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reinwardtia indica* Dumort. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum coca* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum lanceolatum* (Wight) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum monogynum* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum moonii* Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erythroxylum*

obtusifolium (Wight) Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aspidopterys canarensis* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aspidopterys indica* (Roxb.) Hochr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Galphimia gracilis* Bartl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hiptage benghalensis* (L.) Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hiptage obtusifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hiptage parvifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malpighia coccigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malpighia glabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malpighia heterantha* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Malpighia punicifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tristellateia australasiae* A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Balanites aegyptiaca* (L.) Del. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fagonia cretica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Guaiacum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tribulus subramanii* P. Singh, Giri & V. Singh and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Erodium moschatum* (L.) L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Geranium nepalense* Sweet and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium capitatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium cucullatum* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium x domesticum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium graveolens* L' Herit and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium*

grossularioides (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium x hortorum* L.H.Bailey and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium inquinans* (L.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pelargonium peltatum* Soland. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tropaeolum majus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tropaeolum pentaphyllum* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Limnanthes douglasii* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum insignis* Gamble and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum intermedium* Wight var. *pulneyensis* Edgew. & Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum longibracteatum* Tad. & Jacob and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum nudum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum polyphyllum* Munro and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum proliferum* (Arn.) Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum reinwardtii* (Zucc.) Klotzsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum sensitivum* (L.) DC. var. *sensitivum* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *candolleianum* (Wight) Edgew. & Hook.f and 15 wasteland weeds based

Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Biophytum sensitivum* (L.) DC var. *nervifolium* (Thw.) Edgew. & Hook.f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis cernua* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis corymbosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis deppei* Lodd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis latifolia* H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis pubescens*

H. B. K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oxalis variabilis* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Averrhoa bilimbi* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Averrhoa carambola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydrocera triflora* (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens acaulis* Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens auriculata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens balsamina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Impatiens campanulata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla multifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla nepalensis* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla reptans* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla salesoviana* STEPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla sericea* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla sibbaldi* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla sunaica* (BL.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Potentilla supina* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothomorphe subpeltata* (WILLD.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos cathcarti* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos kunstleri* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pothos scandens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia bennettiana* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia*

frondosa (DON) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia hirta* HASSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia indica* GAUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia quinquenervis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia sanguinea* (BL.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia viminea* WEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pouzolzia zeylanica* (L.) BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prangos pabularia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pratia begonifolia* (WALL.) LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pratia nummularia* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna barbata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna coriacea* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna corymbosa* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna divaricata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna esculenta* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna flavescens* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna herbacea* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna integrifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna latifolia* ROXB. *mucronata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna macrophylla* WALL. EX SCHAUER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna mucronata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna obtusifolia* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna*

parasitica BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna serratifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna spinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna thyrsoides* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna tomentosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Premna villosa* CLARKE IN HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Primula denticulata* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Primula macrophylla* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Primula reticulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prinsepia utilis* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prismatomeris tetrandra* K.SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Priva cordifolia* (L.F.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Priva leptostachya* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pronephrium nudatum* (ROXB. EX GRIFF.) HOLTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis chilensis* (MOLINA) STUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis cineraria* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis farcta* (SOL EX RUSS) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis juliflora* (SW.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prosopis spicigera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Protium kataf* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Protium pubescens* ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Protium serratum* (COLEBR) ENGLER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus amygdalus* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus*

armeniaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus avium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus carmesiana* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus cerasoides* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus cerasus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus ceylanica* (WT.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus communis* FRITSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus communis* HUDS. insitia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus cornuta* (ROYLE) STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus domestica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus dulcis* (MILLER) D.A. WEBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus insititia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus mahaleb* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus malus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus persica* BATSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus puddum* (WALL.) ROXB. EX BRANDIS and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus salicina* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus triflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Prunus undulata* HAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Przewalskia tangutica* MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psalliotia campestris* L FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psammogeton biternatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psammogeton canescens* (DC.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudarthria*

viscida WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseuderanthemum bicolor* (SCHRANK.) RADIK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseuderanthemum platiferum* (WALL.) RADLK. EX LINDAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudodissochaeta assamica* (CL.) NAYAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudodrynaria caronas* (WALL. EX METT.) CHING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseudognaphalium luteoalbum* (L.) HILL. & BURTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pseuduvaria prainii* (KING) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium cattleianum* SABINE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium guajava* L. *pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium guyava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium pomiferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium pyriferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psidium quajava* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psilanthus travancorensis* (WIGHT & ARN.) LERAY. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psilotrichum trichotomum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psilotum nudum* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psophocarpus tetragonolobus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psoralea corylifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psoralea plicata* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psoralea tetragonoloba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria calocarpa* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria curviflora* THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria dalzielii* J. HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria*

glandulosa (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria ipecacuanha* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria montana* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria sarmentosa* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychotria viridiflora* REINW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Psychrogeton andryaloides* (DC) NOVOP. EX KRASH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteridium aquilinum* (L.) KUHN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris aquilina* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris biaurita* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris cretica* L.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris ensiformis* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris longipes* DON F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris multifida* POIR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris vitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteris wallichiana* AGARDH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pternandra coerulescens* JACK and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocarpus dalbergioides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocarpus indicus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocarpus marsupium* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocarpus santalinus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterococcus corniculatus* (SM.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterocymbium javanicum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterolobium hexapetalum* (ROTH) SANT. & WAGH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pteropyrum*

olivierii JAUB. & SPACH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum acerifolium* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum canescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum diversifolium* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum heyneanum* WALL. EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum rubiginosum* HEYNE EX. WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum suberifolium* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterospermum xylocarpum* (GAERTH.) SAMT. & WAGH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pterygota alata* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ptesmonium margaritifera* (ROXB.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ptychopetalum olacoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ptychopetalum uncinatum* ANSELMINO. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ptychotis ajowan* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pueraria hirsuta* (THUNB.) SCHU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pueraria lobata* (WILLD.) OHWI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pueraria phaseoloides* (ROXB.) BENTH. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pueraria tuberosa* (ROXB. EX. WILLD.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pulicaria crispa* SCH.-BIP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pulicaria dysenterica* (L.) GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pulicaria glaucescens* JAUB. & SPACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pulicaria wightiana* (DC.) BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Puneeria coagulans* STOCKS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Punica granatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pupalia lappacea*

(L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pupalia orbiculata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Putranjiva roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Putranjiva zeylanica* MUELL.-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnocycla aucheriana* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnocycla glauca* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pycnospora lutescens* (POIR.) SCHINDLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pygeum gardneri* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pygeum wightianum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pygmaeopremna herbacea* (ROXB.) MOLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pygmaeopremna pyrifolia* - culta NAKAI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrethrum indicum* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrethrum umbeliferum* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrola rotundifolia* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrrosia adnascens* (SW.) CHING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrrosia heterophylla* (L.) ORUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrrosia lanceolata* (L.) FARWELL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrrosia mannii* (GIES.) CHING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrrosia penangiana* (HK.) HOLTT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus aucuparia* GAERTN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus chinensis* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus cydonia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus lindleyi*

REHD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus malus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus pashia* BUCH.-HAM EX DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pyrus tomentosa* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quamoclit coccinea* MOENCH.METH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quamoclit phoenicea* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quamoclit pinnata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quamoclit vulgaris* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quassia indica* (GAERTN.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus acutissima* CARR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus floribunda* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus ilex* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus incana* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus infectoria* OLIV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus lamellosa* SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus leucotrichophora* A. CAMUS and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus pachyphylla* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus robur* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quercus truncata* KING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Quisqualis indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Radermachera xylocarpa* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia cochinchinensis* (LOUR.) MERR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia densiflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia*

dumetorum LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia fasciculata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia longiflora* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia longispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia malabaricum* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia rugulosa* (THW.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia spinosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia tetrasperma* BENTH. & HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia tomentosa* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Randia uliginosa* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus aquatilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus cantoniensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus falcatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus hirtellus* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus hyperboreus* ROTLB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus laetus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus lingua* L. SP. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus pensylvanicus* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus sceleratus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus trichophyllus* CHAIX IN VILL. DAUPH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus*

tricuspis MAXIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Raphanus caudatus* ALEF. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia canescens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia densiflora* (WALL.) BENTH. EX HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia micrantha* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia reflexa* T. & B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia serpentina* (L.) BENTH. EX KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rauvolfia tetraphylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ravenala madagascarensis* SONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reaumuria hypericoides* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reinwardtia indica* DUMORT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reinwardtia trigyna* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reissantia arborea* (ROXB) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reissantia grahamii* (WIGHT) DING.HOU. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reissantia indica* (WILLD.) HALLE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Remirea maritima* AUBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Remusatia vivipara* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reseda odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhabdia lycioides* SENU CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus dahuricus* PALL. REISE RUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus nepalensis* WALL. EX ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus prostrata* JACQ. EX PAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus*

purpurea EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus purshiana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus triquetra* (WALL.) BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus virgatus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhamnus wightii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhaphidophora decursiva* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhaphidophora laciniata* (BURM.F.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhaphidophora pertusa* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhazya stricta* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum acuminatum* HK. F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum australe* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum emodi* WALL. EX MEIM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum moorcroftianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum nobile* HOOK.F. & THOMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum officinale* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum palmatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum rhaponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum spiciforme* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum undulatum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rheum webbianum* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhinacanthus calcaratus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhinacanthus communis* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhinacanthus*

nasuta (L.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchoglossum obliquum* BL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhizophora apiculata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhizophora mangle* Roxb. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhizophora mucronata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodamnia trinervia* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodiola heterodonta* (Hook. f. & Thoms.) Boriss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodiola imbricata* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron anthopogon* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron arboreum* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron barbatum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron campanulatum* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron chrysanthum* PALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron cinnabarinum* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron decipiens* LACAITA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron falconeri* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron javanicum* BENN. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron lepidotum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron ponticum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron setosum* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhododendron thomsonii* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodomyrtus parviflora* ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodomyrtus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhodomyrtus*

tomentosa WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus chinensis* MILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus coriaria* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus hookeri* SAHNI & BAHADUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus insignis* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus javanica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus punjabensis* J.L. STEW. EX BRAND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus semialata* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus succedanea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhus wallichii* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchospora foetida* SCHRAD NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosyris obliquum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia minima* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchosia nummularia* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchospermum verticillatum* REIN. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rhynchostylis retusa* (L.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes alpestre* WALL. EX DECNE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes emodense* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes grossularia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes himalense* ROYLE EX DECNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes orientale* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ribes rubrum* L.

NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Richardia scabra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ricinus communis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Riedlea corchorifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Riklilia squarrosa* (L.) RAYNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rivea hypocrateriformis* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rivea ornata* CHOISY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roccella montagnei* BEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa islandica* (OEDER) BORBAS SCHINZ & THELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa dubia* HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa indica* (L.) HIERN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa indieca* HIERN. APETALA HOCHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa islandica* (OED.) BORBASS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa montana* SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa nasturtium-aquaticum* (L.) HAYEK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa banksiae* AIT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa brunonii* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa centifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa chinensis* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa eglanteria* MILL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa foetida* HERM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa indica* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa macrophylla* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa moschata* HERRM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa multiflora* THUNB. EX J. MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa rubra* BLACKW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa sericea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosa webbiana* WALL. EX ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roscoeia alpina* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roscoeia procera* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roscoeia purpurea* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosmarinus officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rostellularia procumbens* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rosularia rosulata* (EDGEW.) OHBA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala baccifera* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala densiflora* (ROTH) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala indica* (WILLD.) KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotala rotundifolia* KOEHNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rothia indica* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rotula aquatica* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rourea mimosoides* PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rourea minor* (GAERTN.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rourea santaloides* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roylea cinerea* (DON) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Roylea elegans*

WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubia cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubia munjista* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubia sikkimensis* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubia tinctorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus biflorus* HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus contennifer* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus ellipticus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus fruticosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus idaeus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus lasiocarpus* SMITH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus lucens* FOCKE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus moluccanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus niveus* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus paniculata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus rugosus* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus saxatilis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus strigosus* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rubus ulmifolius* SCHOTT NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rudolphia frondosa* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia patula* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia prostrata* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia secunda* BLANCO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia strepens*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia suffruticosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruellia tuberosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex acetosella* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex crispus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex dentatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex hastatus* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex hymenosepalus* TORR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex maritimus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex nepalensis* SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex orientalis* BERNH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex paulsenianus* RECH. F. FEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex scutatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumex vesicarius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rumphia amboinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia parviflora* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia pectinata* (L.) NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rungia repens* (L.) NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruscus aculeatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Russelia equisetiformis* SCHL. & CHAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruta angustifolia* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruta chalepensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruta graveolens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ruta tuberculata*

FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rytidix granularis* (L.) SKEELS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sabia lanceolata* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sabia robusta* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharomyces cerevisiae* MEYEN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum arundinaceum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum bengalense* RETZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum ciliare* ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum fuscum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum munja* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum officinarum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum robustum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum sara* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum sinense* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccharum spontaneum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sacciolepis indica* CHASE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sacciolepis interrupta* (WILLD.) STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccolabium guttatum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccolabium papillosum* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saccolabium praemorsum* HOOK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sageraea dalzellii* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sageraea laurifolia* (GRAHAM) BLATTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sagina saginoides* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sagittaria*

sagittifolia L. sagittifolia and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saguerus rumphii* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia fruticosa* HEYNE EX LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia grandiflora* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia macrophylla* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia macrosperma* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia oblonga* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salacia reticulata* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salicornia brachiata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salicornia indica* DREGE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix acmophylla* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix acutifolia* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix babylonica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix caprea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix daphnoides* VILL NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix elegans* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix pychnostachya* ANDERSS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salix tetrasperma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salmalia insignis* (WALL.) SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salmalia malabarica* SCHOTT & ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salomonium cantoniensis* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salsola baryosma*

(R. & S.) DANDY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salsola foetida* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salsola kali* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvadora indica* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvadora oleoides* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvadora persica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvadora persica* L. *wightiana* (PLANCH EX THW.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvadora wightiana* PLANCH. EX THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia bengalensis* KOENIG and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia cabulica* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia coccinea* BUCHOZ EX ETLINGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia glutinosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia haematodes* W. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia hians* ROYLE EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia lanata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia macrosiphon* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia moorcroftiana* WALL. EX BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia mukerjeea* BENNET & RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia plebeia* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia pumila* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia sclarea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvia spinosa* L.

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Salvinia cucullata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalamdera indica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalamdera lucida* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Kalamnea Kalamn* (JACQ.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sambucus ebulus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sambucus hookeri* REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sambucus javanica* REINW. EX BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sambucus nigra* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sambucus wightiana* WALL. EX WGT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sandoricum indicum* CAV. DISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sandoricum koetjape* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sanguinaria canadensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sanicula europaea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria cylindrica* BOJ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria ebracteata* (CAV.) SURESH and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria hyacinthoides* (L.) DRUCE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria lanuginosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria roxburghiana* SCHULT. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria trifasciata* HORT. EX PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sansevieria zeylanica* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santaloides minus* SCHELLENB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santalum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santalum flonum*

and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Santolina chamaecyparissus* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapindus emarginatus* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapindus laurifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapindus mukorossi* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapindus trifoliatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapium indicum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapium insigne* TRIMEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sapium sebiferum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saponaria vaccaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saprosma ternatum* (WALL. EX ROXB.) HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saraca asoca* (ROXB.) DE WILDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saraca indica* AUCT. NON L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcandra glabra* (THUNB.) NAKAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcocephalus cordatus* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcocephalus missionis* HAVILAND REV. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcococca saligna* (D.DON) MUELL.-ARG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcolobus globosus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma acidum* (ROXB.) VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma acidum* VOIGT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma brevistigma* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma brunonianum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma intermedium* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma*

secamone (L.) BENNET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostemma stocksii* HK. F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sarcostigma kleinii* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sassafras albidum* (NUTT.) NESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sassafras officinale* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Satureja hortensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Satureja montana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Satyrium nepalense* D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia armata* KURZ NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia macrotricha* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia napaulensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia nepalensis* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia robusta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saurauia roxburghii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauromatum guttatum* (WALL.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauromatum pedatum* (WILLD.) SCHOTT. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauromatum venosum* (AIT.) KUNTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauropus androgynus* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sauropus quadrangularis* MUELL. ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea affinis* SPR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea albescens* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea auriculata* (DC.) SCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea bracteata* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea*

candicans CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea ceratocarpa* DECNE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea costus* (FALC.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea gossypiphora* DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea gracilis* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea heteromalla* (DON) HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea hypoleuca* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea lappa* C.B.CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea obvallata* (DC.) EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea sacra* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea schultzei* H.K. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea simpsoniana* (FIELD & GARD.) LIPSCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saussurea taraxacifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saxifraga diversifolia* WALL. EX SER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saxifraga imbricata* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saxifraga ligulata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scabiosa speciosa* ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaevola frutescens* KRAUSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaevola koenigii* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaevola sericea* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaevola taccada* (GAERTN.) ROXB. N and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.ULL

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaphium affine* RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scaphium wallichii* SCHOTT & ENDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scapiflora*

species (ROXB.) ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera elata* (BUCH.-HAM. EX D.DON) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera elliptica* (BL.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera hypoleuca* (KURZ) HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera shypoleucoids* HARMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera stellata* (GAERTN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera venulosa* (WIGHT & ARN.) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schefflera venulosum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schima wallichii* (DC.) KORTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schinus molle* HORT. EX ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schisandra chinensis* (TURCZ.) BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schisandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizachyrium exile* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizaea dichotoma* (L.) SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizandra neglecta* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schizophyllum commune* FR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schleichera oleosa* (LOUR.) OKEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schleichera trijuga* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schrebera swietenoides* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schultzia benthami* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schumannianthus virgatus* (ROXB.) ROLFE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schweinfurthia papilionacea* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Schweinfurthia*

sphaerocarpa A.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scilla coromandeliana* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scilla hohenackeri* FISCHET MAY. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scilla hyacinthina* (ROTH.) MAC BRIDE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scilla indica* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scindapsus aureus* (LINDEN EX ANDRE) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scindapsus officinalis* SCHOTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus articulatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus barbatus* ROTTB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus corymbosus* HEYNE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus grossus* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus inclinatus* (DEL.) ASCHERS. & SCHWEINF. EX BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus kysoor* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus lacustris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scirpus tuberosus* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria hebecarpa* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria levis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria lithosperma* (L.) SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria pergracilis* (NEES) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria poaeformis* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleria terrestris* (L.) FASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sclerocarya birrea* HOCHST and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleropyrum*

pentandrum (DENNST.) MABBERLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleropyrum wallichianum* (WIGHT & ARN.) A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scolopia aculeata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scolopia crenata* CLOS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scoparia dulcis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scopolia anomala* (LINK & OTTO) AIRY-SHAW NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scopolia lurida* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scopolia stramonifolia* (WALL.) SHRESTHA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scorzonera virgata* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scrophularia koelzii* PENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scrophularia variegata* M.B. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scurrula parasitica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scurrula philippensis* (CH. & SCH.) DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria angulosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria assamica* MUKHERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria discolor* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria galericulata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria glandulosa* COLEBR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria heydei* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutellaria indica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutia indica* BRONG.. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scutia myrtina* (N.BURM.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scyphiphora hydrophyllacea* GAERTN.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sebastiania*

chamaelea MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Secamone emetica* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Secchium edule* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Securinega leucopyrus* (WILLD.) MUELL.ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Securinega suffruticosa* (PALL.) REHDER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Securinega virosa* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum asiaticum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum crassipes* WALL. EX HOOK. F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum ewersii* LEDEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum multicaule* WALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum quadrifidum* PALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum tibeticum* HOOK.F. & T. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum tillacoides* DUTHIE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum trifidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sedum wallichianum* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella bryopteris* (L.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella chrysocaulos* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella ciliaris* (RETZ.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella involvens* SPRENG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella krausiana* A.BR.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella monosperma* SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella plumosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella radicata* (HOOK. & GREV.) SPRING.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella*

repKalam (DESV. EX POIR.) SPRENG NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella rupestris* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selaginella willdenowii* (POIR.) BAK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selenicereus grandiflorus* (LINN.) BRITT. & ROSE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selinum candollei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selinum filicifolium* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selinum striatum* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selinum tenuifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Selinum vaginatum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus anacardium* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus heterophylla* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus kurzii* ENGLER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Semecarpus travancorica* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sempervium sedoides* JACQ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senebiera didyma* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio aureus* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio bhutanicus* BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio cappa DON* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio graciliflorus* . DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio hohenackeri* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio jacquemontianus* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio kraschennikovii* SCHICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio laetus* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio*

nudicaulis HAM. EX D. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio quinquelobus* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio scandens* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio tenuifolius* BURM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senecio vulgaris* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Senna prostrata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Serenoa repens* (BARTR.) SMALL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum laciniatum* KLEIN EX. WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesamum prostratum* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania aculeata* PERS. *cannabina* (RETZ.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania aegyptiaca* POIR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania bispinosa* (JACQ.) W.F. WIGHT *bispinosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania cannabina* RETZ. POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania grandiflora* (L.) POIRET and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania paludosa* PRAIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania sesban* (L.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania sesban* (L.) MERR. bicolor and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania sesban* (L.) MERR. picta (CON.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania sesban* (L.) MERR. typica and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania sesban* (L.) MERR. sesban sesban and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesbania*

speciosa TAUB. EX ENGL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seseli diffusum* (ROXB. EX. SM.) SAMT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seseli indicum* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Seseli sibiricum* BENTH. EX CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sesuvium portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria glauca* BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria italica* (L.) BEAUV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria planifolia* STAPF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria plicata* (LAM.) COOKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria verticillata* (L.) P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Setaria viridis* BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Shorea robusta* GAERTN. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Shorea roxburghii* G.DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Shorea tumbaggaia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida acuminata* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida acuta* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida carpinifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida cordata* (BURM.F.) BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida cordifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida humilis* CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida lanceolata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida mauritiana* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida orientalis*

CAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida ovata* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida retusa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) BORASSUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. *retusa* (L.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. *rhombifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhombifolia* L. *rhomboidea* (DC.) MASTERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida rhomboidea* ROXB. EX FLEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sida veronicaefolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sideroxylon spinosum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sideroxylon tomentosum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sigesbeckia orientalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sigesbeckia orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene apetala* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene inflata* SM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene laxantha* MAJUMDAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene moorcroftiana* WALL. EX BTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene vulgaris* (MOENCH) GARCKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silybum marianum* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Simmondsia chinensis* (LINK) C.K. SCHNEID. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sinapis alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sinapis chinensis*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sinapis juncea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sinapis ramosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sison ammi* HERB. MADR. EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sisymbrium altissimum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sisymbrium irio* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sisymbrium loeselii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sisymbrium orientale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sisymbrium sophia* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sium latijugam* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Skimmia anquetilia* N.P.TAYLOR & AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Skimmia arborescens* T.ANDERS EX. GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Skimmia laureola* (DC.) ZUCC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax aspera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax china* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax glabra* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax glaucophylla* KLOTZSCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax lanceifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax macrophylla* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax ocreata* A.DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax ovalifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax parvifolia* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax perfoliata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax prolifera*

ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax pseudo-china* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax wightii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smilax zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia conferta* J.E. SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia geminiflora* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Smithia sensitiva* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum aculeatissimum* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum albicaule* KOTSCHY EX DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum americanum* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum anguivi* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum aviculare* FORST. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum capsicoides* ALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum ciliatum* LAMK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum denticulatum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum dulcamara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum erianthum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum ferox* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum giganteum* JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum gracilipes* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum hirsutum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum incanum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum indicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum*

insanum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum jacquini* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum khasianum* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum kurzii* PRAIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum laciniatum* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum lasiocarpum* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum lycopersicum* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum mauritianum* SCORP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum melongena* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum melongena* L. *incanum* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum myriacanthum* DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum nigrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum pseudocapsicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum pubescens* HEYNE. EX WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum sarmentosum* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum seforthianum* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum sisymbirifolium* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum spirale* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum surattense* BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum torvum* SWARTZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum trilobatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum tuberosum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum verbascifolium* AUCTION L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum viarum*

DUNAL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum villosum* SCHUR. *puniceum* (KRISCHLEGER) EDMONDS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum violaceum* ORTEGA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum virginianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solanum xanthocarpum* SCHRAD & WENDL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solena amplexicaulis* (LAM.) GANDHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Solena heterophylla* LOUR. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus arvensis* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus asper* (L.) HILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus brachytus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus maritimus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus oleraceus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonchus wightianus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila maculata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila rheedei* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonerila tenera* ROYLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonneratia acida* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonneratia apetala* BUCH.-HAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonneratia caseolaris* (L.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sonneratia griffithii* KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora glauca* LESCH. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora griffithii* STOCKS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora mollis* (GRAH. EX ROYLE) BAK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora*

tomentosa L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sophora wightii* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sopubia delphinifolia* G. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorbaria tomentosa* (LINDL.) REHDER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorbus aucuparia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorbus tianshanica* RUPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum bicolor* MOENCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum halepense* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum saccharatum* PERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sorghum vulgare* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Soymida febrifuga* (ROXB.) A.JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sparganium stoloniferum* BUCH.- HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spathodea campanulata* P. BEAUV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spathoglottis plicata* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spatholobus parviflorus* (ROXB.) KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spatholobus roxburghii* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spergula arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spergularia rubra* (L.) J.PRESL & C.PRESL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce articularis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermacoce hispida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spermatoclyon suaveolens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus africanus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus amaranthoides* BURM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus*

hirtus WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus indicus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus microcephalus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaeranthus senegalensis* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaerostephanos subtractus* (BERG.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphaerostephanos unitus* (L.) HOLLT.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenoclea zeylanica* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenodesme involucrata* (PRESL.) paniculata (CL.) MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenodesme pentandra* JACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenomeris chinensis* (L.) MAXON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphenomeris chusana* COPELAND NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sphyrnthera lutescens* (KURZ) PAX & HOFFER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes acmella* MURR. olerace and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes calva* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spilanthes paniculata* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spinacia oleracea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spinifex littoreus* (N.BURM.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea aruncus* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea bella* SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea canescens* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spiraea lindleyana* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spondias acuminata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spondias*

mangifera WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spondias mombin* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spondias pinnata* (L.F.) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachyphrynium spicatum* (ROXB.) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachys floccosa* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachys officinalis* (L.) TREV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachys palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachys parviflora* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachys sylvatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachys tuberosa* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta indica* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta jamaicensis* (L.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta mutabilis* (JACQ.) VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stachytarpheta urticaefolia* (SALISB.) SIMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Statice aegyptica* DELILE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stauroanthera grandifolia* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stauroanthera umbrosa* CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria alsine* GRIMM. *undulata* (THUNB.) OHWI NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria aquatica* SCOP and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria media* WIGHT EX EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria chamaejasme* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stemodia viscosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stemona tuberosa* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenochlaena*

palustris (N.BURM.) BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenolobium stans* SEE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenoloma chinensis* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stenotaphrum dimidiatum* (L.) BRONGN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania glabra* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania glandulifera* MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania hernandifolia* (WILLD.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS discolour (BLUME.) FORMAN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania japonica* (THUNB.) MIERS. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania rotunda* LOUR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania wightii* (A.) DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephegyne parvifolia* KORTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia alata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia balanphas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia foetida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia guttata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia rubiginosa* VENT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia scaphigera* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia urens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sterculia villosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum chelonoides* (L.F.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum colais* (DILLWYN) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum*

neuranthrum KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum personatum* (HASSK.) CHATTERJEE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum suaveolens* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum tetragonum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stereospermum xylocarpum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Steudnera virosa* (KUNTH) PRAIN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stichoneuron caudatum* RIDLEY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stictocardia campanulata* (L.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stipa capensis* THUNB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stipa capillata* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stipa sibirica* (L.) LAMK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stipa tortilis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stranvaesia glaucescens* LINDL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Streblus asper* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Streblus taxoides* (HEYNE EX ROTH) KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga asiatica* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga gesnerioides* (WILLD.) VATKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga lutea* LOUR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Striga orobanchoides* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes acrocephalus* T. AND. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes auriculatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes callosus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes ciliatus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes*

consanguineus C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes dalhousianus* C.B. CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes flaccidifolius* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes heyneanus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes kunthiana* T.ANDERS. EX BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes lupulinus* NEES NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes nobilis* CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes wallichii* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strobilanthes wightianus* NEES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stroemia tetrandra* VAHL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strophanthus dichotomus* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strophanthus wallichii* A. DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strophanthus wightianus* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos aenea* A.W. HILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos axillaris* COLEB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos cinnamomifolia* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos colubrina* AUCTION. PL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos gaultheriana* PIER. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos ignatia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos ignatia* BERG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos maingayi* CLARKE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos minor* DENNST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos nux-bi* Kalam A.W.Hill and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos nux-*

vomica L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos potatorum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos rheedei* CL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Strychnos wallichiana* STEUD. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stylocoryne lucens* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stylophorum lactucoides* (HOOK. F. & THOMS.) BENTH. & HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stylosanthes fruticosa* (RETZ.) ALST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Styrax benzoin* DRYAND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Styrax hookeri* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Styrax officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Styrax serrulatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Styrax tonkinensis* CRAIB EX. HARTWICH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suaeda fruticosa* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suaeda monoica* FORSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suregada angustifolia* (BAILL. EX MUELL. - ARG.) AIRY SHAW and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Suregada multiflora* (JUSS.) BAILL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia affinis* CLARKE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia alata* ROYLE EX. D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia angustifolia* BUCH.-HAM. EX D. DON. PULCHELLA BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia angustifolia* HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia chirata* (ROXB. EX. FLEM.) KAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia chirayita* ROXB. EX (FLEMING) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia ciliata* (G.DON) BURTT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia cordata*

CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia corymbosa* (GRISEB.) WT. EX CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia decussata* NIMNO and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia densiflora* (GRISEB.) KASHYAPPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia densifolia* (GRISEB.) KASHYAPA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia lawii* BURKILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia minor* (GRISEB.) KNOBL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia paniculata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia perennis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia petiolata* DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia pulchella* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia purpurascens* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swertia thomsonii* CL. EX HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swietenia febrifuga* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swietenia macrophylla* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Swietenia mahagoni* (L.) JACQ and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symphorema involucratum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symphorema polyandrum* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symphytum officinale* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos beddomei* C.B.CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos caudata* WALL. EX. G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos chinensis* (LOUR.) DRUCE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos cochinchinensis* S.MOORE *laurina laurina* (RETZ.) NOOTEBOOM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos*

cochinchinensis S.MOORE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos crataegoides* BUCH.-HAM. EX.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos laurina* WALL. EX REHD. & E. H. WILS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos monantha* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos paniculata* (THUNB.) MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos racemosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos spicata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos sumuntia* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Symplocos theaeifolia* BUCH.-HAM. EX DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synadenium grantii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synantherias sylvatica* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synapis dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synedrella nodiflora* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Synnema uliginosum* (L.F.) O. KUNTZE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syringa emodi* WALL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syringa persica* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium alternifolium* (WT.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium aromaticum* (L.) MERRILL & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium caryophyllaeum* AUCT. NON GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium caryophyllatum* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium cerasoides* (ROXB.) CHATT. & KANJI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium cerasoideum* (ROXB.) RAIZADA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium cumini* (L.) SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium*

hemisphericum (WIGHT) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium heyneanum* WALL. EX DUTHIE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium jambolana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium jambolanum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium jambos* (L.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium malaccense* (L.) MERR. & MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium neyneanum* (DUTHIE) GAMBLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium operculatum* (ROXB.) NIEDENZU obovatum (DUTHIE) GAMBLE. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium operculatum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium Kalamrangense* (BL.) MERR. & PERRY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium travancoricum* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Syzygium zeylanicum* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana alternifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana coronaria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana crispa* ROBT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmaterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana dichotoma* ROXB. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana divaricata* (L.) ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana heyneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana sphaerocarpa* BLUME. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tabernaemontana wallichiana* STEUD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tacca aspera* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tacca integrifolia* KER-GAWL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tacca leontopetaloides* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tacca pinnatifida*

J.R. & G. FORST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes erecta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes minuta* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tagetes patula* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarindus indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix aphylla* (L.) KARST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix ariculata* VAHL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix dioica* ROXB. EX. ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix ericoides* ROTTL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix gallica* AUCT. NON.L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix indica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix troupii* HOLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum dolichophyllum* KITAM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum fruticosum* LEDEB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum gracile* HOOK. F. & TH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum longifolium* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum parthenium* (L.) SCHULTZ BIP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum tenuifolium* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum tibeticum* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum tomentosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tanacetum vulgare* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taraktogenos kurzii* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taraktogenos macrocarpa* (BEDD.) BALAK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taraxacum*

officinale WIGGERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taraxacum officinale* WIGG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tarenna asiatica* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taverniera cuneifolia* (ROTH) ARN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taverniera nummularia* BAKER NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus tomentosus* (ROXB.) VAN TIEGHAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxillus umbellifer* (SCHULTES) DANSER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxus baccata* L. *wallichiana* Zucc. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Taxus wallichiana* ZUCC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecoma capensis* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecoma grandiflora* LOISEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecoma radicans* JUSS. EX SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecoma stans* JUSS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecoma undulata* G.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tecomella undulata* (SM.)SEEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tectaria coadunata* (WALL.) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tectaria macrodonta* (FEE) CHR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tectaria polymorpha* (WALL. & HOOK.) COPEL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tectona grandis* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Telosma minor* CRAIB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Telosma pallida* (ROXB.) CRAIB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia candida* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia*

hamiltonii J.R.DRUMM NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia hirta* (BUCH.-HAM.) GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia petrosa* BLATTER & HALBB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia procumbens* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia purpurea* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia purpurea* PERS. *pumila* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia rheedei* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia senticosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia spinosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia tinctoria* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia uniflora* PERS. *petrosa* (BLATT. & HALLB.) GILLETT & ALI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia uniflora* PERS. *petrosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tephrosia villosa* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teramnus labialis* (L.F.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teramnus mollis* BENTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia alata* HEYNE EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia arjuna* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia bellerica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia bellerica* ROXB. *laurinoides* CL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia bellirica* (GAERTN.) ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia bialata* STEUD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia catappa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia chebula* RETZ. *typica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia*

chebula RETZ. & WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia citrina* FLEMING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia coriacea* (ROXB.) WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia crenulata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia manii* KING NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia myriocarpa* HEURCK & MUELL-ARG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia oSkini* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia pallida* BRANDIS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia paniculata* ROTH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia pyrifolia* KURZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia reticulata* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia tomentosa* (ROXB.) WIGHT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Terminalia travancorensis* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Termitomyces microcarpus* (BERK. & BR.) HEIM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ternstroemia gymnanthera* (WT. & ARN.) BEDD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ternstroemia japonica* AUCT. NON THUNB) NULL and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetracera akara* (N.BURM.) and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetracera indica* (HOUTT. EX CHRISTM. & PAUZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetracera laevis* AUCT. NON VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetracera scandens* (L.) MERR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrameles nudiflora* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetranthera roxburghii* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetraglossis lanceolarium* (ROXB.) PLANCH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetraglossis*

leucostaphylum (DENNST.) ALSTON EX MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetrastigma serrulata* (ROXB.) PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium chamaedrys* LINN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium polium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium scordium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Teucrium stocksianum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum alpinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum cultratum* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum dalzellii* HOOK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum foetidum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum javanicum* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum minus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum pauciflorum* ROYLE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum pedunculatum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum reniforme* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thamnia vermicularis* (SWARTZ) ACH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thea assamica* J.W.MAST. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thecagonium biflorum* (L.) BABU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thelypteris gracilescens* (BL.) CHING. glandulysis KTZE. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda arguens* (L.) HACK. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda arundinacea* (ROXB.) RIDLEY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda gigantea* HACK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Themeda triandra*

FORSSK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theobroma cacao* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theriophonum infaustum* N.E. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theriophonum minutum* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thespesia lampas* (CAV.) DALZ. EX DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thespesia populnea* (L.) SOL.EX. CORREA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Theum tibeticum* MAXIM. EX HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thevetia neriifolia* JUSS. EX. STEUDEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thevetia peruviana* MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thlaspi kotschyannum* BOISS. & HOHEN BROIGAR NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thlaspi tetragona* HK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thomsonia nepalensis* WALL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thonningia axillaris* (L.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thottea siliquosa* (LAM.) DING HOU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thuja orientalis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia alata* BOJER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia erecta* (BENTH.) T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia fragrans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia grandiflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia hawtayneana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thunbergia laurifolia* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thymus linearis* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thymus*

serpyllum L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thymus vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thysanolaena acarifera* NEES. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thysanolaena agrostis* NEES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thysanolaena maxima* (ROXB.) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thysanolaena procera* MEZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tiaridium indicum* LEHM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tiliacora acuminata* MIERS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tiliacora racemosa* COLEBR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora cordifolia* (WILLD.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora crispa* (L.) HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora malabarica* (LAM.) HOOK F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora sinensis* (LOUR.) MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora tomentosa* (COLEBR.) HOOK. F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tithonia diversifolia* (HEMSLEY) A. GRAY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tithonia tagetiflora* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toddalia aculeata* PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toddalia asiatica* (L.) LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toddalia bilocularis* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tonningia axillaris* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toona ciliata* ROEM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia asiatica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia bicolor* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia*

parviflora BUCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia polygonoides* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia thouarsii* KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia travancorica* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Torenia vagans* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tournefortia candollii* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tournefortia montana* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tovara virginiana* (LINN.) RAFIN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Toxocarpus villosus* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachelospermum fragrans* HOOK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachelospermum lucidum* (DON) SCHUM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachycarpus martianus* H.WANDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachydium lehmanni* BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachyspermum ammi* (L.) SPRAGUE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachyspermum khasianum* (CL.) WOLFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trachyspermum roxburghianum* (DC.) CRAIB and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tradescantia axillaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia bicolor* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia cannabina* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia cordata* MICHX. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia cordifolia* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia involucrata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia muelleriana* PAX & HOFFM. unicolor (MUELL.ARG.) PAX & HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragia plukenetii*

A.RADCLIFFE-SMITH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragopogon gracilis* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragopogon porrifolius* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tragopogon pratensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trapa bicornis* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trapa bispinosa* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trapa natans* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trapa natans* L. *bispinosa* (ROXB.) NAKIN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trema cannabina* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trema orientalis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trevesia palmata* (ROXB.) VIS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trewia nudiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trewia polycarpa* BTH. & HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema decandra* L. MANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema govinda* BUCH.-HAM. EX G. DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema govindia* BUCH.-HAM EX G. DON. NULL and 15 wasteland weeds based Green Spray with

Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema monogyna* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema pentandra* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema portulacastrum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trianthema triquetra* ROTTL. EX WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tribulus alatus* DEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tribulus lanuginosus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tribulus terrestris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricalysia*

singularis (KORTH.) K. SCHUM and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricalysia sphaerocarpa* (HOOK.F.) GAMBLE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichilia connaroides* (WT. & ARN.) BENTVELZEN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichilia spinosa* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichodesma africanum* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichodesma indicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichodesma zeylanicum* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricholepis angustifolia* DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricholepis glaberrima* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricholepis montana* DLAZ. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tricholepis procumbens* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichomanes javanicum* BLUME NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichopus zeylanicus* GAERTN. *travancoricus* (BED and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes anaimalaiensis* BEDDOME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes anguina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes bracteata* (LAM.) VOIGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes cordata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes cucumerina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes dioica* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes incisa* ROTTL. EX ROSENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes laciniosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes lobata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes*

nervifolia L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes palmata* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes tricuspidata* LOUR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trichosanthes wallichiana* (SERINGE) WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tridax procumbens* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium alexandrinum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium fragiferum* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium indicum* THUNB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium officinalis* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trifolium pratense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triglochin maritima* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triglochin palustris* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella corniculata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella emodi* BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella foenum-graecum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella hamosa* (L.) WILLD. *uncata* (BOISS. & BOE) TOWNSEND and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella incisa* BENTHA. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella occulta* DELILE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella polycerata* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonella uncata* BOISS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trigonostemon longifolius* BAILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trillium govanianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trimufetta*

rhomboidea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triphasia trifolia* (BURM. F.) P. WILS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tripleurospermum maritimum* (LINN.) W.D.J. KOCH inodorum (LINN.) HYL. EX VAAR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum aestivum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum amyleum* SER. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum durum* DESF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum pilosum* (DALZ. & GIBS) NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum sativum* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum spelta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triticum vulgare* WILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta annua* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta bartramia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta rhomboidea* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta rotundifolia* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta semitriloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Triumfetta tomentosa* NORONHA and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tropaeolum minus* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Trophis aspera* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tropidia curculigoides* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tuber cibarium* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tulipa stellata* HK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turbina corymbosa* (L.) RAV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turnera angustifolia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turnera diffusa*

WILLD. APHRODISIACA (L.F. WARD)URB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turnera ulmifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turpinia nepalensis* WALL. EX WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turpinia pomifera* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Turraea villosa* BENN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tussilago farfara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora asthmatica* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora dalzellii* HK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora fasciculata* BUCH.-HAM. EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora hirsuta* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora indica* (BURM.F.) MERRILL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora tenuis* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora tenuissima* (ROXB.) WGT. & ARN. EX WGT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tylophora tetrapetala* (DENNST.) SURESH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typha angustata* BORY & CHAUB and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typha angustifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typha australis* SCHUM. & THONN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typha elephantina* GRAH, NON ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typha laxmannii* LEPECH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typhonium divaricatum* DECNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typhonium flagelliforme* (LODD.) BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typhonium roxburghii* SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Typhonium trilobatum* (L.) SCHOTT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ulmus*

campestris L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ulmus wallichiana* PLANCH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uncaria cordata* (LOUR.) MERR. *ferruginea* (BL.) RIDSD. FORMA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uncaria gambier* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uncaria sessilifructus* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Unona narum* DUN and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria alopecuroides* WT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria crinita* DESV and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria hamosa* WALL. EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria lagopodioides* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria picta* DESV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria prunellaefolia* GREH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uraria rufescens* (DC.) SCHINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urena lobata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urena repKalam* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urena simiata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urena sinuata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea coromandeliana* HOOK. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea indica* (ROXB) KUNTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea maritima* (L.) BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urginea nagarjunae* Hemadri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica ardens* LINK. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica dioica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica*

hyperborea JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica parviflora* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Urtica pilulifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea sikkimensis* BISWAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea flexilis* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea florida* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea hirta* (L.) WIGG. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea longissima* ACH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea rubicunda* STIRT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea sikkimensis* BISPAS. SP. NOV. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Usnea venosa* MOT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uteleria sallicifolia* BEDD. EX HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uteleria salicifolia* BEDD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia bifida* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia gibbosa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia reticulata* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Utricularia stellaris* L.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria dulcis* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria ebracteolata* PRESL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria hookeri* KING and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria micrantha* (A.DC.)Hook.f.Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria narum* (DUNAL) WALL EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccaria*

pyramidata MEDIC and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium leschenaultii* WIGHT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccinium macrocarpon* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana brunoniana* W. & A. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana dubia* BUNGE NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana hardwickii* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana jatamansi* JONES and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana leschenaultii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana pyrolaefolia* DENE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Valeriana wallichii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vallisneria spiralis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), VKalam parviflora LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), VKalam roxburghii R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), VKalam spathulata (L.) SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), VKalam teres LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), VKalam tessellata (ROXB.) DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), VKalam testacea (LINDL.) REICHB.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), Vandellia erecta BENTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), Vandellia

pedunculata BENTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vandellia pyxidaria* MAXIM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vangueria pubescens* KUNTH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vangueria spinosa* SENSU HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vanilla planifolia* ANDR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vanilla wightiana* LINDL.EX WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vateria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vateria macrocarpa* B.L.GUPTA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vateria malabarica* BLUME and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vatica lancaefolia* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago calycina* TUL. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago calyculata* TULASNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago denticulata* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ventilago madraspatana* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vepris bilocularis* (WIGHT & ARN.) ENGL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veratrum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin,

stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veratrum viride* AIT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbascum chinense* (L.) SANT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbascum coromandelianum* (VAHL) KUNTZE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbascum thapsus* PLENK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbena nodiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verbesina calendulacea* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Verchellia farnesiana* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia*

albicans DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia anthelmintica* (L.) WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia arborea* HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia aspera* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia cinerea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia patula* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia pyramidale* (D.DON) MITRA NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia revoluta* BUCH.-HAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia roxburghii* LESS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia squarrosa* (D.DON) LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vernonia teres* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica agrestis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica anagallis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica arvensis* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica beccabunga* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica biloba* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica hederaefolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Veronica serpyllifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vetiveria zizanioides* (L.) NASH and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum acuminatum* WALL. EX DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum colebrookianum* WALL. EX CI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum coriaceum* BL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum corylifolium* HK.F. & TH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum*

cotinifolium DON. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum cylindricum* BUCH.-HAM.EX D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum foetidum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum hebanthum* THW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum nervosum* D.DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum obovatum* WALT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viburnum punctatum* BUCH.- HAM, EX D. DON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicatia wolffiana* (WOLFF EX FEDDE) NORMAN NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia faba* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia hirsuta* KOCH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicia sativa* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicoa auriculata* CASS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vicoa indica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna aconitifolia* (JACQ.) MARECHAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna adenantha* (MEYER) MARECHAI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna angularis* (WILLD.) OHWI. & OHASHI and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna catjang* ENDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna cylindrica* SKEELS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna dalzelliana* (O.KTZE) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna grahmiana* (WT. & ARN.) VERD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna mungo* (L.) HEPPER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna pilosa* BAKER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna radiata* (L.) R. WILCZEK and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna radiata*

(L.) WILEZ sublobata (ROXB.) VERDC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna trilobata* (L.) VERDCOURT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna umbellata* (THUNB.) OHWL & OHOSHI and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna unguiculata* (L.) WALP. *cylindrica* (L.) ESELT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna unguiculata* (L.) WALP. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vigna vexillata* (L.) A. RICH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vinca major* LINN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vinca minor* SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vinca parviflora* RETZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vinca pusilla* MURR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vinca rosea* L. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vincetoxicum album* (MILL.) ASCHERS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vincetoxicum hirundinaria* MEDIC glaucum (WALL. EX WT.) HARA and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola biflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola caespitosa* D.DON NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola canescens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola cinerea* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola diffusa* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola odorata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola patrinii* GING. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola pilosa* BI. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola serpens* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola suffruticosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola sylvestris*

LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola tricolor* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum album* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum articulatum* BURM.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum monoicum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum nepalense* SPRENG. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viscum orientale* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex agnus-castus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex altissima* L.F and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex glabrata* F. MUELL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex leucoxydon* SCHAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex negundo* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex negundo* L. *incisa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex negundo* L. *negundo* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex negundo* L. *purpurascens* SIVARAJAN & MOLDENKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex paniculata* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex peduncularis* WALL . and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex pinnata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex pubescens* VAHL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex quinata* (LOUR.) F.N. WILLIAMS NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitex trifolia* L. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis adnata* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis araneosus* DALZ. & GIBS. EX M.LAWS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis carnos*

(ROXB.) WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis hastata* MIQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis heyneana* ROEM. & SCULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis indica* W. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis lanata* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis latifolia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis objecta* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis pallida* W. & A. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis parvifolia* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis pedata* VAHL EX WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis planicaulis* HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis polystachya* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis quadrangularis* WALT EX WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis repens* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis rugosa* HOOK.F. & THOMS. EX M. LAWS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis setosa* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis tomentosa* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis trifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis vinifera* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vitis vitifera* HAINES. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vittaria elongata* SW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vittaria zosterifolia* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viverra zibetha* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Volkameria*

inermis L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Volutarella divaricata* C.B. CLARKE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wagatea spicata* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wahlenbergia marginata* (THUNB.) A. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Waldheimia glabra* (DECNE) REGEL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Waldheimia stoliczki* (Cl.) OSTENF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Waldheimia tomentosa* (DECNE) REGEL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wallichia disticha* T. ANDERS. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Walsura piscidia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Walsura trifoliata* (A.JUSS) HARMS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Waltheria indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wattakaka volubilis* (L.F.) STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Webera corymbosa* WILLD. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Webera tetrandra* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia calendulacea* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia chinensis* MERR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wedelia wallichii* LESS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia exerta* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia heynei* (R. & S.) SANTAPAU and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia notoniana* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia pendula* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wendlandia tinctoria* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wikstroemia*

canescens MEISSN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wikstroemia indica* (L.) C. A. MEY. *viridiflora* (MEISSN.) HOOK. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wikstroemia ridleyi* GAMBLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wikstroemia viridiflora* MEISSN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Willughbeia edulis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Withania coagulans* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Withania somnifera* DUNAL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wolffia globosa* (ROXB.) HARTOG & PLAS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wollastonia biflora* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Woodfordia floribunda* SALISB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Woodfordia fruticosa* (L.) KURZ and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia antidysenterica* GRAH. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia arborea* (DENNST.) MABB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia coccinea* SIMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia tinctoria* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia tomentosa* R.& S. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Wrightia zeylanica* R. BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthium indicum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthium strumarium* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthophyllum arnottianum* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthophyllum flavescens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthoxylum fraxineum* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xantolis tomentosa* (ROXB.) RAF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xeromphis*

spinosa (THUNB.) KEAY NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xeromphis uliginosa* (RETZ.) MAHESH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ximenia aegyptiaca* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ximenia americana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylaria polymorpha* PERS. EX MERAT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylia dolabriformis* BENTH.& HOOK.F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylia xylocarpa* (ROXB.) TAUB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylocarpus granatum* KOEN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylopi* *parvifolia* HOOK.F. & THOMS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylosma longifolium* CLOS and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris anceps* LAM. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris auceps* AUCT. NON LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris complanata* R.BR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xyris pauciflora* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Youngia japonica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Yucca aloifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Yucca filamentosa* WOOD and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Yucca gloriosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zaleya decandra* (L.) BURM. F. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zaleya govindia* (DON) NAIR and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zaleya pentandra* (L.) JEFFREY and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zalia decandra* (L.) BURM. F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zannichellia*

indica ROTTL. EX ROYLE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanonia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zantedeschia aethiopica* (L.) SPR. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum acanthopodium* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum alatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum armatum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum budrunga* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum hamiltonianum* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum hostile* WALL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum limonella* (DENNST.) ALSTON and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum nitidum* (ROXB.) DC. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum ovalifolium* WIGHT and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum oxphyllum* EDGEW. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum rhetsa* (ROXB.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum tetraspermum* WT. & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zanthoxylum triphyllum* WIGHT. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zataria multiflora* BOISS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zea mays* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria hookeriana* ARN. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria indica* (LOUR.) KERN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria maysorensis* (WT. & ARN.) ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria scabra* (L.F.) SOND. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria thwaitesii* (SCHWEIN.) JEFF. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zehneria*

umbellata THW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zephyranthes ajax* SPRENGER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zephyranthes grandiflora* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zephyranthes rosea* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeuxine longilabris* (LINDL.) BENTH. EX HOOK.F. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeuxine strateumatica* (L.) SCHLECHTER and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zeuxine sulcata* LINDL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber capitatum* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber cassumunar* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber cernuum* DALZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber chrysanthum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber mioga* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber montanum* (KOEN.) LINK EX A. DIETRICH NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber officinale* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber officinalis* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber purpureum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber roseum* ROSC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber rubens* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber squarrosum* ROXB. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zingiber zerumbet* ROSC. EX SM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zinnia elegans* JACQ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zizania caduciflora* HAND.-MAZZ. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zizania latifolia* TURCZ. EX STAPF and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphora*

clinopodioides M.BIEB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphora tenuior* L and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus glaberrata* HEYNE, EX ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus glabrata* HEYNE and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus jujuba* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus mauritiana* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus napeca* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus nummularia* WIGHT & ARN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus oenoplia* MILL. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus oxyphylla* EDGEW. NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus rugosa* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus sativa* GAERTN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus sororia* ROEM. & SCHULT. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus trinervia* ROXB. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus trinervius* ROTH. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone hupehensis* Lemoine ex Boynton var. *japonica* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anemone rivularis* Buch.- Ham.ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aquilegia vulgaris* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis gouriana* Roxb. ex DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis munroiana* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis smilacifolia* Wall. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis theobromina* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Clematis*

wightiana Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Consolida ambigua* (L.) P. W. Ball and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Delphinium elatum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Naravelia zeylanica* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus diffusus* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus muricatus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus reniformis* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ranunculus wallichianus* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum foliolosum* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum javanicum* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thalictrum saniculaeforme* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Chimonanthus praecox*(L.) Link and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Acrotrema arnottianum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia bracteata* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia indica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia pentagyna* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices

on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia retusa* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dillenia suffruticosa* (Griffith) Martelli and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tetracera akara* (Burm. f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Magnolia campbellii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Magnolia grandiflora* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Magnolia liliflora* Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Magnolia x alba* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Michelia*

champaca L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Michelia nilagirica* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alphonsea lutea* (Roxb.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alphonsea sclerocarpa* Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Alphonsea zeylanica* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona cherimola* Mill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona muricata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona reticulata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Annona squamosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artabotrys hexapetalus* (L. f.) BhKalamri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Artabotrys zeylanicus* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cananga odorata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyathocalyx zeylanicus* Champ. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmos lawii* (Hook. f. & Thoms.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Desmos viridiflorus* (Bedd.) Safford and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus cardiopetalus* (Dalz.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus rhynchantherus* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus salicina* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus thwaitesii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus wightii* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Goniothalamus wynadensis* (Bedd.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meiogyne pannosa* (Dalz.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Meiogyne ramarowii* (Dunn) Gandhi and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miliusa eriocarpa*

Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miliusa montana* Gard. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miliusa nilagirica* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miliusa tomentosa* (Roxb.) Sinclair and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Miliusa wightiana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mitrephora heyneana* (Hook. f. & Thoms.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orophea erythrocarpa* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orophea thomsonii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Orophea uniflora* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia cerasoides* (Roxb.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia coffeoides* (Hook. f. & Thoms.) Benth. & Hook. f. ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia fragrans* (Diaz.) Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia korintii* (Dunal) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia longifolia* (Sonner.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia rufescens* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia suberosa* (Roxb.) Thw. and 15 wasteland weeds based Green Spray with Vedic Agronomical

practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polyalthia tirunelveli* M. B. Viswan. & Manik Kalamn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Popowia beddomeana* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sageraea dalzellii* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria macropoda* Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria narum* (Dunnal) Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Uvaria zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylopia parvifolia* (Wight) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Anamirta*

cocculus (L.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cissampelos pareira* L. var. *hirsuta* (Buch.-Ham. ex DC.) Forman and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus hirsutus* (L.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus laurifolius* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cocculus pendulus* (Forst.) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coscinium fenestratum* (Gaertn.) Coleb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea arnottii* Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cyclea peltata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Diploclisia glaucescens* (Blume) Diels and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pachygone ovata* (Poir.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania japonica* (Thunb.) Miers and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stephania wightii* (Arn.) Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tiliacora acuminata* (Lam.) Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora cordifolia* (Willd.) Miers ex Hook. f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tinospora sinensis* (Lour.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis lycium* Royle and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis nilghiriensis* Ahrendt and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis tinctoria* Lesch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Berberis wightiana* Schneid and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mahonia leschenaultii* (Wall. ex Wight & Arn.) Takeda and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nelumbo nucifera* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea nouchali* Burm. f. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea pubescens* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Nymphaea rubra*

Roxb. ex Salisb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Argemone mexicana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Eschscholzia californica* Cham. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Mecanopsis wallichii* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver caasicum* Bait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver fugax* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver rhoeas* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Papaver somniferum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Romneya coulteri* Harv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Corydalis lutea* (L.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dicentra scandens* (D. Don.) Walp. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fumaria indica* (Hassk.) Pugsley and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Fumaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barbarea intermedia* Boreau and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barbarea verna* (Miller) Asch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Barbarea vulgaris* R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica juncea* (L.) Czern. & Coss. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica nigra* (L.) Koch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. var. *botrytis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. var. *capitata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. var. *gemmifera* Zenk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica oleracea* L. var. *gongylodes* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Brassica rapa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capsella bursa-*

pastoris (L.) Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine africana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine hirsuta* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cardamine trichocarpa* Hochst. ex A. Rich. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cheiranthus cheiri* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Coronopus didymus* (L.) Sm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iberis amara* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Iberis umbellata* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium ruderae* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium sativum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lepidium virginicum* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lobularia maritima* (L.) Desv. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Matthiola incana* (L.) R. Br. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Raphanus sativus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa indica* (L.) Hiern and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Rorippa nasturtium - aquaticum* (L.) Hayek and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sisymbrium volgense* Ledeb. ex Shmal. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Thlaspi arvense* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cadaba fruticosa* (L.) Druce and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cadaba trifoliata* (Roxb.) Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis brevispina* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis decidua* (Forsk.) Edgew and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis divaricata* Lam. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis*

diversifolia Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis fusifera* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis grandiflora* Wall ex. Hook.f. & Thoms. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis grandis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis kollimalayana* Viswanathan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis moonii* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis nilgiriensis* Subbha Rao Kumari & Chandr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis rheedii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis rotundifolia* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis roxburghii* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis sepiaria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis shevaroyensis* Sundararaghavan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis spinosa* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Capparis zeylanica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome angustifolia* Forsk and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome aspera* Koen ex. DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome burmannii* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome chelidonii* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome felina* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome hassleriana* Chod. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome monophylla* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome rutidosperma* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome speciosa* Raf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cleome viscosa*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crateva adansonii* DC. subsp. *odora* (Buch. - Ham.) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Crateva magna* (Lour.) DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gynandropsis gynandra* (L.) Briq and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maerua apetala* (Roth) Jacobs and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Maerua oblongifolia* (Forsk.) A. Rich and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Steriphoma clemoides* Spreng. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reseda alba* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Reseda luteola* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hybanthus enneaspermus* (L.) F. v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hybanthus travancoricus* (Bedd.) Melch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola arcuata* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola betonicifolia* J. E. Smith subsp. *betonicifolia* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola canescens* Wall. ex Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola hamiltoniana* D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Viola pilosa* Blume and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bixa orellana* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cochlospermum religiosum* (L.) Alston and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Aphloia theiformis* (Vahl) Benn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia championii* Thwaites and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia graveolens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia ovata* (Lam.) Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia rubescens* Dalz. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia*

thwaitesii Briq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia tomentosa* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Casearia wynadensis* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia indica* (Burm.f.) Merr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia jangomas* (Lour.) Raeusch. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Flacourtia montana* Graham and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homalium jainii* A. N. Henry & Swamin. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homalium travancoricum* Bedd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Homalium ceylanicum* (Gard.) Benth. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus alpina* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus macrocarpa* (Bedd.) Warb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hydnocarpus pentandra* (Buch. - Ham.) Oken and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Oncoba spinosa* Forsk. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scolopia crenata* (Wight & Arn.) Clos var. *crenata* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scolopia crenata* (Wright & Arn.) Clos var. *brevifolia* Mukherjee and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylosma latifolium* Hoof. F. & Thoms. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xylosma longifolia* Clos and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Hymenosporum flavum* (Hook.) F.v. Muell. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum anamallayense* Nayar & Giri and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum bicolor* Hook. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum ceylanicum* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum crassifolium* Soland.ex Putterl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum dasycaulon* Miq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum*

eugenoides A. Cunn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum napaulense* (DC.) Rehder & Wilson and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum neelgherrense* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum tetraspermum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum tobira* (Thunb.) Ait. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum umbellatum* Gaertn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum undulatum* Vent and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Pittosporum viridulum* Nayar, Giri & Chandrasekaran and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sollya heterophylla* Lindl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Muraltia juniperifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala arillata* Buch.-Ham. ex D. Don and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala arvensis* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala bolbothrix* Dunn and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala chinensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala elongata* Klein ex Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala erioptera* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on

coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala jacobii* Chandrabose and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala javana* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala longifolia* Poir. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala myrtifolia* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala persicariifolia* DC. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala rosmarinifolia* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala sibirica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala*

telephioides Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala virgata* Thunb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polygala wightiana* Wall. ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Securidaca bracteata* Bennett and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthophyllum flavescens* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Xanthophyllum manickamii* Murugan and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Arenaria neelgerrensis* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium glomeratum* Thuill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Cerastium indicum* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Dianthus caryophyllus* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drymaria cordata* (L.) Willd. ex Roem. & Schultes subsp. *diandra* (Blume) Duke and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Drymaria villosa* Cham. & Schlect. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Gypsophila elegans* M. Bieb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Lychnis coronaria* (L.) Desr. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpha aurea* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpha corymbosa* (L.) Lam. var. *corymbosa* and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpaea corymbosa* (L.) Lam. var. *longipetala* Sriniv. & D. Naras. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpaea diffusa* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpaea spicata* Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpon prostratum* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Polycarpon tetraphyllum* (L.) L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Sagina saginoides* (L.) Karsten, Deutsch and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Saponaria officinalis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Scleranthus*

annus L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene armeria* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene coeli - rosa* (L.) Godron and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Silene gallica* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Spergula arvensis* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria media* (L.) Vill. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria monosperma* Buch. - Ham. ex D. Don var. *paniculata* (Edgew) Majumdar and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Stellaria vestita* Kurz and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Vaccaria pyramidata* Medicus and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca oleracea* L. var. *oleracea* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca oleracea* L. var. *linearifolia* Sivarajan & Manilal and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca pilosa* L. subsp. *pilosa* var. *tuberosa* (Roxb.) Sivar. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca pilosa* subsp. *grandiflora* (Hook.f.) Geesink and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca quadrifida* L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulaca wightiana* Wall ex Wight & Arn. and 15 wasteland weeds based Green Spray with Vedic

Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Portulacaria afra* Jacq. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Talinum portulacifolium* (Forsk.) Asch. & Schweinf. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Talinum triangulare* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix aphylla* (L.) Karsten and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix ericoides* Rottl. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Tamarix indica* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergia ammannioides* Roxb. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Bergia capensis*

L. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatine ambigua* Wight and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Elatine triandra* Schkuhr and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum apetalum* Willd. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Calophyllum austroindicum* Kosterm. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus vulgaris* LAM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Ziziphus xylopyrus* WILLD. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zornia diphylla* (L.) PERS. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia.
<http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zornia gibbosa* SPAN. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zosima absinthifolia* (VENT.) LINK NULL and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>.

Oudhia, P. (1990-2021). Safed Musli farming for Diabetic neuropathy formulations: Impact of *Platanthera edgeworthii* (Hook. f. ex Collet) Gupta (Allelopathically enriched), *Zosima orientalis* HOFFM. and 15 wasteland weeds based Green Spray with Vedic Agronomical practices on coumarin, stigmasterol and hecogenin. Medicinal Plant Database by Pankaj Oudhia. <http://www.pankajoudhia.com>,

(Where there are two or three same references of one species then consider the first one as purified through long duration purification method, second as purified through medium duration method and third through short duration purification method.)

For queries write at pankajoudhia@gmail.com